LaTeX Style Guide

Ivan Jacob Agaloos Pesigan

This guide covers LaTeX sources: `.Rtex` files and the `.tex` files they input. Math is in the math guide; prose voice is in `.setup/ai/style/manuscript.md`. Agents follow `.setup/ai/style/latex.md`, which follows this guide and is changed together with it.

1 Files

- `.Rtex` files start with the knitr chunk block (root, knitr, biblatex). Chunk options are written `% #| label = "..."`.
- Every chunk has a label.
- The preamble is in numbered files in `.setup/latex/preamble`, linked from rProject.
- Manuscripts are `<project>-manuscript-EDIT-THIS.Rtex`.

2 Line Breaks

Use semantic line breaks (https://sembr.org). Start a new line after every sentence, and at clause boundaries where it helps: after a comma, semicolon, or colon; before a conjunction or a relative clause. A blank line ends a paragraph. Prose has no length limit; R chunks keep lines under 80 characters. The PDF does not change.

Existing manuscripts and talks are reflowed one at a time, each in a push that changes only line breaks, at a time the user chooses, and the text of the PDFs is compared to show that nothing else changed.

3 Indentation

One tab inside environments (`equation`, `table`, `itemize`, ...).

4 Citations

Use `\parencite` and `\textcite` only (biblatex-apa), with keys from the lib-* libraries. Do not use `\cite` or natbib. Talks may also use `\footcite` and `\fullcite`.

5 Labels

Labels are `<type>:<project>-<name>`, with the types `eq`, `fig`, `tab`, `sec`, and `app`.

```
\label{eq:manMetaVAR-stage1-dynamics}
```

6 References and Numbers

- Use a non-breaking space before a reference or number: `Equation~\ref{...}`, `Table~\ref{...}`, `Stage~1`.
- Do not type the number of an equation, table, figure, or section; use `\ref`.
- Do not type a value from R; use `\rinline` or a chunk.

7 Floats

Figures and tables follow the figures and tables guide.

8 Tools

`make lint` reports (never fails on) citations, labels, non-breaking spaces, typed numbers, indentation, math, and macros. It does not check where sentences and clauses break, which would be guesswork.

References

R Core Team. (2026). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing. Vienna, Austria. https://www.R-project.org/