
Here's the steps to setup MAIL PHP:

- 1. Download the sendmail.zip through this <u>link</u> <u>http://www.glob.com.au/sendmail.zip</u>
- Now, extract the folder and put it to C:/wamp64/SendMail. Make sure that these four files are present: sendmail.exe, libeay32.dll, ssleay32.ddl and sendmail.ini.
- 3. Open **sendmail.ini** and set the configuration as follows:

```
• smtp server=smtp.gmail.com
```

- smtp port=465
- smtp ssl=ssl
- default_domain=localhost
- error logfile=error.log
- debug logfile=debug.log
- auth username=[your gmail account username]@gmail.com
- auth password=[your gmail account password]
- pop3 server=
- pop3 username=
- pop3 password=
- force sender=
- force recipient=
- hostname=localhost
- Access your GMAIL email account. Click the Gear Tool > Settings >
 Forwarding and POP/IMAP > IMAP access. Click "Enable IMAP",
 then save your changes.

- 5. Enable 'Less secure apps' within GMAIL Account
 - Log into your GMAIL account.
 - Navigate to the '<u>Less secure apps</u>' page.



- Toggle to turn this feature 'ON'.
- 6. Run your WAMP Server.
 - Enable ssl_module under Apache Module.
- Next, enable openssl (php_ openssl) and sockets (php_sockets) under PHP/PHP Extensions.
- 8. Open **php.ini** from "**C:\wamp64\bin\apache\Apache2.4.41\bin**" and configure it as the codes below. Basically, you just have to set the sendmail path.

```
[mail function]
; For Win32 only.
; http://php.net/smtp
;SMTP =
; http://php.net/smtp-port
;smtp_port = 25

; For Win32 only.
; http://php.net/sendmail-from
;sendmail_from = you@domain.com
; For Unix only. You may supply arguments as well (default: "sendmail -t -i").
; http://php.net/sendmail-path
sendmail_path = "C:\wamp64\sendmail\sendmail.exe -t -i"
```

- 9. Restart Wamp Server
- 10. Create a PHP file and write the following code in it:

```
<!php

$to = 'thuyle2000@gmail.com';

$subject = 'Testing sendmail.exe';

$message = 'Hi, you just received an email using sendmail!';

$headers = 'From: YourEmail@gmail.com';

if(mail($to, $subject, $message, $headers))

    echo "Email sent";

else
    echo "Email sending failed";

?>
```