

Outdoor Augmented Reality

Ethan Zammit[4802L]
ethan.zammit.19@um.edu.mt
University of Malta

June 17, 2021

FACULTY OF INFORMATION AND COMMUNICATION TECHNOLOGY

Declaration

Plagiarism is defined as “the unacknowledged use, as one’s own work, of work of another person, whether or not such work has been published” (Regulations Governing Conduct at Examinations, 1997, Regulation 1 (viii), University of Malta).

I / We*, the undersigned, declare that the [assignment / Assigned Practical Task report / Final Year Project report] submitted is my / our* work, except where acknowledged and referenced.

I / We* understand that the penalties for making a false declaration may include, but are not limited to, loss of marks; cancellation of examination results; enforced suspension of studies; or expulsion from the degree programme.


Work submitted without this signed declaration will not be corrected, and will be given zero marks.

* Delete as appropriate.

(N.B. If the assignment is meant to be submitted anonymously, please sign this form and submit it to the Departmental Officer separately from the assignment).

Ethan Zammit

Student Name



Signature

Student Name

Signature

Student Name

Signature

Student Name

Signature

ARI2201

Course Code

Individual Assigned Practical Task - Outdoor AR

Title of work submitted

14/06/2021

Date

Contents

1	Introduction	4
1.1	Brief of Project	4
1.2	Aims & Objectives	4
1.3	Functionality Developed	4
1.3.1	The Application	4
1.3.2	The API Server	4
2	Background Research	5
2.1	Location Data & Augmented Reality	5
2.2	Google ARCore & Unity Technologies	5
2.3	Augmented Reality & Tourism	5
3	Implementation Details	6
3.1	The Server	6
3.1.1	Location Updates	6
3.2	The Application	6
3.2.1	Location Service	6
3.2.2	Close Landmark Menu	6
3.2.3	Augmented Reality Mode	6
3.3	Other AR Techniques	7
3.3.1	Plane detection	7
3.3.2	Image Recognition & Augmented Images	7
4	Evaluation & Analysis	8
5	Conclusion	8

1 Introduction

1.1 Brief of Project

This project aims to delve into the effects of the exploitation of Augmented Reality Techniques on tourism and heritage.

A system is to be developed using Google's ARCore, enabling complex computer vision-based functions to be easily embedded within an android app.

1.2 Aims & Objectives

There are three main objectives to this project, which are to be explored and implemented to analyse the effects of their combination. Firstly, Augmented Reality is to be used and implemented in the setting of an outdoor environment, using several technologies provided by ARCore, we may explore different ways that this can be exploited for the best experience. This may even be combined with other sensory data such as the location for a better touch with reality. Secondly, an android application is to be developed, which will allow ease of use by most people, avoiding hurdles of installations and such. This application is to provide some method of direction to landmarks, and also incorporate the AR experience when appropriate. Thirdly, The application is to get information from a server, which will allow for a centralised and controlled method of managing landmarks, descriptions and their locations.

1.3 Functionality Developed

1.3.1 The Application

An android app was developed that the users can easily install and access. The app constantly uses the location service to consult the API server, providing the device's current location and retrieving a list of explorable landmarks. These landmarks are displayed on the application, as a list of potentially explorable landmarks, also giving a general bearing of where the user should head to reach the site.

When the user is within a (relatively small) proximity of a landmark (geofence defined server-side), the app enables a landmark to be selectable, which when selected, the device enters an AR mode.

When in AR mode, the user can get a floating 3D informational window that contains details about the landmark selected.

1.3.2 The API Server

The server is to contain a list of landmarks, including their names, locations, a description and maybe even a set of images. The server should allow a device to consult it with location-based information and a list of landmarks (within some proximity) is returned to the device, where the device uses the information given and lists them as potential landmarks to explore.

The landmark information is to be stored on the server, so anything can be easily changed by changing the configurations of the server, and the mobile apps simply obtain newer information, without needing to rebuild or update the applications. As this technology may be adopted to other uses, such as games, it would be really useful to be able to have an idea of where players are.

2 Background Research

2.1 Location Data & Augmented Reality

In modern smartphones, the GPS system is fast and accurate, especially for purposes of landmark geofencing, as utmost accuracy is not a requirement. The advancement in smartphone technologies also enable richer AR experiences, as higher quality experiences may be included with less concern with device processing power.

When these two technologies are combined, the experience is taken to another level, as the Augmented Reality experience can shift based on the device's real conditions and positioning. A level of immersion is reached, as users need to move and visit heritage sites in order to experience the Augmented Reality effects, and in return, they gain context and heritage information about the landmarks visited.

2.2 Google ARCore & Unity Technologies

Google ARCore framework greatly facilitates the implementation of AR experiences, without the need of reinventing everything from scratch. A simplified framework enables lower-cost projects, lower-qualified developers and faster integration of AR projects, providing a gateway to the mainstream acceptance of AR.

Unity 3D technologies combined with Google ARCore enhance the usability of ARCore, as developers are enabled to keep using existing, familiar tools to develop an Augmented Reality Experience. As unity has been a longstanding game development engine, it also has a wide range of support, addons and a helpful community. It also enables the development for different platforms such as desktop, web and mobile applications!

2.3 Augmented Reality & Tourism

Augmented Reality has seen its success in the IT industry, as can be seen in [1]. However, according to [2] in 2017, the potential of AR in the tourism domain is still not explored enough, and thus the envelope is still to be pushed for further integration.

3 Implementation Details

3.1 The Server

An api server was written in python, as due to the small scale of the application, this was ideal to meet the requirements whilst keeping the implementation simple enough. The server provides several endpoints which may be pinged, but only two particular endpoints are used.

3.1.1 Location Updates

The server keeps track of a list of active devices, (though a unique identifier provided on requests), and their last known location. The device regularly updates the sever with location information, and then requests nearby landmark data. The server loops through all landmarks, and calculates the distance between the device longitude and latitude positioning, and the landmark. If the distance is below some threshold, it is added to a list of potentially explorable landmarks, which is returned as a JSON response to the device. Each landmark entry also contains a geofence region, which when is larger than the distance, the landmarks is considered near the user, and the device can know that the AR mode can be enabled.

3.2 The Application

3.2.1 Location Service

On the device, the location is updated every second, with an intended accuracy of 0.1 metres (usually not met, but we try to be as accurate as possible). The integrated unity function is used, and a listener is used to check for updates, which update the server, and the landmarks list accordingly.

3.2.2 Close Landmark Menu

A scrollable list was used to show a list of the landmarks returned by the server. The title, a short description, the raw distance from the location and the bearing to the location is shown for each entry, so the user may have some basic information on how to reach a target. Whenever the landmarks is very close, the entry become interactable, and the user can press it to enter AR mode near the landmark.

3.2.3 Augmented Reality Mode

In this mode, the camera is shown to the user, and a 3D translucent floating window is spawned in 3D space. The user may move around the panel, and observe the panel stays locked in 3D space. The panel shows some deeper description about the near landmark. A carousel allows the user to see some images of the place (as provided through the API).

3.3 Other AR Techniques

A couple of other Augmented Reality techniques were explored during the development of this app. These techniques were implemented and worked really well as standalone, yet when combining the features the standalone applications do not have any uses, and thus there is no way of using them.

3.3.1 Plane detection

Although raw plane detection was not used in the final version, under the hood Google uses it to keep the floating information panel in place. Through Google's AR Core it is made possible to detect vertical and horizontal planes, to which other game objects can be anchored to!

In an example, plane detection was used to find a stable surface, and when the user clicks on a plane, a 3D Game model is spawned in place, and anchored to the plane. The user is also able to walk around in the room, whilst the objects stay anchored to the plane!

3.3.2 Image Recognition & Augmented Images

Image Recognition was also a really interesting feature to use. In this project's case, a quick database manager was created in which a list of images could be inserted. And actions would be taken according to the image detected!

In an example, an image of the earth was used as a key, and when this image is detected, a 3D spinning globe would be overlaid on it, where the user is able to go around the globe! This may have been able to be implemented in the app, yet as the landmark menu and the AR Mode switching works, it did not have much room to be used. (As in the near landmark menu, there is no access to the camera), and the user may only use AR Mode when near a landmark. However, this feature is also fully working, and may easily be implemented if a better use is identified.

4 Evaluation & Analysis

5 Conclusion

References