Attenuation Bias, Measurement Error & Principal Component Analysis

Isaac Liu, Nicolás Martorell & Paul Opheim May 24, 2021

Abstract

Shorter version of the abstract (I would say 4-5 sentences in a single paragraph max) goes here

Many variables of interest in economics are not directly available as empirical data. Instead, economists often use other variables that are imperfect measurements of the true focus of their analysis. These available variables are known as *proxies* or "variables measured with error", and, if they suffer from classical measurement error, their use causes *attenuation bias* when they are used as independent variables in econometric estimation. Traditionally, instrumental variables are used as a shock of exogeneity to get rid of this bias, but finding truly exogenous variables that satisfy the exclusion restriction is difficult, and so this method can often not be feasibly applied.

As an alternative to dealing with attenuation bias, we propose the use of Principal Component Analysis (PCA) over several variables measured with error. When there are multiple observed variables driven by a single "true" one, we propose to use PCA over these variables to extract the "true" variable. We then use this extracted value and use it in a standard OLS regression, thus providing a solution to attenuation bias that does not require the strong assumptions of instrumental variable analysis.

To show the properties and behaviour of our estimator on large samples under standard assumptions, we present a theoretical framework and a Monte-Carlo analysis. Additionally, we explore a basic empirical application to our method, by estimating the effect of economic development on life expectancy at birth. Since there is no consensus on how to measure economic development, we take a sample of different variables that may measure economic development with error (GDP per capita, GNI per capita, Household Income Per Capita, among others) over which we apply PCA to apply our identification strategy.

Literature

Nagasawa 2020 theoretically develops the use of a proxy variable to deal with unobserved heterogeneity in line with the definitions in the measurement error literature Uses an imperfect measurment of the error, the proxy problem is in nuisance parameters has a single proxy variable nonparametric approach mentioned as having limited usefulness due to curse of dimensionality and restrictive common support kernel first stage new partial effects method of proxy

Schennach 2016 focuses on nonclassical measurement error and nonlinear cases- classical cases 'uninteresting' because IV is very easy to use relaxing common assumptions origins and simple approaches validation data or repeated measurements proxies are related to the variable of interest but maybe nonlinearly... indicators may be instruments time series and panel repetition factor high and low dimensional relations multivariate linear regresison- worse than attenuation bias... and nonlinear models lead IV to fail. repeated measurments- old lemma. nonparametric density estimation moments apporach and polynomials, basis and transforms, etc. symmetric kernel smoothing factor models- x is informed by factor loadings plus noise- latent covariance identification. normalization is needed. SEE HECKMAN 2010A control variables- NO need for normalization with the matrix known construct vectors of repeated measurment and decompose nonlinear exxtension. iv more general and can be biased... polynomial parametric identification is difficult in this nonlinear situation quantile regression possilbity panel data- future values can give information.

latent variable models... are really basically mathematically the same as measurement error simple and standard me explanation reminder- standardized coefficient is very similar to correlation coefficient reminder that there is no impact of measurement error in y on unstandardized coeff multiple regression- x1 coeff can indeed be biased, middle of p.2 lower statistical power no

bias in the mean of x bad impact on the regression use Structural Equation Modelling to estimate path coefficients among latent variables need three or more measures to estimate a latent variable in a footnote it mentions a case with only two indicators not always me but sometimes uniqueness... really it's just items unaccounted for by the factor latent variance is independent.. classical assumption

Wegge measurment error regression models are factor analysis mdoels, with the correct regressors being the factors. indeed. but no common stat method, because true factors not known- no clear coefficient linkage. instead, grouping dependent variables and latent factors uncorrelated with errors counting rules data grouping remedies- structural equations grouped regression model- ivs and weighted averages of ivs if there is very little credible info about the variance of measurment errors or the covariance of equation erros, factor loading restrictions are needed for identification this paper is about identification and IVs really

schoefield mixed effects structural equations model combine structural equations and item response theory attenuation, or nonclassical bias in any direction clear misestimation consequences solutions in IV or nonparametric bounds. here IRT error structure assumed by IV often violated bayesian structural framework and model this paper is focused on ME in the main regressor

heckman 2010 the abstract makes it very clear that this is a paper in a similar situation, except involving matching it is incomplete, however matching estimators can be harmed by mismeasured conditioning variables however, average treatment effects can be identified using factor models with quality proxies there often is not a need for normalization

*perhaps note somewhere that government spending is less likely to have measurement error because it's an official statistic... though health spending in the denominator could have error... ow.

Theoretical framework

Consider a model where the outcome is denoted by y_i . This outcome depends on a variable of interest denoted by t_i and a vector of covariates denoted by $X_i = (x_{i,1}, x_{i,2}, \dots x_{i,p})'$. Additionally, consider a vector of variables $X_i^* = (x_{i,1}^*, x_{i,2}^*, \dots x_{i,p}^*)'$ that correspond to the covariates X_i but observed with measurement error, where $x_{i,k}^* = x_{i,k} + \eta_{i,k}$ with $\eta_{i,k} \sim iid(0, \sigma_{\eta_k}^2)$, $\mathrm{E}(x_{i,k}'\eta_{i,k}) = 0, \forall i$, $\mathrm{E}(x_{i,k}'\eta_{j,l}) = 0, \forall i \neq j$ and $k \neq l$. Therefore, each $x_{i,k}^*$ suffers from classical measurement error. Note that $\mathrm{E}(x_{i,k}) = \mathrm{E}(x_{i,k}^*) = \mu_{x_k}$ and that $\mathrm{V}(x_{i,k}) = \sigma_{x_k}^2$ while $\mathrm{V}(x_{i,k}^*) = \sigma_{x_k}^2 + \sigma_{\eta_k}^2 \geq \sigma_{x_k}^2$.

Data Generating Process

Assume that the outcome y_i is determined by the following Data Generation Process (DGP):

$$y_i = \gamma t_i + X_i' \beta + \epsilon_i \tag{1}$$

where γ is the parameter of the variable of interest t_i , $\beta = (\beta_1, \beta_2, \dots \beta_p)'$ is the vector of the parameters of the covariates X_i including a constant and $\epsilon_i \sim \mathrm{iid}(0, \sigma_{\epsilon}^2)$. Under this specification, the coefficients are such that:

$$\begin{pmatrix} \gamma \\ \beta \end{pmatrix} = \begin{pmatrix} \sigma_t^2 & \Sigma_{tX} \\ \Sigma_{Xt} & \Sigma_X \end{pmatrix}^{-1} \begin{pmatrix} \Sigma_{yt} \\ \Sigma_{yX} \end{pmatrix}$$
 (2)

Suppose that the econometrician has access to t_i but, instead of X_i she observes X_i^* . Then, she specifies the following linear model

$$y_i = \gamma^* t_i + X_i^{*\prime} \beta^* + \zeta_i \tag{3}$$

the coefficients would be such that

$$\begin{pmatrix} \gamma^* \\ \beta^* \end{pmatrix} = \begin{pmatrix} \sigma_t^2 & \Sigma_{tX^*} \\ \Sigma_{X^*t} & \Sigma_{X^*} \end{pmatrix}^{-1} \begin{pmatrix} \Sigma_{yt} \\ \Sigma_{yX^*} \end{pmatrix} \tag{4}$$

$$= \begin{pmatrix} \sigma_t^2 & \Sigma_{tX} \\ \Sigma_{Xt} & \Sigma_X + \Sigma_{\eta} \end{pmatrix}^{-1} \begin{pmatrix} \sigma_t^2 & \Sigma_{tX} \\ \Sigma_{Xt} & \Sigma_X \end{pmatrix} \begin{pmatrix} \gamma \\ \beta \end{pmatrix}$$
 (5)

To the see the implications of the of this measurement error in the covariates, consider a simple case where the DGP depends only of the variable of interest and a covariate such that:

$$\begin{pmatrix} \gamma \\ \beta \end{pmatrix} = \begin{pmatrix} 1 \\ 1 \end{pmatrix} \tag{6}$$

and with $\sigma_t^2 = \Sigma_X = \Sigma_\eta = 1$ while $\Sigma_{Xt} = 0.6$. Then

$$\begin{pmatrix} \gamma^* \\ \beta^* \end{pmatrix} = \begin{pmatrix} 1 & 0.6 \\ 0.6 & 2 \end{pmatrix}^{-1} \begin{pmatrix} 1 & 0.6 \\ 0.6 & 1 \end{pmatrix} \begin{pmatrix} 1 \\ 1 \end{pmatrix}$$
$$\begin{pmatrix} \gamma^* \\ \beta^* \end{pmatrix} = \begin{pmatrix} 1.37 \\ 0.39 \end{pmatrix}$$

Clearly, both coefficients shows bias when the econometrician assumes a DGP with X_i^* : while there is attenuation bias on the coefficient of the covariate, the coefficient of the variable of interest is biased upward given that some of the effect of the covariates is "omitted" given this attenuation.

Instrumental Variables Regression as a Bias-Correction Method

The classical solution for the measurement-error induced bias in econometrics has been the usage of instrumental variables. Suppose an instrument Z_i that satisfies the relevance condition $E(Z_i'X_i) \neq 0$ and $E(Z_i't_i) \neq 0$, and also the exclusion restriction $E(Z_i'\epsilon_i) = E(Z_i'\zeta_i) = E(Z_i'\eta_{i,k}) = 0$, for all i and k. Then premultiplying by Z_i we have

$$Z_i'y_i = Z_i'\gamma^*t_i + Z_i'X_i^{*'}\beta^* + Z_i'\zeta_i \tag{7}$$

and so

$$\begin{pmatrix} \gamma^{IV} \\ \beta^{IV} \end{pmatrix} = \begin{pmatrix} \Sigma_{Zt} & \Sigma_{ZX,Zt} \\ \Sigma_{Zt,ZX} & \Sigma_{ZX} + \Sigma_{Z\eta} \end{pmatrix}^{-1} \begin{pmatrix} \Sigma_{Zt} & \Sigma_{ZX,Zt} \\ \Sigma_{Zt,ZX} & \Sigma_{ZX} \end{pmatrix} \begin{pmatrix} \gamma \\ \beta \end{pmatrix}$$
(8)

$$= \begin{pmatrix} \Sigma_{Zt} & \Sigma_{ZX,Zt} \\ \Sigma_{Zt,ZX} & \Sigma_{ZX} \end{pmatrix}^{-1} \begin{pmatrix} \Sigma_{Zt} & \Sigma_{ZX,Zt} \\ \Sigma_{Zt,ZX} & \Sigma_{ZX} \end{pmatrix} \begin{pmatrix} \gamma \\ \beta \end{pmatrix}$$
(9)

$$\begin{pmatrix} \gamma^{IV} \\ \beta^{IV} \end{pmatrix} = \begin{pmatrix} \gamma \\ \beta \end{pmatrix} \tag{10}$$

However, finding a reliable source of exogeneity is difficult, and it is impossible to conclusively prove a suitable exclusion restriction. The use of IV as a bias-correction method is thus often unfeasible.

Principal Component Regression as Bias-Correction Method

Alternatively, we propose an alternative bias-correction method for when there are several mismeasured variables for each covariate; that is, when we have more than one $x_{i,k}^*$ for every $x_{i,k}$. Given that in all the mismeasured variables the underlying value is the real value, one could think of extracting the underlying true $x_{i,k}$ through a linear combination of the different $x_{i,k}^*$. Then, we could treat all the $x_{i,k}^*$ as variables that share components as follows:

$$h_j = \underset{h'h=1, h'h_1=0, \dots, h'h_{j-1}=0}{\operatorname{argmax}} \operatorname{var} \left[h' X_k^* \right]$$
 (11)

where h_j is the eigenvector of Σ associated with the j^{th} ordered eigenvalue λ_j of $\Sigma_{X_k^*}$, and the principal components of X_k^* are $U_j = h'_j X_k^*$, where h_j is the eigenvector of Σ associated with the j^{th} ordered eigenvalue λ_j of Σ .

Under our assumptions, the vector of mismeasured values X_k^* of $x_{i,k}$, share only one principal component which is precisely $x_{i,k}$. Then, we only have one principal component, $x_{i,k}$, and so the $x_{i,k}$ is such that

$$x_{i,k} = h_k' X_k^* \tag{12}$$

Finally, we could then retrieve the vector of true variables X_i

$$X_i = HX_i^* \tag{13}$$

where H is a matrix such that

$$H = \begin{pmatrix} h_1 & 0 & 0 & \dots & 0 \\ 0 & h_2 & 0 & \dots & 0 \\ \vdots & \ddots & h_3 & \ddots & \vdots \\ 0 & \dots & \dots & \ddots & h_p \end{pmatrix}$$

and h_k is the vector of eigenvalues for the variable $x_{i,k}$. Our new linear model then becomes

$$y_i = \gamma^{PCR} t_i + H X_i^{*\prime} \beta^{PCR} + \epsilon_i \tag{14}$$

where the coefficients are as follows

$$\begin{pmatrix} \gamma^{PCR} \\ \beta^{PCR} \end{pmatrix} = \begin{pmatrix} \sigma_t^2 & \Sigma_{t,HX^*} \\ \Sigma_{HX^*,t} & \Sigma_{HX^*} \end{pmatrix}^{-1} \begin{pmatrix} \Sigma_{yt} \\ \Sigma_{y,HX^*} \end{pmatrix}$$
(15)

$$= \begin{pmatrix} \sigma_t^2 & \Sigma_{t,HX^*} \\ \Sigma_{HX^*,t} & \Sigma_{HX^*} \end{pmatrix}^{-1} \begin{pmatrix} \sigma_t^2 & \Sigma_{tX} \\ \Sigma_{Xt} & \Sigma_{X} \end{pmatrix} \begin{pmatrix} \gamma \\ \beta \end{pmatrix}$$
(16)

$$= \begin{pmatrix} \gamma \\ \beta \end{pmatrix} \tag{17}$$

where the last equality comes from (13).

Properties of the Estimator: Monte Carlo Simulations

We then complement our theoretical analysis by using Monte Carlo Simulation to analyze the effects of using Principal Components Regression as a method of bias correction. For these simulations, we assume that the true DGP for the data is:

$$y_i = \beta_1 x_i + \beta_2 z_i + u_i$$

where x_i and z_i are single variables drawn from $\mathcal{N}(\begin{bmatrix} 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 1 & \rho \\ \rho & 1 \end{bmatrix})$, where ρ is some covariance between our main variable of interest (x_i) and the covariate (z_i) . The u_i is drawn from a white noise distribution $(\mathcal{N}(0,1))$ that is uncorrelated with both x_i and z_i . We then assume (as with the theoretical analysis) that z_i is not directly observable and instead the researchers only have access to p many measurements $z_{i,j}^*$ where $z_{i,j}^* = z_i + \eta_j$ where η_j is drawn from a white noise distribution $\mathcal{N}(\mathbf{0}, \Sigma)$ where $\mathbf{0}$ is a p-vector and Σ is a diagonal p by p matrix with only 1s on the diagonal.

In our simulations, we assume default values of $\rho = 0.5$, $\beta_1 = \beta_2 = 1$, and p = 5. We then vary each factor while holding the others fixed, and perform 1,000 simulations of the DGP followed by an OLS regression on either the PCA value from the p measurements of the true z_i , or on a single one of the measurements of z_i . For each simulation, we generate 100 observations of y_i, x_i , etc. Below are the results for different values of p:

Number of p 5 10 50 Coefficient on Main Variable **PCA** 1.105 1.066 1.033 1.022(0.121)(0.122)(0.119)(0.117)Single Measurement 1.280 1.283 1.282 1.292 (0.124)(0.129)(0.131)(0.167)Absolute Percentage Error **PCA** 11.1%9.4%13.1%10.0%(9.3 ppts)(8.3 ppts)(7.3 ppts)(7.3 ppts)28.2%28.5%28.3%29.3%Single Measurement (12.6 ppts)(12.6 ppts)(12.6 ppts)(12.7 ppts)Observations 1,000 1,000 1,000 1,000

Table 1: Average Coefficients for Values of p

We can see that using PCA to extract the latent covariate driving the mismeasured covariates noticeably outperforms using a single mismeasured covariate across several values of p. Both the average coefficient on β_1 obtained when including the PCA output in the regression, and the mean absolute percentage error obtained on the 1,000 simulations are both much closer to the target values with the PCA-based regression than with the single measurement regression. Additionally, we can see that as p increases the estimated β_1^* coefficient in the PCA regression gets steadily closer

to the true β_1 value of 1. This trend could well continue as $p \to \infty$, but we did not simulate values greater than p = 50 due to the seeming implausibility of having more than 50 measurements of the same single covariate. Appendix 1 contains charts that show that this increase in performance is also true for different values of β_1 and β_2 .

However, there are certain circumstances where the PCA method does not lead to more accurate estimates of β_1^* . Let's now look at the simulation results for different values of ρ (the covariance between the main variable of interest x_i and the true latent covariate z_i):

Table 2: Average Coefficients for Values of ρ

		ho Value						
	-1	-0.5	0	0.5	1			
		Coeffici	ent on Main	Variable				
PCA	-0.006	0.900	0.996	1.105	2.009			
	(0.238)	(0.120)	(0.111)	(0.121)	(0.242)			
Single Measurement	-0.002	0.720	0.998	1.280	2.003			
	(0.142)	(0.130)	(0.127)	(0.129)	(0.147)			
		Absolu	te Percentage	e Error				
PCA	100.6%	12.7%	8.9%	13.1%	100.9%			
	(23.8 ppts)	(9.1 ppts)	(6.6 ppts)	(9.3 ppts)	(24.2 ppts)			
Single Measurement	100.2%	28.1%	10.2%	28.2%	100.3%			
	(14.2 ppts)	(12.7 ppts)	(7.6 ppts)	(12.6 ppts)	(14.7 ppts)			
Observations	1,000	1,000	1,000	1,000				

We first note that when $\rho = 0.5$ then the coefficient on the variable of interest is artificially inflated when we use a single mismeasurement as a covariate (on average, 1.28 instead of the true value of 1). Similarly, when $\rho = -0.5$ then the coefficient is artificially deflated. Using the PCA value as the covariate reduces this bias for both directions, and brings the main coefficient closer to its true value of zero. These results are consistent with our theoretical section, where we argued that a positive covariance between the main variable and the true covariate will lead to an inflation on the main coefficient, while a negative covariance will lead to a deflation of the coefficient. Separately, when the covariance between x_i and z_i is equal to 0, -1, or 1 then there is no notable improvement from using the PCA-extracted latent variable (and notice that since the variances of x_i and z_i are 1, this means that the covariance is equal to the correlation in these simulations). These simulation results suggest that so long as the correlation between x_i and z_i is not close to -1,0, or 1, there are noticeable performance gains from using PCA to extract the true covariate from a collection of observed variables that try to measure that true covariate.

However, the performance advantages that we see from using PCA could be driven by the benefit of having multiple measurements of our true covariate of interest, as opposed to any special advantages from PCA specifically. We test this question by comparing the estimated β_1^* in our PCA regressions with the estimated β_1^* when we include all p measurements as separate covariates in the

regression, and the β_1^* obtained when the covariate is the mean of all p measurements of the true covariate. The results from these regressions for different values of p is shown below:

Table 3: Average Coefficients for Values of p

		Num	nber of p	
	5	10	20	50
		Coefficient of	on Main Vari	able
PCA	1.105	1.066	1.033	1.022
	(0.121)	(0.122)	(0.119)	(0.117)
All Measurements	1.100	1.061	1.025	1.010
	(0.124)	(0.129)	(0.131)	(0.167)
Average of Measurements	1.100	1.060	1.026	1.015
-	(0.121)	(0.122)	(0.119)	(0.117)
		Absolute P	ercentage Err	ror
PCA	13.1%	11.1%	10.0%	9.4%
	(9.3 ppts)	(8.3 ppts)	(7.3 ppts)	(7.3 ppts)
All Measurements	12.9%	11.4%	10.7%	13.2%
	(9.3 ppts)	(8.5 ppts)	(7.9 ppts)	(10.2 ppts)
Average of Measurements	12.8%	10.9%	9.8%	9.3%
· 	(9.2 ppts)	(8.2 ppts)	(7.2 ppts)	(7.2 ppts)
Observations	1,000	1,000	1,000	1,000

As one can see from these results (and results for different values of β_1 , β_2 , and ρ in Appendix 2), there does not seem to be a noticeable difference between these three regression methods (across any values of p, β_1 , β_2 , and ρ . Thus, our simulations suggest that there are major benefits to having multiple measurements of a latent covariate of interest, but that using PCA, taking the average of these measurements, and including all measurements as separate covariates seem to give similar benefits to the performance of the regression.

Application: Government Share of Healthcare Spending and Life Expectancy

We now examine the implications of the principal components estimator in an empirical setting with measurement error. One interesting question in public economics and public health is the comparison between publicly and privately funded healthcare systems and outcomes such as life expectancy. To measure the public or private nature of a healthcare system we use the continuous variable of the government's share of total health expenditure in a given country and year.

Some previous work has covered this relationship. Considerig that this topic has been studied in "relatively few papers," (Linden and Ray) focus on the relationship between life expectancy at birth and public and private health expenditures for 34 OECD countries from 1970-2012 and find that both public and private health spending are important to life expectancy and are associated

with each other. Other studies find a variety of effects; considering developing nations in Africa, (Novignon) finds a larger impact for public spending while (Fillmer) finds no impact; in the developed US and Canada, (Lichtenberg) finds an impact only for public spending on outcomes when controlling for lagged GDP, while (Cremieux) finds private spending on drugs is more effective. In the most similar work to ours, (Or 2000) predicts premature death in 21 OECD countries from 1970-1992, considering the public share of health expenditure, environmental factors, and GDP. He finds that a larger share of public spending is associated with lower rates of premature mortality for both males and females, and that controlling for GDP is important; it is also associated with less premature mortality. This work also demonstrates the importance of our methods of reducing the number of covariates considered, as it includes many economic variables and fixed effects but examines only several hundred observations; the estimators used may be subject to an important amount of variance.

In this regression it is important to account for the role of a country's level of economic development. There is an extensive literature documenting the relationship between economic development and life expectancy. (Ling et al) finds that economic growth is associated with increased life expectancy in Malaysia, while considering the reversed causal direction (Acemoglu) finds improvements in life expectancy lead to little or no growth. Somewhat less obvious is the linkage between government provision of healthcare and development. In general, public goods provision and government spending, including in fields such as healthcare has been linked to prosperity; low income countries may be remain in such a state due to inefficient governments and inferior institutions (Wu).

However, economic development as it is often conceptualized using GDP is liable to be measured with error. GDP measurements usually rely on company surveys, and the methodology within a country and for comparisons between countries through exchange rates or PPP adjustments may vary (Grishin). Other sources of error include the presence of the informal economy and non-monetary but productive work, and the challenge of accurately measuring the value of digital services which often do not have visible prices (Charmes, Ahmad). Hence, this setup, with a covariate in regression subject to measurement error, fits the situation described in the theory and simulations in the previous sections. In this case, we aim to to reduce possible bias in the coefficient of the government's share of health spending by making appropriate use of multiple measures of economic development.

Our data on all measures comes from the World Bank, though we also make usage of OECD government health share data to fill in missing years, and average World Bank and OECD measurements when both are available (World Bank, OECD). We standardize all variables by subtracting the mean and dividing by the standard deviation, linearly interpolate data between known observations, and remove country-years with missing values for any of the economic indicators.

In Table 4 below we begin with a univariate OLS regression, which produces a large and significant coefficient indicating a one standard deviation increase in the government share of health expenditure is linked to a 0.56 standard deviation increase in life expectancy. Next we include the potentially mismeasured covariate of GDP per capita, which greatly reduces the size of the coefficient on the governments share. After this we include a full set of economic covariates listed

¹Due to differences in statistical capacity and the larger relative size of the informal economy, it is possible that mismeasurement of economic development is particularly severe in developing countries. On the other hand, the presence of the digital economy may mean mismeasurement is larger in developed nations. This would constitute the presence of non-classical measurement error, but we only consider classical measurement error in this paper.

in Table 5, again reducing the size of the coefficient. However, this result is then adjusted upwards again in the last two columns, where use the mean of the mismeasured covariates, and the first principal component.

Table 4: Regressions of Life Expectancy on Government Share of Health Spending

	Life Expectancy at Birth (Years)						
	(1)	(2)	(3)	(4)	(5)		
Govt. Share of Health Exp.	0.564***	0.365***	0.256***	0.380***	0.298***		
	(0.018)	(0.019)	(0.018)	(0.018)	(0.018)		
Covariates	None	GDP PC	Econ Indicators	Mean	PC 1		
Observations	1,995	1,995	1,995	1,995	1,995		
R^2	0.319	0.456	0.573	0.479	0.518		
Adjusted R^2	0.318	0.455	0.569	0.479	0.517		
Residual Std. Error	0.826	0.738	0.656	0.722	0.695		
F Statistic	931.676***	833.433***	176.737***	917.087***	1069.682***		

Note:

*p<0.1; **p<0.05; ***p<0.01

Table 5: Econ Indicators

Indicator Name
GDP Per Capita (Current USD)
GNP Per Capita PPP (Current International \$)
GNP Per Capita (Current USD)
Survey Mean Income or Consumption Per Capita
Survey Mean Income or Consumption Per Capita, Bottom 40%
ILO GDP Per Person Employed
Total Foreign Reserves
Poverty Headcount Ratio (International Extreme Poverty Line)
Poverty Headcount Ratio (National Poverty Line)
Poverty Gap (International Extreme Poverty Line)
Government Share of Health Expenditure
Net Official Development Assistance Per Capita (Current USD)
Net Official Development Assistance Per Capita, Percent of GNI
Net Official Development Assistance, Percent of Total Government Expenditure

The results clearly demonstrate that all of the methods using multiple measures of the covariates produce noticably different coefficients for government health share. Taking the mean of covariates produces a larger coefficient. The principal components estimator and the usage of many economic indicators directly instead produce smaller coefficients.

Results using fixed effects panel models, more principal components, and instrumental variables regression of using all the economic indicators as an instrument for GDP per capita, are in Table

6. Fixed effects coefficients greatly reduce the magnitude of effects. Including more principal components and the instrumental variables technique produce coefficients of moderate size close to that obtained by the single principal component.

Table 6: Additional Regressions

	Life Expectancy at Birth (Years)				
	(1)	(2)	(3)	(4)	
Govt. Share of Health Exp.	0.024***	0.026***	0.307***	0.333***	
	(0.008)	(0.007)	(0.018)	(0.018)	
Covariates	None	PC 1	PC 1-7	GDP PC (IV)	
Fixed Effects	Yes	Yes	No	No	
Observations	1,995	1,995	1,995	1,995	
R^2	0.987	0.987	0.529	0.490	
Adjusted R^2	0.985	0.985	0.527	0.490	
Residual Std. Error	0.121	0.121	0.688	0.714	
F Statistic	2458.091***	2357.344***	279.197***	958.731***	

Note:

*p<0.1; **p<0.05; ***p<0.01

Conclusion

Discuss possible extensions

Appendix 1

Table 7: Average Coefficients for Values of β_1

		$True eta_1$				
	0.1	1	10	100		
		Coefficient on Main Variable				
PCA	0.207	1.105	10.104	100.117		
	(0.121)	(0.121)	(0.123)	(0.124)		
Single Measurement	0.383	1.280	10.278	100.289		
	(0.128)	(0.129)	(0.131)	(0.133)		
	,	Absolute Pere	centage Error	•		
PCA	131.1%	13.1%	1.3%	0.1%		
	(95.1 ppts)	(9.3 ppts)	(0.9 ppts)	(0.1 ppts)		
Single Measurement	283.6%	28.2%	2.8%	0.3%		
	(126.6 ppts)	(12.6 ppts)	(1.3 ppts)	(0.1 ppts)		
Observations	1,000	1,000	1,000	1,000		

Table 8: Average Coefficients for Values of β_2

	$True \ eta_2$					
	0.1	1	10	100		
		Coefficient on Main Variable				
PCA	1.018	1.105	2.112	12.171		
	(0.115)	(0.121)	(0.477)	(4.555)		
Single Measurement	1.034	1.280	3.865	29.751		
	(0.107)	(0.129)	(0.703)	(7.231)		
		Absolute I	Percentage Erre	or		
PCA	9.4%	13.1%	111.6%	1,119.6%		
	(7.0 ppts)	(9.3 ppts)	(47.0 ppts)	(449.4 ppts)		
Single Measurement	8.9%	28.2%	286.5%	2,875.1%		
	(6.8 ppts)	(12.6 ppts)	(70.3 ppts)	(723.1 ppts)		
Observations	1,000	1,000	1,000	1,000		

Table 9: Average Coefficients for Values of p

		Num	ber of p			
	5	10	20	50		
		Coefficient on Main Variable				
PCA	1.105	1.066	1.033	1.022		
	(0.121)	(0.122)	(0.119)	(0.117)		
Single Measurement	1.280	1.283	1.282	1.292		
	(0.124)	(0.129)	(0.131)	(0.167)		
		Absolute Pe	ercentage Erro	r		
PCA	13.1%	11.1%	10.0%	9.4%		
	(9.3 ppts)	(8.3 ppts)	(7.3 ppts)	(7.3 ppts)		
Single Measurement	28.2%	28.5%	28.3%	29.3%		
	(12.6 ppts)	(12.6 ppts)	(12.6 ppts)	(12.7 ppts)		
Observations	1,000	1,000	1,000	1,000		

Table 10: Average Coefficients for Values of ρ

	ho Value					
	-1	-0.5	0	0.5	1	
		Coeffici	ent on Main	Variable		
PCA	-0.006	0.900	0.996	1.105	2.009	
	(0.238)	(0.120)	(0.111)	(0.121)	(0.242)	
Single Measurement	-0.002	0.720	0.998	1.280	2.003	
	(0.142)	(0.130)	(0.127)	(0.129)	(0.147)	
		Absolu	te Percentage	e Error		
PCA	100.6%	12.7%	8.9%	13.1%	100.9%	
	(23.8 ppts)	(9.1 ppts)	(6.6 ppts)	(9.3 ppts)	(24.2 ppts)	
Single Measurement	100.2%	28.1%	10.2%	28.2%	100.3%	
	(14.2 ppts)	(12.7 ppts)	(7.6 ppts)	(12.6 ppts)	(14.7 ppts)	
Observations	1,000	1,000	1,000	1,000		

Table 11: Average Coefficients for Values of β_1

		Tre	$ue \beta_1$	
	0.1	1	10	100
		Coefficient or	n Main Varia	ble
PCA	0.207	1.105	10.104	100.117
	(0.121)	(0.121)	(0.123)	(0.124)
All Measurements	0.201	1.100	10.098	100.11
	(0.123)	(0.124)	(0.126)	(0.127)
Average of Measurements	0.202	1.100	10.098	100.111
	(0.121)	(0.121)	(0.123)	(0.124)
		Absolute Pe	rcentage Erro	r
PCA	131.1%	13.1%	1.3%	0.1%
	(95.1 ppts)	(9.3 ppts)	(0.9 ppts)	(0.1 ppts)
All Measurements	128.9%	12.9%	1.3%	0.1%
	(93.6 ppts)	(9.3 ppts)	(1.0 ppts)	(0.1 ppts)
Average of Measurements	127.9%	12.8%	1.3%	0.1%
	(93.1 ppts)	(9.2 ppts)	(0.9 ppts)	(0.1 ppts)
Observations	1,000	1,000	1,000	1,000

Table 12: Average Coefficients for Values of β_2

		/ -	True β_2	
	0.1	1	10	100
	Coefficient on Main Variable			
PCA	1.018	1.105	2.112	12.171
	(0.115)	(0.121)	(0.477)	(4.555)
All Measurements	1.02	1.100	2.067	11.664
	(0.118)	(0.124)	(0.477)	(4.519)
Average of Measurements	1.017	1.100	2.061	11.625
	(0.115)	(0.121)	(0.470)	(4.415)
		Absolute	Percentage Err	ror
PCA	9.4%	13.1%	111.6%	$1{,}119.6\%$
	(7.0 ppts)	(9.3 ppts)	(47.0 ppts)	(449.4 ppts)
All Measurements	9.7%	12.9%	107.1%	1,069.3%
	(7.0 ppts)	(9.3 ppts)	(46.8 ppts)	(445.0 ppts)
Average of Measurements	9.4%	12.8%	106.5%	1,065.2%
	(6.9 ppts)	(9.2 ppts)	(46.0 ppts)	(435.0 ppts)
Observations	1,000	1,000	1,000	1,000

Table 13: Average Coefficients for Values of p

		Num	nber of p	
	5	10	20	50
		Coefficient of	on Main Vari	able
PCA	1.105	1.066	1.033	1.022
	(0.121)	(0.122)	(0.119)	(0.117)
All Measurements	1.100	1.061	1.025	1.010
	(0.124)	(0.129)	(0.131)	(0.167)
Average of Measurements	1.100	1.060	1.026	1.015
	(0.121)	(0.122)	(0.119)	(0.117)
		Absolute P	ercentage Err	ror
PCA	13.1%	11.1%	10.0%	9.4%
	(9.3 ppts)	(8.3 ppts)	(7.3 ppts)	(7.3 ppts)
All Measurements	12.9%	11.4%	10.7%	13.2%
	(9.3 ppts)	(8.5 ppts)	(7.9 ppts)	(10.2 ppts)
Average of Measurements	12.8%	10.9%	9.8%	9.3%
	(9.2 ppts)	(8.2 ppts)	(7.2 ppts)	(7.2 ppts)
Observations	1,000	1,000	1,000	1,000

Table 14: Average Coefficients for Values of ρ

	ρ Value				
	-1	-0.5	0	0.5	1
	Coefficient on Main Variable				
PCA	-0.006	0.900	0.996	1.105	2.009
	(0.238)	(0.120)	(0.111)	(0.121)	(0.242)
All Measurements	-0.007	0.904	0.996	1.100	2.011
	(0.249)	(0.122)	(0.112)	(0.124)	(0.249)
Average of Measurements	-0.005	0.905	0.996	1.100	2.010
	(0.243)	(0.120)	(0.110)	(0.121)	(0.246)
	Absolute Percentage Error				
PCA	100.6%	12.7%	8.9%	13.1%	100.9%
	(23.8 ppts)	(9.1 ppts)	(6.6 ppts)	(9.3 ppts)	(24.2 ppts)
All Measurements	100.7%	12.6%	9.0%	12.9%	101.1%
	(24.9 ppts)	(9.0 ppts)	(6.7 ppts)	(9.3 ppts)	(24.9 ppts)
Average of Measurements	100.5%	12.4%	8.9%	12.8%	101.0%
	(24.3 ppts)	(8.9 ppts)	(6.6 ppts)	(9.2 ppts)	(24.6 ppts)
Observations	1,000	1,000	1,000	1,000	

Appendix 2

Appendix 3

Figure 1: Correlations Between Covariates and Life Expectancy




Figure 2: Economic Measures PCA Loadings




Figure 3: Economic Measures PCA Share of Variance Explained

