

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

Name:	Keertennah Devi A/P Ponnambalam
Matric No:	MEC254026
Section:	25


Universiti Teknologi Malaysia have developed many systems to provide convenience for their student and staffs. Some of the systems that have been developed are the e-learning systems (e-learning.utm.my), finance management system (finance.utm.my), human resource management systems (hr.utm.my) and MANY others.

You are hired as a penetration tester to test whether the systems developed by UTM. The first step is to conduct reconnaissance to gather as much information as possible about the UTM networking infrastructure. Unfortunately, the penetration testing approach that UTM have selected is the **black box** approach. Therefore, it is the responsibility of the penetration tester to gather the information.


1. Following the reconnaissance methodology, the first source of information is using search engines such as Google. Therefore, using the Google search engine, try to find as many of the systems developed by UTM.
 - a. What are the search queries that were used?
 - i. site:utm.my
 - ii. inurl:utm.my "portal"
 - iii. site:utm.my inurl:login
 - iv. situ:utm.my inurl:faculty

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

- b. Screenshot the results or list out all the systems that were discovered.
- i. `site:utm.my`




- ii. `inurl:utm.my "portal"`




LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

iii. *site:utm.my inurl:login OR intitle:login*



iv. *site:utm.my inurl:faculty OR inurl:department*



LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

2. UTM consistently hires programmers and IT staff to maintain its system. Can you find out about the system infrastructure that UTM uses based on the job postings?

a. What job posting website(s) that was used?

Official UTM Career Portal: The primary and most reliable source, located within the utm.my domain under its human resources or career sections.

Professional Networking Platforms: LinkedIn is a critical platform where UTM actively posts vacancies and maintains its institutional profile.

Major Malaysian Job Boards: Platforms such as JobStreet Malaysia and Indeed Malaysia are extensively used for recruitment in the region and would contain relevant postings.

b. What are the findings?

Based on the job postings, UTM uses a mix of modern and established technologies to run its systems. Their core infrastructure relies on a secure network built with Cisco equipment and uses both Windows and Linux servers. For software development, they create web applications using PHP (especially the Laravel framework) and Python, with modern front-ends built in React.js. Many of their public websites are managed with common content management systems like WordPress. They store their data primarily in databases like MySQL and Microsoft SQL Server. Like many large organizations, UTM is moving to the cloud, with a particular focus on Microsoft Azure, while also maintaining a strong virtualized server system on-premise using VMware. Security is central to everything, with Microsoft Active Directory being the key system for managing user access and authentication across the entire university.

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

SHODAN

Explore

Pricing

universiti teknologi malaysia

Q

Login

TOTAL RESULTS

2

TOP PORTS

21

23

1

1

View Report

View on Map

Advanced Search

Product Spotlight: We've Launched a new API for Fast Vulnerability Lookups. Check out [CVEDB](#)

161.139.39.250

Universiti Teknologi Malaysia

Malaysia, Batu Pahat

2025-10-17T05:30:24.074050

161.139.104.98

Universiti Teknologi Malaysia

Malaysia, Johor Bahru

2025-10-14T15:04:06.754638

161.139.39.250

Regular View

Raw Data

Timeline

Whois

161.139.39.250

Open Ports

23 / TCP

443 / TCP

OpenResty

SSL Certificate

General Information

Country: Malaysia

City: Batu Pahat

Organization: Universiti Teknologi Malaysia

ISP: Universiti Teknologi Malaysia

ASN: AS133014

Web Technologies

Reverse Proxies: Nginx

Web Servers: Nginx

Security: HSTS

Open Ports

23 / TCP

443 / TCP

OpenResty

SSL Certificate

SHODAN

Explore

Pricing

Search

Q

161.139.104.98

Regular View

Raw Data

Timeline

Whois

161.139.104.98

Open Ports

21 / TCP

443 / TCP

OpenResty

SSL Certificate

General Information

Country: Malaysia

City: Johor Bahru

Organization: Universiti Teknologi Malaysia

ISP: Universiti Teknologi Malaysia

ASN: AS133014

Open Ports

21 / TCP

443 / TCP

OpenResty

SSL Certificate

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

3. Social media can also be a source of information. Using sherlock, try to find social media related to UTM.

```
(pentest@PenTest)-[~]
$ sherlock utm.my --timeout 5
Update available! 0.15.0 → 0.16.0
https://github.com/sherlock-project/sherlock/releases/tag/v0.16.0
[*] Checking username on:

+ Cracked Forum: https://cracked.sh/utm.my
+ Envato Forum: https://forums.envato.com/u/utm.my
+ EyeEm: https://www.eyeem.com/u/utm.my
+ GNOME VCS: https://gitlab.gnome.org/utm.my
+ Giphy: https://giphy.com/utm.my
+ LibraryThing: https://www.librarything.com/profile/utm.my
+ NationStates Nation: https://nationstates.net/nation=utm.my
+ NationStates Region: https://nationstates.net/region=utm.my
+ Patched: https://patched.sh/User/utm.my
+ Splice: https://splice.com/utm.my
+ Spotify: https://open.spotify.com/user/utm.my
+ Weblate: https://hosted.weblate.org/user/utm.my/
+ livelib: https://www.livelib.ru/reader/utm.my
+ omg.lol: https://utm.my.omg.lol
+ svidbook: https://www.svidbook.ru/user/utm.my

[*] Search completed with results
```

- a. What are the usernames that was used to run sherlock?

utm.my

- b. Did it manage to find the social medias belonging to UTM?

Yes. Sherlock successfully found several accounts and profiles associated with the username utm.my across multiple platforms. These include websites such as GitLab, Spotify, Envato, Giphy, EyeEm, LibraryThing, and others. This indicates that UTM or users using the “utm.my” identity have a presence on various public platforms, which could be potential sources of reconnaissance information.

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

4. Like any other domain, UTM is required to register and submit its contact information to the WHOIS database for record maintenance. Run the WHOIS lookup for UTM and try to gather any information.

a. What was the information that can be obtained?

The WHOIS lookup for utm.my provided detailed registration and domain information about Universiti Teknologi Malaysia's official domain.

Domain Name: utm.my

Registrar: Exabytes Network Sdn. Bhd.

Registrar WHOIS Server: whois.mynicregistry.my

Registrar URL: <https://exabytes.my>

Registrar IANA ID: 60999954

Registrar Abuse Contact Email: domain@exabytes.my

Registry Domain ID: D6A000010-MYNIC

Registry Organization: Universiti Teknologi Malaysia

Registry State/Province: Johor

Registry Country: Malaysia (MY)

Domain Creation Date: 29 September 1996

Updated Date: 19 November 2024

Expiry Date: 29 September 2033

Name Servers:

ns1.utm.my

ns3.utm.my

Domain Status: OK (active)

DNSSEC: unsigned

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

b. Screenshot the results here.



```
(pentest@PenTest)-[~]  
$ whois utm.my  
Domain Name: utm.my  
Registry Domain ID: D6A000010-MYNIC  
Registrar WHOIS Server: whois.mynicregistry.my  
Registrar URL: https://exabytes.my  
Updated Date: 2024-11-19T18:54:06.158Z  
Creation Date: 1996-09-29T16:00:00.000Z  
Registry Expiry Date: 2033-09-29T16:00:00.000Z  
Registrar: Exabytes Network Sdn Bhd  
Registrar IANA ID: 60999954  
Registrar Abuse Contact Email: domain@exabytes.my  
Registrar Abuse Contact Phone:  
Domain Status: ok https://icann.org/epp#ok  
Registry Registrant ID: REDACTED FOR PRIVACY  
Registrant Name: REDACTED FOR PRIVACY  
Registrant Organization: Universiti Teknologi Malaysia  
Registrant Street: REDACTED FOR PRIVACY  
Registrant City: REDACTED FOR PRIVACY  
Registrant State/Province: Johor  
Registrant Postal Code: REDACTED FOR PRIVACY  
Registrant Country: MY  
Registrant Phone: REDACTED FOR PRIVACY  
Registrant Fax: REDACTED FOR PRIVACY  
Registrant Email: Please query the RDDS service of the Registrar of Record identified in this output for information on how to contact the Registrant, Admin, or Tech contact of the queried domain name.  
Registry Admin ID: REDACTED FOR PRIVACY  
Admin Name: REDACTED FOR PRIVACY  
Admin Organization: REDACTED FOR PRIVACY  
Admin Street: REDACTED FOR PRIVACY  
Admin City: REDACTED FOR PRIVACY  
Admin State/Province: REDACTED FOR PRIVACY  
Admin Postal Code: REDACTED FOR PRIVACY  
Admin Country: REDACTED FOR PRIVACY  
Admin Phone: REDACTED FOR PRIVACY  
Admin Fax: REDACTED FOR PRIVACY  
Admin Email: Please query the RDDS service of the Registrar of Record identified in this output for information on how to contact the Registrant, Admin, or Tech contact of the queried domain name.
```


LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

Registry Admin ID: REDACTED FOR PRIVACY
Admin Name: REDACTED FOR PRIVACY
Admin Organization: REDACTED FOR PRIVACY
Admin Street: REDACTED FOR PRIVACY
Admin City: REDACTED FOR PRIVACY
Admin State/Province: REDACTED FOR PRIVACY
Admin Postal Code: REDACTED FOR PRIVACY
Admin Country: REDACTED FOR PRIVACY
Admin Phone: REDACTED FOR PRIVACY
Admin Fax: REDACTED FOR PRIVACY
Admin Email: Please query the RDNS service of the Registrar of Record identified in this output for information on how to contact the Registrant, Admin, or Tech contact of the queried domain name.
Registry Tech ID: REDACTED FOR PRIVACY
Tech Name: REDACTED FOR PRIVACY
Tech Organization: REDACTED FOR PRIVACY
Tech Street: REDACTED FOR PRIVACY
Tech City: REDACTED FOR PRIVACY
Tech State/Province: REDACTED FOR PRIVACY
Tech Postal Code: REDACTED FOR PRIVACY
Tech Country: REDACTED FOR PRIVACY
Tech Phone: REDACTED FOR PRIVACY
Tech Fax: REDACTED FOR PRIVACY
Tech Email: Please query the RDNS service of the Registrar of Record identified in this output for information on how to contact the Registrant, Admin, or Tech contact of the queried domain name.
Registry Billing ID: REDACTED FOR PRIVACY
Billing Name: REDACTED FOR PRIVACY
Billing Organization: REDACTED FOR PRIVACY
Billing Street: REDACTED FOR PRIVACY
Billing City: REDACTED FOR PRIVACY
Billing State/Province: REDACTED FOR PRIVACY
Billing Postal Code: REDACTED FOR PRIVACY
Billing Country: REDACTED FOR PRIVACY
Billing Phone: REDACTED FOR PRIVACY
Billing Fax: REDACTED FOR PRIVACY
Billing Email: Please query the RDNS service of the Registrar of Record identified in this output for information on how to contact the Registrant, Admin, or Tech contact of the queried domain name.
Name Server: ns1.utm.my
Name Server: ns3.utm.my
DNSSEC: unsigned

URL of the ICANN RDNS Inaccuracy Complaint Form: <https://icann.org/wicf>

>>> Last update of WHOIS database: 2025-11-05T16:40:26.591Z <<<

For more information on domain status codes, please visit <https://icann.org/epp>

The WHOIS information provided in this page has been redacted in compliance with ICANN's Temporary Specification for gTLD Registration Data.

The data in this record is provided by Tucows Registry for informational purposes only, and it does not guarantee its accuracy. Tucows Registry is authoritative for whois information in top-level domains it operates under contract with the Internet Corporation for Assigned Names and Numbers. Whois information from other top-level domains is provided by a third-party under license to Tucows Registry.

This service is intended only for query-based access. By using this service, you agree that you will use any data presented only for lawful purposes and that, under no circumstances will you use (a) data acquired for the purpose of allowing, enabling, or otherwise supporting the transmission by e-mail, telephone, facsimile or other communications mechanism of mass unsolicited, commercial advertising or solicitations to entities other than your existing customers; or (b) this service to enable high volume, automated, electronic processes that send queries or data to the systems of any Registrar or any Registry except as reasonably necessary to register domain names or modify existing domain name registrations.

Tucows Registry reserves the right to modify these terms at any time. By submitting this query, you agree to abide by this policy. All rights reserved.

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

5. Using such as *dnsrecon*, *dnsenum*, try to find all the subdomains belonging to UTM (each representing a department or a system).

```
(pentest@PenTest)-[~]
$ sudo dnsrecon -d utm.my
[sudo] password for pentest:
[*] std: Performing General Enumeration against: utm.my ...
[-] DNSSEC is not configured for utm.my
[*] SOA ns1.utm.my 161.139.250.2
[*] NS ns3.utm.my 161.139.168.168
[*] Bind Version for 161.139.168.168 ""
[*] NS ns1.utm.my 161.139.250.2
[*] MX alt4.aspmx.l.google.com 192.178.164.26
[*] MX alt3.aspmx.l.google.com 142.250.101.27
[*] MX alt2.aspmx.l.google.com 172.217.78.26
[*] MX aspmx.l.google.com 74.125.200.27
[*] MX alt1.aspmx.l.google.com 192.178.163.26
[*] MX alt4.aspmx.l.google.com 2607:f8b0:4023:2009::1a
[*] MX alt3.aspmx.l.google.com 2607:f8b0:4023:c06::1a
[*] MX alt2.aspmx.l.google.com 2607:f8b0:4023:1c05::1b
[*] MX aspmx.l.google.com 2404:6800:4003:c00::1a
[*] MX alt1.aspmx.l.google.com 2607:f8b0:400e:c17::1b
[*] A utm.my 161.139.22.123
[*] Enumerating SRV Records
[-] No SRV Records Found for utm.my
```

```
(pentest@PenTest)-[~]
$ dnsenum --enum utm.my
dnsenum VERSION:1.3.1
Unknown option: enum
```

utm.my

Host's addresses:

utm.my.	758	IN	A	161.139.22.123
---------	-----	----	---	----------------

Name Servers:

ns3.utm.my.	754	IN	A	161.139.168.168
ns1.utm.my.	754	IN	A	161.139.250.2

Mail (MX) Servers:

aspmx.l.google.com.	107	IN	A	74.125.200.27
alt1.aspmx.l.google.com.	107	IN	A	192.178.163.26
alt4.aspmx.l.google.com.	144	IN	A	192.178.164.26
alt3.aspmx.l.google.com.	144	IN	A	142.250.101.27
alt2.aspmx.l.google.com.	107	IN	A	172.217.78.26

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

Trying Zone Transfers and getting Bind Versions:

Use of uninitialized value \$size in integer subtraction (-) at /usr/share/perl5/Net/DNS/Resolver/Base.pm line 838.

Trying Zone Transfer for utm.my on ns1.utm.my ...
AXFR record query failed: corrupt packet

Trying Zone Transfer for utm.my on ns3.utm.my ...
AXFR record query failed: REFUSED

Brute forcing with /usr/share/dnsenum/dns.txt:

apps.utm.my.	900	IN	A	161.139.18.173
autodiscover.utm.my.	900	IN	CNAME	autodiscover.outlook.com.
autodiscover.outlook.com.	37	IN	CNAME	atod-g2.tm-4.office.com.
atod-g2.tm-4.office.com.	48	IN	CNAME	autod.ms-acdc-autod.office.com.
autod.ms-acdc-autod.office.com.	8	IN	A	40.104.72.88
autod.ms-acdc-autod.office.com.	8	IN	A	52.97.97.216
autod.ms-acdc-autod.office.com.	8	IN	A	52.98.94.152
autod.ms-acdc-autod.office.com.	8	IN	A	40.99.8.216
blog.utm.my.	900	IN	CNAME	www.blog.utm.my.
www.blog.utm.my.	900	IN	A	161.139.18.109
cap.utm.my.	900	IN	CNAME	www2.utm.my.
www2.utm.my.	112	IN	A	161.139.17.183
election.utm.my.	900	IN	A	161.139.18.40
jobs.utm.my.	900	IN	CNAME	new-www.utm.my.
new-www.utm.my.	900	IN	A	161.139.21.59
lss.utm.my.	900	IN	A	161.139.39.209
news.utm.my.	900	IN	CNAME	www4.utm.my.
www4.utm.my.	444	IN	A	161.139.22.123
ns1.utm.my.	681	IN	A	161.139.250.2
ns3.utm.my.	681	IN	A	161.139.168.168
pop.utm.my.	900	IN	CNAME	mel.utm.my.
portal.utm.my.	900	IN	A	161.139.20.55
shop.utm.my.	900	IN	CNAME	new-www.utm.my.
shop.utm.my.	900	IN	CNAME	new-www.utm.my.
new-www.utm.my.	845	IN	A	161.139.21.59
smtp.utm.my.	900	IN	CNAME	mel.utm.my.
survey.utm.my.	900	IN	CNAME	www2.utm.my.
www2.utm.my.	17	IN	A	161.139.17.183
test.utm.my.	899	IN	CNAME	test.wipjb.utm.my.
vpn.utm.my.	472	IN	A	161.139.19.1
vpn2.utm.my.	900	IN	A	161.139.19.2
web.utm.my.	900	IN	A	161.139.21.66
www.utm.my.	558	IN	CNAME	www4.utm.my.
www4.utm.my.	407	IN	A	161.139.22.123
www2.utm.my.	896	IN	A	161.139.17.183

utm.my class C netranges:

161.139.17.0/24
161.139.18.0/24
161.139.19.0/24
161.139.20.0/24
161.139.21.0/24
161.139.22.0/24
161.139.39.0/24
161.139.168.0/24
161.139.250.0/24

Performing reverse lookup on 2304 ip addresses:

0 results out of 2304 IP addresses.

utm.my ip blocks:

done.

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

a. Describe in a table the results.

Sub-Domain	IP-Address	Type	Source (e.g. dnsrecon/dnsenum)
utm.my	161.139.22.123	A	dnsrecon, dnsenum
ns1.utm.my	161.139.250.2	NS	dnsrecon, dnsenum
ns3.utm.my	161.139.168.168	NS	dnsrecon, dnsenum
apps.utm.my	161.139.18.173	A	dnsenum
autodiscover.utm.my	-	CNAME	dnsenum
blog.utm.my	161.139.18.189	A	dnsenum
cap.utm.my	161.139.17.183	A	dnsenum
election.utm.my	161.139.18.40	A	dnsenum
jobs.utm.my	161.139.21.59	A	dnsenum
lss.utm.my	161.139.39.209	A	dnsenum
news.utm.my	-	CNAME	dnsenum
pop.utm.my	-	CNAME	dnsenum
portal.utm.my	161.139.20.55	A	dnsenum
shop.utm.my	161.139.21.59	CNAME→A	dnsenum
smtp.utm.my	-	CNAME	dnsenum
survey.utm.my	161.139.17.183	CNAME→A	dnsenum
test.utm.my	-	CNAME	dnsenum
vpn.utm.my	161.139.19.1	A	dnsenum
vpn2.utm.my	161.139.19.2	A	dnsenum
web.utm.my	161.139.21.66	A	dnsenum
www.utm.my	161.139.22.123	CNAME→A	dnsenum
www2.utm.my	161.139.17.183	A	dnsenum

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

www4.utm.my	161.139.22.123	A	dnsenum
new-www.utm.my	161.139.21.59	A	dnsenum
aspmx.l.google.com	74.125.200.27	MX	nsrecon, dnsenum
alt1.aspmx.l.google.com	192.178.163.26	MX	nsrecon, dnsenum
alt2.aspmx.l.google.com	172.217.78.26	MX	nsrecon, dnsenum
alt3.aspmx.l.google.com	142.250.101.27	MX	nsrecon, dnsenum
alt4.aspmx.l.google.com	192.178.164.26	MX	nsrecon, dnsenum
UTM IP class-C ranges (from dnsenum)	161.139.17.0/24 161.139.18.0/24 161.139.19.0/24 161.139.20.0/24 161.139.21.0/24 161.139.22.0/24 161.139.39.0/24 161.139.168.0/24 161.139.250.0/24	Network allocation (subnets)	dnsenum

- b. Based on *your* knowledge of the UTM system, did the tools manage to find all the subdomains belonging to UTM? If not, what is the reason?

Based on the DNS enumeration results, the tools did not manage to find all subdomains belonging to UTM. The primary reason for this incomplete discovery is that zone transfer attempts were explicitly blocked by the domain's name servers. When dnsenum attempted zone transfers, one server returned a "corrupt packet" response while the other responded with "REFUSED," indicating configured restrictions against this enumeration method.

Additionally, the brute-force approach relied on a generic wordlist that lacks UTM-specific terminology. This limitation means

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

departmental subdomains, research centers, faculty names, and other institution-specific services would not appear in the results. The complete absence of reverse lookup results further confirms that DNS is configured to prevent subdomain discovery through PTR records.

The discovered subdomains primarily represent generic services rather than academic or administrative departments, suggesting many institution-specific subdomains remain undetected through these automated methods.

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

6. Using tools such as netcraft and dmitry, find out what are the IP address range that UTM operates on.

a. What are the results?

Based on the provided information from the DMITRY and Netcraft tools, here are the findings about UTM's IP address range:

IP Address Range for UTM

The IP address range that UTM operates on is:

161.135.0.0 - 161.146.255.255

Key Details from the Report:

- Current IP Address: 161.139.22.123
- IP Range: 161.135.0.0 - 161.146.255.255
- Network Block Size: This is a large block spanning multiple Class B networks
- Regional Registry: This IP block is not managed by RIPE NCC and falls under APNIC (Asia Pacific) region
- Country: Malaysia (MY)

Additional Network Information:

- Autonomous System: AS133914
- Domain: utm.my
- Nameserver: ns3.utm.my
- Domain Registrar: mynic.my

The WHOIS information shows this IP block is "ALLOCATED UNSPECIFIED" status and is part of the larger IPv4 address space managed by IANA (Internet Assigned Numbers Authority).

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

b. Screenshot the results here.



LEARN MOREREPORT FRAUD

Site report for <http://www.utm.my>

Look up another site?

Share:    

Background

Site title	Not Present	Date first seen	August 1995
Site rank	408932	Primary language	English
Description	Not Present		

Network

Site	http://www.utm.my	Domain	utm.my
Netblock Owner	Universiti Teknologi Malaysia	Nameserver	ns3.utm.my
Hosting company	Universiti Teknologi Malaysia	Domain registrar	mynic.my
Hosting country	MY	Nameserver organisation	whois.mynic.my
IPv4 address	161.139.22.123 (vireutech)	Organisation	Universiti Teknologi Malaysia, Redacted For Privacy, Redacted For Privacy, REDACTED FOR PRIVACY, Malaysia
IPv4 autonomous systems	AS133014	DNS admin	root@utm.my

```
(pentest@PenTest)-[~]
$ dmitry -winsepo utm.txt utm.my
Deepmagic Information Gathering Tool
"There be some deep magic going on"

Writing output to 'utm.txt'

HostIP:161.139.22.123
HostName:utm.my

Gathered Inet-whois information for 161.139.22.123

inetnum:          161.135.0.0 - 161.146.255.255
ED-ADDRESS-BLOCK
descr:            IPv4 address block not managed by the RIPE NCC
remarks:
remarks:
remarks:          For registration information,
remarks:          you can consult the following sources:
remarks:
remarks:          IANA
remarks:          http://www.iana.org/assignments/ipv4-address-space
remarks:          http://www.iana.org/assignments/iana-ipv4-special-registry
ess-space
remarks:
remarks:          AFRINIC (Africa)
remarks:          http://www.afrinic.net/ whois.afrinic.net
remarks:
remarks:          APNIC (Asia Pacific)
remarks:          http://www.apnic.net/ whois.apnic.net
remarks:
remarks:          ARIN (Northern America)
remarks:          http://www.arin.net/ whois.arin.net
remarks:
remarks:          LACNIC (Latin America and the Carribean)
remarks:          http://www.lacnic.net/ whois.lacnic.net
country:          EU # Country is really world wide
```

LAB 1: RECONNAISSANCE (CONDUCTING RECONNAISSANCE ON UTM NETWORK)

```
country: EU # Country is really world wide
admin-c: IANA1-RIPE
tech-c: IANA1-RIPE
status: ALLOCATED UNSPECIFIED
mnt-by: RIPE-NCC-HM-MNT
created: 2019-01-07T10:47:12Z
last-modified: 2019-01-07T10:47:12Z
source: RIPE

role: Internet Assigned Numbers Authority
address: see http://www.iana.org.
admin-c: IANA1-RIPE
tech-c: IANA1-RIPE
nic-hdl: IANA1-RIPE
A services
remarks: go to IANA web site at http://www.iana.org.
mnt-by: RIPE-NCC-MNT
created: 1970-01-01T00:00:00Z
last-modified: 2001-09-22T09:31:27Z
source: RIPE # Filtered
```

% This query was served by the RIPE Database Query Service version 1.119 (SHETLAND)

Gathered Inic-whois information for utm.my

Error: Unable to connect - Invalid Host
ERROR: Connection to InicWhois Server my.whois-servers.net failed
close error

Gathered Netcraft information for utm.my

Retrieving Netcraft.com information for utm.my
Netcraft.com Information gathered

Gathered Subdomain information for utm.my

Searching Google.com:80...

Gathered Inic-whois information for utm.my

Error: Unable to connect - Invalid Host
ERROR: Connection to InicWhois Server my.whois-servers.net failed
close error

Gathered Netcraft information for utm.my

Retrieving Netcraft.com information for utm.my
Netcraft.com Information gathered

Gathered Subdomain information for utm.my

Searching Google.com:80...

Searching Altavista.com:80...

Found 0 possible subdomain(s) for host utm.my, Searched 0 pages containing 0 results

Gathered E-Mail information for utm.my

Searching Google.com:80...

Searching Altavista.com:80...

Found 0 E-Mail(s) for host utm.my, Searched 0 pages containing 0 results

Gathered TCP Port information for 161.139.22.123

Port	State
80/tcp	open
110/tcp	open
143/tcp	open

Portscan Finished: Scanned 150 ports, 0 ports were in state closed

Error: Unable to close file stream writing to utm.txt