```
iker@ubuntuserver:/var/log/apache2$ sudo a2enmod ssl
[sudo] password for iker:
Considering dependency setenvif for ssl:
Module setenvif already enabled
Considering dependency mime for ssl:
Module mime already enabled
Considering dependency socache_shmcb for ssl:
Module socache_shmcb already enabled
Module ssl already enabled
iker@ubuntuserver:/var/log/apache2$
```

Activo el ssl

```
iker@ubuntuserver:/etc/apache2/sites-available$ cd /etc/apache2/logrocho/ssl
iker@ubuntuserver:/etc/apache2/logrocho/ssl$ ls
certificado.crt   certificado.csr   key
iker@ubuntuserver:/etc/apache2/logrocho/ssl$ _
```

Genero los certificados

```
  GNU nano 4.8                         logrocho.conf
<VirtualHost *:443>
        # The ServerName directive sets the request scheme, hostname and port that
        # the server uses to identify itself. This is used when creating
        # redirection URLs. In the context of virtual hosts, the ServerName
        # specifies what hostname must appear in the request's Host: header to
        # match this virtual host. For the default virtual host (this file) this
        # value is not decisive as it is used as a last resort host regardless.
        # However, you must set it for any further virtual host explicitly.
        #ServerName www.example.com

        #ServerAdmin webmaster@localhost
        ServerName logrocho.ikerabadia.local
        SSLEngine on
        SSLCertificateFile /etc/apache2/logrocho/ssl/certificado.crt
        SSLCertificateKeyFile /etc/apache2/logrocho/ssl/key

        # Available loglevels: trace8, ..., trace1, debug, info, notice, warn,
        # error, crit, alert, emerg.
        # It is also possible to configure the loglevel for particular
        # modules, e.g.
        #LogLevel info ssl:warn

        ErrorLog ${APACHE_LOG_DIR}/error.log
        CustomLog ${APACHE_LOG_DIR}/access.log combined

        # For most configuration files from conf-available/, which are
        # enabled or disabled at a global level, it is possible to
        # include a line for only one particular virtual host. For example the
        # following line enables the CGI configuration for this host only
        # after it has been globally disabled with "a2disconf".
        #Include conf-available/serve-cgi-bin.conf
</VirtualHost>

                              [ Read 34 lines ]
^G Get Help    ^O Write Out   ^W Where Is    ^K Cut Text    ^J Justify     ^C Cur Pos    M-U Undo
^X Exit        ^R Read File   ^\ Replace     ^U Paste Text  ^T To Spell    ^_ Go To Line M-E Redo
```

Configuro el host virtual seguro