



IP: 103.1.65.125 (Hong Kong)


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 103.1.65.125 (Hong Kong) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['us_east', 'hong_kong', 'singapore']

Time To First Byte Order:

['us_east', 'singapore', 'hong_kong']

Latency Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east position diff 2, -2

Raw latency score: -4.00 / Max: 15

Normalized latency score: -0.27

TTFB Score Calculation:

hong_kong position diff 2, -2

singapore matched position 1, +1

us_east position diff 2, -2

Raw TTFB score: -3.00 / Max: 4

Normalized TTFB score: -0.75





Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = -0.36$

Threshold for passing: 0.7

Result: $\triangle$ below threshold (0.7)

IP: 103.1.65.126 (Hong Kong)



IP: 103.1.65.126 (Hong Kong) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['hong_kong', 'singapore', 'us_east']

Time To First Byte Order:

['us_east', 'hong_kong', 'singapore']

Latency Score Calculation:

hong_kong matched position 0, +6

singapore matched position 1, +5

us_east matched position 2, +4

Raw latency score: 15.00 / Max: 15

Normalized latency score: 1.00

TTFB Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east position diff 2, -2

Raw TTFB score: -4.00 / Max: 4





Normalized TTFB score: -1.00

Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = 0.60$

Threshold for passing: 0.7

Result: Δ below threshold (0.7)



IP: 120.236.8.226 (China) – Score Explanation

Distance Order (by miles):
['asia', 'us_east']

Latency Order (head_avg_ms):
['asia', 'us_east']

Time To First Byte Order:
['asia', 'us_east']


Latency Score Calculation:
asia matched position 0, +6
us_east matched position 1, +5
Raw latency score: 11.00 / Max: 11
Normalized latency score: 1.00

TTFB Score Calculation:
asia matched position 0, +2
us_east matched position 1, +1
Raw TTFB score: 3.00 / Max: 3
Normalized TTFB score: 1.00


Final combined normalized score:
 $0.8 * \text{Latency} + 0.2 * \text{TTFB} = 1.00$

Threshold for passing: 0.7
Result: ☒ above threshold


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 122.114.2.214 (China) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['hong_kong', 'singapore', 'us_east']

Time To First Byte Order:

['singapore', 'hong_kong', 'us_east']

Latency Score Calculation:

hong_kong matched position 0, +6

singapore matched position 1, +5

us_east matched position 2, +4

Raw latency score: 15.00 / Max: 15

Normalized latency score: 1.00

TTFB Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east matched position 2, +1

Raw TTFB score: -1.00 / Max: 4





Normalized TTFB score: -0.25

Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = 0.75$

Threshold for passing: 0.7

Result: ☐ above threshold



IP: 125.67.244.19 (China) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['hong_kong', 'us_east', 'singapore']

Time To First Byte Order:

['singapore', 'hong_kong', 'us_east']

Latency Score Calculation:

hong_kong matched position 0, +6

singapore position diff 1, -1

us_east position diff 1, -1

Raw latency score: 4.00 / Max: 15

Normalized latency score: 0.27

TTFB Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east matched position 2, +1

Raw TTFB score: -1.00 / Max: 4

Normalized TTFB score: -0.25


Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = 0.16$


Threshold for passing: 0.7

Result: $\triangle$ below threshold (0.7)


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 157.148.101.187 (China) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['singapore', 'hong_kong', 'us_east']

Time To First Byte Order:

['singapore', 'hong_kong', 'us_east']

Latency Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east matched position 2, +4

Raw latency score: 2.00 / Max: 15

Normalized latency score: 0.13

TTFB Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east matched position 2, +1

Raw TTFB score: -1.00 / Max: 4

Normalized TTFB score: -0.25

Final combined normalized score:


$0.8 * \text{Latency} + 0.2 * \text{TTFB} = 0.06$

Threshold for passing: 0.7


Result: $\triangle$ below threshold (0.7)

IP: 162.219.87.217 (Hong Kong)


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 162.219.87.217 (Hong Kong) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['hong_kong', 'singapore', 'us_east']

Time To First Byte Order:

['hong_kong', 'singapore', 'us_east']

Latency Score Calculation:

hong_kong matched position 0, +6

singapore matched position 1, +5

us_east matched position 2, +4

Raw latency score: 15.00 / Max: 15

Normalized latency score: 1.00

TTFB Score Calculation:

hong_kong matched position 0, +2

singapore matched position 1, +1

us_east matched position 2, +1

Raw TTFB score: 4.00 / Max: 4

Normalized TTFB score: 1.00


Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = 1.00$


Threshold for passing: 0.7

Result: ☐ above threshold


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 188.227.57.12 (United States) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['us_east', 'hong_kong', 'singapore']

Time To First Byte Order:

['us_east', 'hong_kong', 'singapore']

Latency Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east position diff 2, -2

Raw latency score: -4.00 / Max: 15

Normalized latency score: -0.27

TTFB Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east position diff 2, -2

Raw TTFB score: -4.00 / Max: 4

Normalized TTFB score: -1.00


Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = -0.41$


Threshold for passing: 0.7

Result:  below threshold (0.7)


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 203.160.91.76 (Hong Kong) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['us_east', 'singapore', 'hong_kong']

Time To First Byte Order:

['us_east', 'hong_kong', 'singapore']

Latency Score Calculation:

hong_kong position diff 2, -2

singapore matched position 1, +5

us_east position diff 2, -2

Raw latency score: 1.00 / Max: 15

Normalized latency score: 0.07

TTFB Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east position diff 2, -2

Raw TTFB score: -4.00 / Max: 4

Normalized TTFB score: -1.00


Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = -0.15$


Threshold for passing: 0.7

Result: $\triangle$ below threshold (0.7)


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 203.160.91.78 (Hong Kong) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['hong_kong', 'singapore', 'us_east']

Time To First Byte Order:

['hong_kong', 'singapore', 'us_east']

Latency Score Calculation:

hong_kong matched position 0, +6

singapore matched position 1, +5

us_east matched position 2, +4

Raw latency score: 15.00 / Max: 15

Normalized latency score: 1.00

TTFB Score Calculation:

hong_kong matched position 0, +2

singapore matched position 1, +1

us_east matched position 2, +1

Raw TTFB score: 4.00 / Max: 4

Normalized TTFB score: 1.00


Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = 1.00$


Threshold for passing: 0.7

Result: ☐ above threshold


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 207.189.117.196 (United States) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['us_east', 'singapore', 'hong_kong']

Time To First Byte Order:

['us_east', 'singapore', 'hong_kong']

Latency Score Calculation:

hong_kong position diff 2, -2

singapore matched position 1, +5

us_east position diff 2, -2

Raw latency score: 1.00 / Max: 15

Normalized latency score: 0.07

TTFB Score Calculation:

hong_kong position diff 2, -2

singapore matched position 1, +1

us_east position diff 2, -2

Raw TTFB score: -3.00 / Max: 4

Normalized TTFB score: -0.75


Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = -0.10$


Threshold for passing: 0.7

Result:  below threshold (0.7)


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 222.214.219.199 (China) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['singapore', 'hong_kong', 'us_east']

Time To First Byte Order:

['singapore', 'hong_kong', 'us_east']

Latency Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east matched position 2, +4

Raw latency score: 2.00 / Max: 15

Normalized latency score: 0.13

TTFB Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east matched position 2, +1

Raw TTFB score: -1.00 / Max: 4

Normalized TTFB score: -0.25


Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = 0.06$


Threshold for passing: 0.7

Result: $\triangle$ below threshold (0.7)


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 222.74.153.82 (China) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['hong_kong', 'singapore', 'us_east']

Time To First Byte Order:

['singapore', 'hong_kong', 'us_east']

Latency Score Calculation:

hong_kong matched position 0, +6

singapore matched position 1, +5

us_east matched position 2, +4

Raw latency score: 15.00 / Max: 15

Normalized latency score: 1.00

TTFB Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east matched position 2, +1

Raw TTFB score: -1.00 / Max: 4

Normalized TTFB score: -0.25


Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = 0.75$


Threshold for passing: 0.7

Result: ☐ above threshold


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 43.229.79.68 (Thailand) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['singapore', 'hong_kong', 'us_east']

Time To First Byte Order:

['singapore', 'hong_kong', 'us_east']

Latency Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east matched position 2, +4

Raw latency score: 2.00 / Max: 15

Normalized latency score: 0.13

TTFB Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east matched position 2, +1

Raw TTFB score: -1.00 / Max: 4

Normalized TTFB score: -0.25


Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = 0.06$


Threshold for passing: 0.7

Result: $\triangle$ below threshold (0.7)


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 47.236.144.226 (Singapore) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['singapore', 'hong_kong', 'us_east']

Time To First Byte Order:

['us_east', 'singapore', 'hong_kong']

Latency Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east matched position 2, +4

Raw latency score: 2.00 / Max: 15

Normalized latency score: 0.13

TTFB Score Calculation:

hong_kong position diff 2, -2

singapore matched position 1, +1

us_east position diff 2, -2

Raw TTFB score: -3.00 / Max: 4

Normalized TTFB score: -0.75


Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = -0.04$


Threshold for passing: 0.7

Result: $\triangle$ below threshold (0.7)


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 47.254.47.133 (United States) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['singapore', 'hong_kong', 'us_east']

Time To First Byte Order:

['us_east', 'hong_kong', 'singapore']

Latency Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east matched position 2, +4

Raw latency score: 2.00 / Max: 15

Normalized latency score: 0.13

TTFB Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east position diff 2, -2

Raw TTFB score: -4.00 / Max: 4

Normalized TTFB score: -1.00


Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = -0.09$


Threshold for passing: 0.7

Result:  below threshold (0.7)


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: 8.211.145.187 (Japan) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['singapore', 'us_east', 'hong_kong']

Time To First Byte Order:

['hong_kong', 'singapore', 'us_east']

Latency Score Calculation:

hong_kong position diff 2, -2

singapore position diff 1, -1

us_east position diff 1, -1

Raw latency score: -4.00 / Max: 15

Normalized latency score: -0.27

TTFB Score Calculation:

hong_kong matched position 0, +2

singapore matched position 1, +1

us_east matched position 2, +1

Raw TTFB score: 4.00 / Max: 4

Normalized TTFB score: 1.00





Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = -0.01$

Threshold for passing: 0.7

Result: Δ below threshold (0.7)

IP: 93.183.72.2 (Russia)



IP: 93.183.72.2 (Russia) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['singapore', 'us_east', 'hong_kong']

Time To First Byte Order:

['singapore', 'us_east', 'hong_kong']

Latency Score Calculation:

hong_kong position diff 2, -2

singapore position diff 1, -1

us_east position diff 1, -1

Raw latency score: -4.00 / Max: 15

Normalized latency score: -0.27

TTFB Score Calculation:

hong_kong position diff 2, -2

singapore position diff 1, -1

us_east position diff 1, -1

Raw TTFB score: -4.00 / Max: 4

Normalized TTFB score: -1.00

Final combined normalized score:


$0.8 * \text{Latency} + 0.2 * \text{TTFB} = -0.41$

Threshold for passing: 0.7


Result: $\triangle$ below threshold (0.7)

IP: cesginc.com (Unknown)


Download Speed vs Avg Head Latency




Download Speed vs Time to First Byte



Head Latency Distribution by Routing Key



Time to First Byte Distribution by Routing Key



IP: cesginc.com (Unknown) – Score Explanation

Distance Order (by miles):

['hong_kong', 'singapore', 'us_east']

Latency Order (head_avg_ms):

['hong_kong', 'singapore', 'us_east']

Time To First Byte Order:

['singapore', 'hong_kong', 'us_east']

Latency Score Calculation:

hong_kong matched position 0, +6

singapore matched position 1, +5

us_east matched position 2, +4

Raw latency score: 15.00 / Max: 15

Normalized latency score: 1.00

TTFB Score Calculation:

hong_kong position diff 1, -1

singapore position diff 1, -1

us_east matched position 2, +1

Raw TTFB score: -1.00 / Max: 4

Normalized TTFB score: -0.25

Final combined normalized score:

$0.8 * \text{Latency} + 0.2 * \text{TTFB} = 0.75$

Threshold for passing: 0.7

Result: ☐ above threshold