



Batch 1 Overview - 31 Nodes


Top Performing Nodes in Batch 1



Geographic Distribution (Batch 1)



Routing Key Performance (Batch 1)



BATCH 1 SUMMARY

Nodes in Batch: 31
Total Measurements: 329
Unique Routing Keys: 5
Unique Countries: 7


Performance Metrics:

- Average Throughput: 1395.27 MB/s
- Std Deviation: 4868.48 MB/s
- Min Throughput: 0.32 MB/s
- Max Throughput: 38573.26 MB/s


Worker Statistics:

- Worker Count Range: 1-50
- Avg Workers per Job: 9.2

Node: misc.quimian.com
in nan using following networks
Routing Key: us_east (n=3 measurements)




Node: wills.co.tt
in nan using following networks
Routing Key: us_east (n=3 measurements)




Node: 222.214.219.199:7777
in China using following networks


Routing Key: hong_kong (n=7 measurements)



Routing Key: singapore (n=7 measurements)




Routing Key: us_east (n=12 measurements)




Node: 203.160.91.76:11876
in Hong Kong using following networks


Routing Key: hong_kong (n=8 measurements)




Routing Key: singapore (n=11 measurements)



Routing Key: us_east (n=8 measurements)




Node: 162.219.87.220:18692
in Hong Kong using following networks
Routing Key: us_east (n=3 measurements)




Node: 103.1.65.126:18924
in Hong Kong using following networks


Routing Key: hong_kong (n=2 measurements)



Routing Key: singapore (n=2 measurements)




Routing Key: us_east (n=5 measurements)




Node: 47.236.144.226:58420
in Singapore using following networks


Routing Key: hong_kong (n=2 measurements)



Routing Key: singapore (n=2 measurements)




Routing Key: us_east (n=5 measurements)




Node: 157.148.101.187:58420
in China using following networks


Routing Key: hong_kong (n=7 measurements)



Routing Key: singapore (n=7 measurements)




Routing Key: us_east (n=10 measurements)




Node: 47.254.47.133:58421
in United States using following networks


Routing Key: hong_kong (n=2 measurements)



Routing Key: singapore (n=2 measurements)




Routing Key: us_east (n=4 measurements)




Node: 157.148.101.187:58421
in China using following networks


Routing Key: hong_kong (n=2 measurements)



Routing Key: singapore (n=2 measurements)




Routing Key: us_east (n=5 measurements)




Node: 103.1.65.125:42398
in Hong Kong using following networks


Routing Key: hong_kong (n=2 measurements)



Routing Key: singapore (n=2 measurements)




Routing Key: us_east (n=5 measurements)




Node: 203.160.91.78:7812
in Hong Kong using following networks


Routing Key: hong_kong (n=2 measurements)



Routing Key: singapore (n=2 measurements)




Routing Key: us_east (n=5 measurements)




Node: 47.254.47.133:58420
in United States using following networks


Routing Key: hong_kong (n=4 measurements)



Routing Key: singapore (n=2 measurements)




Routing Key: us_east (n=6 measurements)




Node: 162.219.87.217:34985
in Hong Kong using following networks


Routing Key: hong_kong (n=2 measurements)




Routing Key: singapore (n=2 measurements)



Routing Key: us_east (n=5 measurements)




Node: ahnawee8-xupio2pi-production.s3.us-east-1.amazonaws.com
in nan using following networks
Routing Key: us_east (n=29 measurements)




Node: 125.67.244.19:7777
in China using following networks


Routing Key: hong_kong (n=7 measurements)



Routing Key: singapore (n=7 measurements)




Routing Key: us_east (n=7 measurements)




Node: 122.114.2.214:7777
in China using following networks


Routing Key: hong_kong (n=5 measurements)



Routing Key: singapore (n=5 measurements)




Routing Key: us_east (n=5 measurements)




Node: 222.74.153.82:7777
in China using following networks


Routing Key: hong_kong (n=5 measurements)



Routing Key: singapore (n=5 measurements)




Routing Key: us_east (n=5 measurements)




Node: cesginc.com
in nan using following networks


Routing Key: hong_kong (n=3 measurements)



Routing Key: singapore (n=3 measurements)




Routing Key: us_east (n=9 measurements)




Node: 43.229.79.68:7777
in Thailand using following networks


Routing Key: hong_kong (n=2 measurements)



Routing Key: singapore (n=2 measurements)




Routing Key: us_east (n=2 measurements)




Node: 188.227.57.12:37777
in United States using following networks


Routing Key: hong_kong (n=2 measurements)



Routing Key: singapore (n=2 measurements)




Routing Key: us_east (n=2 measurements)




Node: 8.211.145.187:58421
in Japan using following networks


Routing Key: hong_kong (n=2 measurements)



Routing Key: singapore (n=2 measurements)




Routing Key: us_east (n=2 measurements)




Node: 93.183.72.2:17197
in Russia using following networks


Routing Key: hong_kong (n=2 measurements)



Routing Key: singapore (n=2 measurements)




Routing Key: us_east (n=2 measurements)




Node: 8.211.145.187:58420
in Japan using following networks


Routing Key: hong_kong (n=2 measurements)



Routing Key: singapore (n=2 measurements)




Routing Key: us_east (n=2 measurements)




Node: 47.236.144.226:58421
in Singapore using following networks


Routing Key: hong_kong (n=2 measurements)



Routing Key: singapore (n=2 measurements)




Routing Key: us_east (n=4 measurements)




Node: 207.189.117.196:26195
in United States using following networks


Routing Key: hong_kong (n=6 measurements)



Routing Key: singapore (n=6 measurements)





Routing Key: us_east (n=8 measurements)



Node: 120.236.8.226:6940
in China using following networks


Routing Key: asia (n=2 measurements)

Routing Key: us_east (n=4 measurements)



Node: yablufc.ddns.net:7878
in nan using following networks

Routing Key: all (n=2 measurements)



Routing Key: us_east (n=2 measurements)

