




Paso 1




Paso 2




Paso 3





Paso 4



MongoDB Compass - localhost:27017/Shell

Connections Edit View Help

Compass

My Queries Data Modeling

Connections (1)

Search connections

- localhost:27017
 - Escuela
 - alumnos
 - materias
 - profesores
 - admin
 - biblioteca
 - config
 - local

My Queries Data Modeling mongosh: localhost:27017 mongosh: localhost:27017 Escuela +

>_MONGOSH

```
generoPrincipal: "HipHop",
edad: 49,
oyentesMensuales: 28200000
},{
nombre: "WOS",
pais: "Argentina",
generoPrincipal: "Rap Latino",
edad: 28,
oyentesMensuales: 6700000
},{
nombre: "Childish Gambino",
pais: "Estados Unidos",
generoPrincipal: "HipHop",
edad: 42,
oyentesMensuales: 21500000
},
])
< {
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('6a4d394959179151935dd030'),
    '1': ObjectId('6a4d394959179151935dd031'),
    '2': ObjectId('6a4d394959179151935dd032'),
    '3': ObjectId('6a4d394959179151935dd033'),
    '4': ObjectId('6a4d394959179151935dd034')
  }
}
spotify>
```


Paso 5

MongoDB Compass - localhost:27017/Shell

Connections Edit View Help

My Queries Data Modeling mongosh: localhost:27017 mongosh: localhost:27017 Escuela +

Compass

My Queries Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
 - Escuela
 - alumnos
 - materias
 - profesores
 - admin
 - biblioteca
 - config
 - local

>_MONGOSH

```
db["canciones"].find()
< {
  _id: ObjectId('6a4d377a59179151935dd026'),
  titulo: 'Enemies',
  artista: 'Post Malone',
  genero: 'Pop',
  'año': 2019,
  duracion: '3:17',
  reproducciones: 52000000
}
{
  _id: ObjectId('6a4d377a59179151935dd027'),
  titulo: 'Stronger',
  artista: 'Kanye West',
  genero: 'HipHop',
  'año': 2007,
  duracion: '5:12',
  reproducciones: 80000000
}
{
  _id: ObjectId('6a4d377a59179151935dd028'),
  titulo: 'MODUS',
  artista: 'Jojji',
  genero: 'Pop',
  'año': 2020,
  duracion: '3:28',
  reproducciones: 24000000
}
```

Paso 6

MongoDB Compass - localhost:27017/Shell

Connections Edit View Help

Compass

My Queries Data Modeling mongosh: localhost:27017 mongosh: localhost:27017 Escuela +

My Queries Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
 - Escuela
 - alumnos
 - materias
 - profesores
 - admin
 - biblioteca
 - config
 - local

```
>_MONGOSH
> db["artistas"].find()
< {
  _id: ObjectId('6a4d39ed59179151935dd035'),
  nombre: 'Tyler, The Creator',
  pais: 'Estados Unidos',
  generoPrincipal: 'HipHop',
  edad: 35,
  oyentesMensuales: 98800000
}
{
  _id: ObjectId('6a4d39ed59179151935dd036'),
  nombre: 'Post Malone',
  pais: 'Estados Unidos',
  generoPrincipal: 'Trap',
  edad: 31,
  oyentesMensuales: 90700000
}
{
  _id: ObjectId('6a4d39ed59179151935dd037'),
  nombre: 'Kanye West',
  pais: 'Estados Unidos',
  generoPrincipal: 'HipHop',
  edad: 49,
  oyentesMensuales: 282000000
}
{
  _id: ObjectId('6a4d39ed59179151935dd038'),
  nombre: 'WOS',
```

MongoDB Compass - localhost:27017/Shell

Connections Edit View Help

Compass

My Queries Data Modeling mongosh: localhost:27017 mongosh: localhost:27017 Escuela +

My Queries Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
 - Escuela
 - alumnos
 - materias
 - profesores
 - admin
 - biblioteca
 - config
 - local

```
>_MONGOSH
{
  edad: 31,
  oyentesMensuales: 90700000
}
{
  _id: ObjectId('6a4d39ed59179151935dd037'),
  nombre: 'Kanye West',
  pais: 'Estados Unidos',
  generoPrincipal: 'HipHop',
  edad: 49,
  oyentesMensuales: 282000000
}
{
  _id: ObjectId('6a4d39ed59179151935dd038'),
  nombre: 'WOS',
  pais: 'Argentina',
  generoPrincipal: 'Rap Latino',
  edad: 28,
  oyentesMensuales: 6700000
}
{
  _id: ObjectId('6a4d39ed59179151935dd039'),
  nombre: 'Childish Gambino',
  pais: 'Estados Unidos',
  generoPrincipal: 'HipHop',
  edad: 42,
  oyentesMensuales: 21500000
}
spotify>
```

Paso 7

MongoDB Compass - localhost:27017/Shell

Connections Edit View Help

My Queries Data Modeling mongosh: localhost:27017 mongosh: localhost:27017 Escuela +

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

localhost:27017

- Escuela
 - alumnos
 - materias
 - profesores
- admin
- biblioteca
- config
- local

>_MONGOSH

```
> db["canciones"].find({año:{$gt: 2020}})
< [
  {
    _id: ObjectId('6a4d377a59179151935dd029'),
    titulo: 'DESCARTABLE',
    artista: 'WOS',
    genero: 'Rap Latino',
    'año': 2024,
    duracion: '3:02',
    reproducciones: 10000000
  },
  {
    _id: ObjectId('6a4d377a59179151935dd02e'),
    titulo: 'Tought I Was Dead',
    artista: 'Tyler, The Creator',
    genero: 'HipHop',
    'año': 2024,
    duracion: '3:28',
    reproducciones: 40000000
  }
]
spotify>
```

Paso 8

MongoDB Compass - localhost:27017/Shell

Connections Edit View Help

My Queries Data Modeling mongosh: localhost:27017 mongosh: localhost:27017 Escuela +

Compass

My Queries Data Modeling

CONNECTIONS (1)


Search connections


- localhost:27017
 - Escuela
 - alumnos
 - materias
 - profesores
 - admin
 - biblioteca
 - config
 - local

> MONGOSH

```
db["artistas"].find({oyentesMensuales:{$gte: 10000000}})
< {
  _id: ObjectId('6a4d39ed59179151935dd035'),
  nombre: 'Tyler, The Creator',
  pais: 'Estados Unidos',
  generoPrincipal: 'HipHop',
  edad: 35,
  oyentesMensuales: 98800000
}
{
  _id: ObjectId('6a4d39ed59179151935dd036'),
  nombre: 'Post Malone',
  pais: 'Estados Unidos',
  generoPrincipal: 'Trap',
  edad: 31,
  oyentesMensuales: 90700000
}
{
  _id: ObjectId('6a4d39ed59179151935dd037'),
  nombre: 'Kanye West',
  pais: 'Estados Unidos',
  generoPrincipal: 'HipHop',
  edad: 49,
  oyentesMensuales: 282000000
}
{
  _id: ObjectId('6a4d39ed59179151935dd039'),
  nombre: 'Childish Gambino',
  pais: 'Estados Unidos',
  generoPrincipal: 'HipHop',
  edad: 35,
  oyentesMensuales: 100000000
}
```

Paso 9





Paso 10

MongoDB Compass - localhost:27017/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

- localhost:27017
 - Escuela
 - alumnos
 - materias
 - profesores
 - admin
 - biblioteca
 - config
 - local

My Queries

Data Modeling

mongosh: localhost:27017

Escuela

>_MONGOSH

```
> db["canciones"].find().sort({año:-1})
< {
  _id: ObjectId('6a4d377a59179151935dd029'),
  titulo: 'DESCARTABLE',
  artista: 'WOS',
  genero: 'Rap Latino',
  'año': 2024,
  duracion: '3:02',
  reproducciones: 10000000
}
{
  _id: ObjectId('6a4d377a59179151935dd02e'),
  titulo: 'Tought I Was Dead',
  artista: 'Tyler, The Creator',
  genero: 'HipHop',
  'año': 2024,
  duracion: '3:28',
  reproducciones: 40000000
}
{
  _id: ObjectId('6a4d377a59179151935dd028'),
  titulo: 'MODUS',
  artista: 'Jojji',
  genero: 'Pop',
  'año': 2020,
  duracion: '3:28',
  reproducciones: 24000000
}
```

MongoDB Compass - localhost:27017/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

localhost:27017

- Escuela
 - alumnos
 - materias
 - profesores
- admin
- biblioteca
- config
- local

My Queries


Data Modeling

mongosh: localhost:27017


Escuela

>_MONGOSH


```
reproducciones: 52000000
}
{
  _id: ObjectId('6a4d377a59179151935dd02a'),
  titulo: 'Rich & Sad',
  artista: 'Post Malone',
  genero: 'Trap',
  'año': 2018,
  duracion: '3:16',
  reproducciones: 43000000
}
{
  _id: ObjectId('6a4d377a59179151935dd02f'),
  titulo: 'See You Again',
  artista: 'Tyler, The Creator',
  genero: 'Pop',
  'año': 2017,
  duracion: '3:01',
  reproducciones: 800000000
}
{
  _id: ObjectId('6a4d377a59179151935dd02c'),
  titulo: 'Father Stretch My Hands Pt. 1',
  artista: 'Kanye West',
  genero: 'HipHop',
  'año': 2016,
  duracion: '2:16',
  reproducciones: 113000000
}
```



Paso 11



Paso 12



The screenshot shows the MongoDB Compass application interface. The title bar reads "MongoDB Compass - localhost:27017/Shell". The top menu bar includes "Connections", "Edit", "View", and "Help". Below the menu, there are tabs for "My Queries", "Data Modeling", and two active shell sessions: "mongosh: localhost:27017" and "Escuela".

On the left sidebar, the "Compass" section is active, showing "My Queries" and "Data Modeling" options. The "CONNECTIONS (1)" section lists the following connections:

- localhost:27017
 - Escuela
 - alumnos
 - materias
 - profesores
 - admin
 - biblioteca
 - config
 - local

The main area displays the "MONGOSH" shell session with the following commands and results:


```
> db["canciones"].updateOne({titulo:"Enemies"},{$set:{reproducciones: 200000}})
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
> db["artista"].updateOne({titulo:"Post Malone"},{$set:{pais: "Mexico"}})
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 0,
  modifiedCount: 0,
  upsertedCount: 0
}
spotify>
```

Paso 13


The screenshot shows the MongoDB Compass application window titled "MongoDB Compass - localhost:27017/Shell". The interface includes a top menu bar with "Connections", "Edit", "View", and "Help". Below the menu is a toolbar with tabs for "My Queries", "Data Modeling", and two active "mongoosh: localhost:27017" shells. The left sidebar contains a "Compass" section with "My Queries" and "Data Modeling" options, and a "CONNECTIONS (1)" section with a search bar and a tree view of the database structure. The tree view shows a connection to "localhost:27017" with a database named "Escuela" containing collections "alumnos", "materias", and "profesores". Other databases listed are "admin", "biblioteca", "config", and "local". The main area displays the "mongoosh" shell with the following command and output:

```
>_MONGOSH
> db["canciones"].deleteOne({titulo:"Enemies"})
< {
  acknowledged: true,
  deletedCount: 1
}
spotify>
```


Paso 14



Paso 15



Paso 16

