Abstract workflow Node	Input	Output	Implementation
Reading in both datasets	CSV Files	Return panda.DataFrame	Create own CLI script wrapping pandas.read_csv() (https://pandas.pydata.org/docs/reference/api/pandas.read_csv.html) in read_in.py
Merging data by location	CSV Files	Merged data in a CSV File	Create own CLI script wrapping pd.concat(https://pandas.pydata.org/docs/reference/api/pandas.concat.html) and pd.merge(https://pandas.pydata.org/docs/reference/api/pandas.merge.html) in clean_location.py
Cleaning missing values	Merged data in a CSV File	Cleaned data in a CSV File	Create own CLI script wrapping np.nan(https://numpy.org/doc/stable/reference/constants.html) in clean_missing.py
Calculate correlation	Cleaned data in a CSV File	Correlation values in a CSV File, CSV File with unusable weather factors	Create own CLI script wrapping pandas.DataFrame.corr() (https://pandas.pydata.org/docs/reference/api/pandas.DataFrame.corr.html) in test_correlation.py
Results in text format	Cleaned data in a CSV File, CSV File with unusable weather factors	results in text format	Create own CLI script wrapping pandas.DataFrame() (https://pandas.pydata.org/docs/reference/api/pandas.DataFrame.html) in unusable_weather_factors.py
Visualization of results	Cleaned data in a CSV File, Correlation values in a CSV File	plots in PNG format	Create own CLI script wrapping plt.subplots() (https://matplotlib.org/stable/api/_as_gen/matplotlib.pyplot.subplots.html) in visualize.py