

Nama: Iklina Najzil Muhsinina

NIM:242410101001

Kelas: A

AKTIVITAS MANDIRI 5 — CRUD Lengkap Organisasi

1. Buat Resource Controller: php artisan make:controller OrganisasiController --resource --model=Organisasi

⇒

```
PS C:\laragon\www\pweb_sistem_booking_gedung\tugas4_sistem_booking_gedung> php artisan make:controller OrganisasiController --resource --model=Organisasi
INFO Controller [C:\laragon\www\pweb_sistem_booking_gedung\tugas4_sistem_booking_gedung\app\Http\Controllers\OrganisasiController.php] created successfully.
PS C:\laragon\www\pweb_sistem_booking_gedung\tugas4_sistem_booking_gedung>
```

2. Daftarkan di routes/web.php: Route::resource('organisasi', OrganisasiController::class)

⇒

```
routes > web.php
1 <?php
2
3 use App\Http\Controllers\HalUtamaController;
4 use App\Http\Controllers\ProsedurController;
5 use App\Http\Controllers\GedungController;
6 use App\Http\Controllers\PeminjamanController;
7 use Illuminate\Support\Facades\Route;
8 use App\Http\Controllers\OrganisasiController;
9
10
11 Route::get('/', [HalUtamaController::class, 'index'])->name('home');
12 Route::get('/prosedur', [ProsedurController::class, 'index'])->name('prosedur');
13 Route::get('/gedung', [GedungController::class, 'index'])->name('gedung.index');
14 Route::get('/riwayat', [PeminjamanController::class, 'index'])->name('riwayat.index');
15 // Route untuk halaman detail progres/status
16 Route::get('/peminjaman/status/{id}', [PeminjamanController::class, 'status'])->name('peminjaman.status');
17 Route::resource('organisasi', OrganisasiController::class);
18
```

3. Buat semua view: organisasi/index.blade.php (tabel + pagination), create.blade.php (form), edit.blade.php (form pre-filled), show.blade.php (detail)

⇒ organisasi/index.blade.php (tabel + pagination),

```
resources > views > organisasi > index.blade.php > ...
1 @extends('layouts.app')
2
3 @section('content')
4 <div class="container">
5     <h2>Daftar Organisasi Fasilkom</h2>
6
7     @if(session('success'))
8         <div style="color: green; padding: 10px; border: 1px solid green; margin-bottom: 10px;">
9             {{ session('success') }}
10         </div>
11     @endif
12
13     <a href="{{ route('organisasi.create') }}" style="margin-bottom: 10px; display: inline-block;">+ Tambah Organisasi Baru</a>
14
15     <table border="1" cellpadding="10" cellspacing="0" style="width: 100%; text-align: left; border-collapse: collapse;">
16         <thead>
17             <tr style="background-color: #f2f2f2;">
18                 <th>ID</th>
19                 <th>Foto</th>
20                 <th>Nama Organisasi</th>
21                 <th>Jenis</th>
22                 <th>Ketua</th>
23                 <th>Status</th>
24                 <th>Aksi</th>
25             </tr>
26         </thead>
27         <tbody>
28             @foreach($organisasi as $item)
29                 <tr>
30                     <td>{{ $item->id_organisasi }}</td>
31                     <td>
32                         @if($item->foto_profil)
33                             
34                         @else
35                             <span>No Image</span>
36                         @endif
37                     </td>
38                     <td>{{ $item->nama_organisasi }}</td>
39                     <td>{{ $item->jenis_organisasi }}</td>
40                     <td>{{ $item->nama_ketua }}</td>
41                     <td>
42                         <span style="color: {{ $item->is_aktif ? 'green' : 'red' }}">
43                             {{ $item->is_aktif ? 'Aktif' : 'Non-Aktif' }}
44                         </span>
45                     </td>
46                     <td>
47                         <a href="{{ route('organisasi.show', $item->id) }}">Detail</a> |
48                         <a href="{{ route('organisasi.edit', $item->id) }}">Edit</a> |
49                         <form action="{{ route('organisasi.destroy', $item->id) }}" method="POST" style="display: inline;" onsubmit="return confirm('Apakah Anda yakin ingin menghapus organisasi {{ $item->nama_organisasi }}?');">
50                             @csrf
51                             @method('DELETE')
52                             <button type="submit" style="color: red; border: none; background: none; cursor: pointer; text-decoration: underline; padding: 0;">Hapus</button>
53                         </form>
54                     </td>
55                 </tr>
56             @endforeach
57         </tbody>
58     </table>
59 </div>
60 @endsection
```

create.blade.php (form)

```
resources > views > organisasi > create.blade.php > ...
1 @extends('layouts.app')
2
3 @section('content')
4 <div class="container">
5     <h2>Tambah Organisasi Baru</h2>
6     <a href="{{ route('organisasi.index') }}">Kembali ke Daftar</a><br><br>
7
8     @if ($errors->any())
9         <div style="color: red; margin-bottom: 15px;">
10             <ul>
11                 @foreach ($errors->all() as $error)
12                     <li>{{ $error }}</li>
13                 @endforeach
14             </ul>
15         </div>
16     @endif
17
18     <form action="{{ route('organisasi.store') }}" method="POST" enctype="multipart/form-data">
19         @csrf
20         <table cellpadding="5">
21             <tr>
22                 <td>ID Organisasi (Unique)</td>
23                 <td><input type="text" name="id_organisasi" value="{{ old('id_organisasi') }}" required></td>
24             </tr>
25             <tr>
26                 <td>Username</td>
27                 <td><input type="text" name="username" value="{{ old('username') }}" required></td>
28             </tr>
29             <tr>
30                 <td>Password</td>
31                 <td><input type="password" name="password" required></td>
32             </tr>
33             <tr>
34                 <td>Jenis Organisasi</td>
35                 <td>
36                     <select name="jenis_organisasi" required>
37                         <option value="">Pilih Jenis </option>
38                         <option value="UKM" {{ old('jenis_organisasi') == 'UKM' ? 'selected' : '' }}>UKM</option>
39                         <option value="Himpunan" {{ old('jenis_organisasi') == 'Himpunan' ? 'selected' : '' }}>Himpunan</option>
40                         <option value="BEM" {{ old('jenis_organisasi') == 'BEM' ? 'selected' : '' }}>BEM</option>
41                     </select>
42                 </td>
43             </tr>
44             <tr>
45                 <td>Nama Organisasi</td>
46                 <td><input type="text" name="nama_organisasi" value="{{ old('nama_organisasi') }}" required></td>
47             </tr>
48             <tr>
49                 <td>Nama Ketua</td>
50                 <td><input type="text" name="nama_ketua" value="{{ old('nama_ketua') }}" required></td>
51             </tr>
52             <tr>
53                 <td>No HP</td>
54                 <td><input type="text" name="no_hp" value="{{ old('no_hp') }}" required></td>
55             </tr>
56         </table>
57     </form>
58 </div>
59 @endsection
```

edit.blade.php (form pre-filled)

```
resources > views > organisasi > edit.blade.php > div.container > form > table > tr
1 @extends('layouts.app')
2
3 @section('content')
4 <div class="container">
5     <h2>Edit Organisasi: {{ $organisasi->nama_organisasi }}</h2>
6     <a href="{{ route('organisasi.index') }}">Batal</a><br><br>
7
8     <form action="{{ route('organisasi.update', $organisasi->id) }}" method="POST" enctype="multipart/form-data">
9         @csrf
10         @method('PUT')
11
12         <table cellpadding="5">
13             <tr>
14                 <td>ID Organisasi</td>
15                 <td><input type="text" name="id_organisasi" value="{{ old('id_organisasi', $organisasi->id_organisasi) }}" required></td>
16             </tr>
17             <tr>
18                 <td>Username</td>
19                 <td><input type="text" name="username" value="{{ old('username', $organisasi->username) }}" required></td>
20             </tr>
21             <tr>
22                 <td>Password</td>
23                 <td><input type="password" name="password" placeholder="Kosongkan jika tidak ingin diubah"></td>
24             </tr>
25             <tr>
26                 <td>Jenis Organisasi</td>
27                 <td>
28                     <select name="jenis_organisasi" required>
29                         <option value="UKM" {{ $organisasi->jenis_organisasi == 'UKM' ? 'selected' : '' }}>UKM</option>
30                         <option value="Himpunan" {{ $organisasi->jenis_organisasi == 'Himpunan' ? 'selected' : '' }}>Himpunan</option>
31                         <option value="BEM" {{ $organisasi->jenis_organisasi == 'BEM' ? 'selected' : '' }}>BEM</option>
32                     </select>
33                 </td>
34             </tr>
35             <tr>
36                 <td>Nama Organisasi</td>
37                 <td><input type="text" name="nama_organisasi" value="{{ $organisasi->nama_organisasi }}" required></td>
38             </tr>
39             <tr>
40                 <td>Nama Ketua</td>
41                 <td><input type="text" name="nama_ketua" value="{{ $organisasi->nama_ketua }}" required></td>
42             </tr>
43             <tr>
44                 <td>No HP</td>
45                 <td><input type="text" name="no_hp" value="{{ $organisasi->no_hp }}" required></td>
46             </tr>
47             <tr>
48                 <td>Email</td>
49                 <td><input type="email" name="email" value="{{ $organisasi->email }}" required></td>
50             </tr>
51             <tr>
52                 <td>Jumlah Pengurus</td>
53                 <td><input type="number" name="jumlah_pengurus" value="{{ $organisasi->jumlah_pengurus }}" required></td>
54             </tr>
55             <tr>
56                 <td></td>
57                 <td></td>
58             </tr>
59         </table>
60     </form>
61 </div>
62 @endsection
```

show.blade.php (detail)

```
resources > views > organisasi > show.blade.php > ...
1  @extends('layouts.app')
2
3  @section('content')
4  <div class="container">
5      <h2>Detail Organisasi</h2>
6      <a href="{{ route('organisasi.index') }}">Kembali ke Daftar</a> |
7      <a href="{{ route('organisasi.edit', $organisasi->id) }}">Edit Data Ini</a>
8      <br><br>
9
10     <div style="border: 1px solid #ccc; padding: 20px; border-radius: 8px; display: flex; gap: 20px;">
11         <div class="foto">
12             @if($organisasi->foto_profil)
13                 
14             @else
15                 <div style="width: 200px; height: 200px; background: #eee; text-align: center; line-height: 200px;">No Photo</div>
16             @endif
17         </div>
18
19         <div class="info">
20             <table cellpadding="5">
21                 <tr><td><strong>ID Organisasi</strong></td><td>{{ $organisasi->id_organisasi }}</td></tr>
22                 <tr><td><strong>Nama Organisasi</strong></td><td>{{ $organisasi->nama_organisasi }}</td></tr>
23                 <tr><td><strong>Jenis</strong></td><td>{{ $organisasi->jenis_organisasi }}</td></tr>
24                 <tr><td><strong>Ketua Umum</strong></td><td>{{ $organisasi->nama_ketua }}</td></tr>
25                 <tr><td><strong>Username</strong></td><td>{{ $organisasi->username }}</td></tr>
26                 <tr><td><strong>Email</strong></td><td>{{ $organisasi->email }}</td></tr>
27                 <tr><td><strong>No HP</strong></td><td>{{ $organisasi->no_hp }}</td></tr>
28                 <tr><td><strong>Jumlah Pengurus</strong></td><td>{{ $organisasi->jumlah_pengurus }} Orang</td></tr>
29                 <tr><td><strong>Status</strong></td><td>{{ $organisasi->is_aktif ? 'Aktif' : 'Non-Aktif' }}</td></tr>
30             </table>
31         </div>
32     </div>
33 </div>
34 @endsection
35
```

4. Implementasi method index() — ambil semua organisasi dengan paginate(10) dan tampilkan ke view

⇒

```
app > Http > Controllers > OrganisasiController.php > OrganisasiController > index
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Organisasi;
6  use Illuminate\Http\Request;
7  use Illuminate\Support\Facades\Storage;
8
9  class OrganisasiController extends Controller
10 {
11     public function index()
12     {
13         $organisasi = Organisasi::paginate(10);
14         return view('organisasi.index', compact('organisasi'));
15     }
16 }
```

```
resources > views > organisasi > index.blade.php > div.container > div
4  <div class="container">
15  <table border="1" cellpadding="10" cellspacing="0" style="width: 100%; text-align: left; border-collapse: collapse;">
27  <tbody>
57  </tbody>
58  </table>
59
60  <div style="margin-top: 20px;">
61      {{ $organisasi->links() }}
62  </div>
63 </div>
64 @endsection
```

5. Implementasi create() dan store() — dengan validasi id_organisasi(unique), username, password, jenis_organisasi(in: UKM, Himpunan, BEM)

nama_organisasi(min:3), nama_ketua, no_hp, email (email|unique), jumlah pengurus, status_aktif(ini di databasenya is_aktif)

⇒

```
app > Http > Controllers > OrganisasiController.php > OrganisasiController > store
9 class OrganisasiController extends Controller
16
17 public function create()
18 {
19     return view('organisasi.create');
20 }
21
22 public function store(Request $request)
23 {
24     $validated = $request->validate([
25         'id_organisasi' => 'required|unique:organisasi,id_organisasi',
26         'username' => 'required|unique:organisasi,username',
27         'password' => 'required|min:6',
28         'jenis_organisasi' => 'required|in:UKM,Himpunan,BEM',
29         'nama_organisasi' => 'required|min:3',
30         'nama_ketua' => 'required',
31         'no_hp' => 'required',
32         'email' => 'required|email|unique:organisasi,email',
33         'jumlah_pengurus' => 'required|numeric',
34         'is_aktif' => 'required|boolean',
35         'foto_profil' => 'nullable|image|mimes:jpg,png|max:2048'
36     ]);
37
38     if ($request->hasFile('foto_profil')) {
39         $validated['foto_profil'] = $request->file('foto_profil')->store('profil', 'public');
40     }
41
42     $validated['password'] = bcrypt($request->password);
43     Organisasi::create($validated);
44
45     return redirect()->route('organisasi.index')->with('success', 'Organisasi berhasil ditambahkan!');
46 }
47
```

6. Implementasi edit() dan update() — tampilkan form dengan nama_organisasi() atau \$organisasi->field, validasi unique kecuali ID ini

⇒

```
app > Http > Controllers > OrganisasiController.php > OrganisasiController > update
9 class OrganisasiController extends Controller
53 public function edit(Organisasi $organisasi)
54 {
55     return view('organisasi.edit', compact('organisasi'));
56 }
57
58 public function update(Request $request, Organisasi $organisasi)
59 {
60     $validatedData = $request->validate([
61         'id_organisasi' => 'required|unique:organisasi,id_organisasi,' . $organisasi->id,
62         'username' => 'required|unique:organisasi,username,' . $organisasi->id,
63         'password' => 'nullable|min:6',
64         'jenis_organisasi' => 'required|in:UKM,Himpunan,BEM',
65         'nama_organisasi' => 'required|min:3',
66         'nama_ketua' => 'required',
67         'no_hp' => 'required',
68         'email' => 'required|email|unique:organisasi,email,' . $organisasi->id,
69         'jumlah_pengurus' => 'required|numeric',
70         'is_aktif' => 'required|boolean',
71         'foto_profil' => 'nullable|image|mimes:jpg,png|max:2048'
72     ]);
73
74     if ($request->filled('password')) {
75         $validatedData['password'] = bcrypt($request->password);
76     } else {
77         unset($validatedData['password']);
78     }
79
80     if ($request->hasFile('foto_profil')) {
81         if ($organisasi->foto_profil) {
82             \Storage::disk('public')->delete($organisasi->foto_profil);
83         }
84         $validatedData['foto_profil'] = $request->file('foto_profil')->store('foto_profil', 'public');
85     }
86     $organisasi->update($validatedData);
87     return redirect()->route('organisasi.index')
88         ->with('success', 'Data Organisasi ' . $organisasi->nama_organisasi . ' berhasil diperbarui!');
89 }
```

7. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus

⇒

```
app > Http > Controllers > OrganisasiController.php > ...
9 class OrganisasiController extends Controller
90
91 public function destroy(Organisasi $organisasi)
92 {
93     if ($organisasi->foto_profil) {
94         Storage::disk('public')->delete($organisasi->foto_profil);
95     }
96     $organisasi->delete();
97     return redirect()->route('organisasi.index')
98         ->with('success', 'Organisasi ' . $organisasi->nama_organisasi . ' berhasil dihapus.');
```

```
resources > views > organisasi > index.blade.php > @div.container > @table
4 <div class="container">
15 <table border="1" cellpadding="10" cellspacing="0" style="width: 100%; text-align: left; border-collapse: collapse;">
27 <tbody>
30 <tr>
47 <td>
50
51 <form action="{{ route('organisasi.destroy', $item->id) }}"
52     method="POST"
53     style="display:inline;"
54     onsubmit="return confirm('Apakah Anda yakin ingin menghapus organisasi {{ $item->nama_organisasi }}? Tindakan ini tidak dapat dibatalkan.');">
55
56     @csrf
57     @method('DELETE')
58
59     <button type="submit" style="color: red; cursor: pointer; border: none; background: none; text-decoration: underline;">
60         Hapus
61     </button>
62 </form>
```

8. Tambahkan flash message di layout dan tampilkan session('success') / session('error')

⇒

```
resources > views > layouts > app.blade.php > @html > @body > @main
1 <!DOCTYPE html>
2 <html lang="id">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <title>@yield('title', 'SIPEGEDUNG | UNEJ')</title>
7 <link rel="stylesheet" href="{{ asset('css/style.css') }}">
8 @stack('styles')
9 </head>
10 <body>
11 @include('partials.navbar')
12
13 <main>
14 <div class="container">
15     @if(session('success'))
16     <div id="flash-message" style="background-color: #d4edda; color: #155724; padding: 15px; border: 1px solid #c3e6cb; border-radius: 5px; margin-bottom: 20px;">
17         <strong>Berhasil!</strong> {{ session('success') }}
18     </div>
19     @endif
20     @if(session('error'))
21     <div id="flash-message" style="background-color: #f8d7da; color: #721c24; padding: 15px; border: 1px solid #f5c6cb; border-radius: 5px; margin-bottom: 20px;">
22         <strong>Gagal!</strong> {{ session('error') }}
23     </div>
24     @endif
25     @if($errors->any())
26     <div style="background-color: #fff3cd; color: #856404; padding: 15px; border: 1px solid #ffeeba; border-radius: 5px; margin-bottom: 20px;">
27         <strong>Perhatian:</strong>
28         <ul style="margin-top: 5px; margin-bottom: 0;">
29             @foreach($errors->all() as $error)
30                 <li>{{ $error }}</li>
31             @endforeach
32         </ul>
33     </div>
34     @endif
35 </div>
36
37 <script>
38     setTimeout(function() {
39         var msg = document.getElementById('flash-message');
40         if(msg) msg.style.display = 'none';
41     }, 3000);
42 </script>
43
44 @yield('content')
45 </main>
46
47 <footer class="footer">
48 <div class="footer-grid container">
49 <div class="footer-col">
50 <h4>Tentang UNEJ</h4>
51 <p>Biro Sarana dan Prasarana Kampus Tegalboto, Jember.</p>[cite: 24]
52 </div>
53 <div class="footer-col">
54 <h4>Kontak</h4>
55 <p>Jl. Kalimantan No. 37<br>Email: sarpras@unej.ac.id</p>[cite: 24]
```

9. BONUS: Tambahkan fitur upload foto profil dengan validasi image|mimes:jpg,png|max:2048

⇒


```
tugas4_sistem_booking_gedung > app > Http > Controllers > OrganisasiController.php > OrganisasiController > store
9 class OrganisasiController extends Controller
16
17 public function create()
18 {
19     return view('organisasi.create');
20 }
21
22 public function store(Request $request)
23 {
24     $validated = $request->validate([
25         'id_organisasi' => 'required|unique:organisasi,id_organisasi',
26         'username' => 'required|unique:organisasi,username',
27         'password' => 'required|min:6',
28         'jenis_organisasi' => 'required|in:UKM,Himpunan,BEM',
29         'nama_organisasi' => 'required|min:3',
30         'nama_ketua' => 'required',
31         'no_hp' => 'required',
32         'email' => 'required|email|unique:organisasi,email',
33         'jumlah_pengurus' => 'required|numeric',
34         'is_aktif' => 'required|boolean',
35         'foto_profil' => 'nullable|image|mimes:jpg,png|max:2048'
36     ]);
37
38     if ($request->hasFile('foto_profil')) {
39         $validated['foto_profil'] = $request->file('foto_profil')->store('profil', 'public');
40     }
41
42     $validated['password'] = bcrypt($request->password);
43     Organisasi::create($validated);
44
45     return redirect()->route('organisasi.index')->with('success', 'Organisasi berhasil ditambahkan!');
46 }
47
```

```
tugas4_sistem_booking_gedung > app > Http > Controllers > OrganisasiController.php > OrganisasiController > update
9 class OrganisasiController extends Controller
52
53 public function edit(Organisasi $organisasi)
54 {
55     return view('organisasi.edit', compact('organisasi'));
56 }
57
58 public function update(Request $request, Organisasi $organisasi)
59 {
60     $validatedData = $request->validate([
61         'id_organisasi' => 'required|unique:organisasi,id_organisasi,' . $organisasi->id,
62         'username' => 'required|unique:organisasi,username,' . $organisasi->id,
63         'password' => 'nullable|min:6',
64         'jenis_organisasi' => 'required|in:UKM,Himpunan,BEM',
65         'nama_organisasi' => 'required|min:3',
66         'nama_ketua' => 'required',
67         'no_hp' => 'required',
68         'email' => 'required|email|unique:organisasi,email,' . $organisasi->id,
69         'jumlah_pengurus' => 'required|numeric',
70         'is_aktif' => 'required|boolean',
71         'foto_profil' => 'nullable|image|mimes:jpg,png|max:2048'
72     ]);
73
74     if ($request->filled('password')) {
75         $validatedData['password'] = bcrypt($request->password);
76     } else {
77         unset($validatedData['password']);
78     }
79
80     if ($request->hasFile('foto_profil')) {
81         if ($organisasi->foto_profil) {
82             \Storage::disk('public')->delete($organisasi->foto_profil);
83         }
84         $validatedData['foto_profil'] = $request->file('foto_profil')->store('foto_profil', 'public');
85     }
86
87     $organisasi->update($validatedData);
88     return redirect()->route('organisasi.index')->with('success', 'Data Organisasi ' . $organisasi->nama_organisasi . ' berhasil diperbarui!');
89 }

```

AKTIVITAS MANDIRI 6 — Middleware & Autentikasi

1. Instal Laravel Breeze: `composer require laravel/breeze --dev`, kemudian php artisan breeze:install blade

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS DEVS

PS C:\laragon\www\pweb_sistem_booking_gedung> composer require laravel/breeze --dev
./composer.json has been created
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Lock file operations: 48 installs, 0 updates, 0 removals
  - Locking brick/math (0.17.1)
  - Locking cartongp/carbon-doctrine-types (3.2.0)
  - Locking doctrine/instantiator (2.1.0)
  - Locking doctrine/lexer (3.0.1)
  - Locking egulias/email-validator (4.0.4)
  - Locking illuminate/bus (v13.8.0)
  - Locking illuminate/collections (v13.8.0)
  - Locking illuminate/conditionable (v13.8.0)
  - Locking illuminate/console (v13.8.0)
  - Locking illuminate/container (v13.8.0)
  - Locking illuminate/contracts (v13.8.0)
  - Locking illuminate/events (v13.8.0)
  - Locking illuminate/filesystem (v13.8.0)
  - Locking illuminate/macroable (v13.8.0)
  - Locking illuminate/pipeline (v13.8.0)
  - Locking illuminate/reflection (v13.8.0)
  - Locking illuminate/support (v13.8.0)
  - Locking illuminate/translation (v13.8.0)
  - Locking illuminate/validation (v13.8.0)
  - Locking illuminate/view (v13.8.0)
  - Locking laravel/breeze (v2.4.1)
  - Locking laravel/prompts (v0.3.17)
  - Locking nesbot/carbon (3.11.4)
  - Locking nunomaduro/termwind (v2.4.0)
  - Locking par/clock (1.0.0)
  - Locking par/container (2.0.2)
  - Locking par/simple-cache (3.0.0)
  - Locking symfony/clock (v7.4.8)
  - Locking symfony/console (v7.4.8)
  - Locking symfony/deprecation-contracts (v3.7.0)
  - Locking symfony/finder (v7.4.8)
  - Locking symfony/http-foundation (v7.4.8)
  - Locking symfony/mime (v7.4.9)
  - Locking symfony/polyfill-ctype (v1.37.0)
  - Locking symfony/polyfill-intl-grapheme (v1.37.0)
  - Locking symfony/polyfill-intl-idn (v1.37.0)
  - Locking symfony/polyfill-intl-normalizer (v1.37.0)
  - Locking symfony/polyfill-php83 (v1.37.0)
  - Locking symfony/polyfill-php84 (v1.37.0)
  - Locking symfony/polyfill-php85 (v1.37.0)
  - Locking symfony/polyfill-php86 (v1.37.0)
  - Locking symfony/process (v7.4.8)
  - Locking symfony/service-contracts (v3.7.0)
  - Locking symfony/string (v7.4.8)
  - Locking symfony/translation (v7.4.10)
  - Locking symfony/translation-contracts (v3.7.0)
  - Locking voku/portable-ascii (2.1.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 48 installs, 0 updates, 0 removals
  - Downloading brick/math (0.17.1)
  - Downloading symfony/translation-contracts (v3.7.0)
  - Downloading symfony/deprecation-contracts (v3.7.0)
  - Downloading symfony/translation (v7.4.10)
```

```
PS C:\laragon\www\pweb_sistem_booking_gedung> cd tugas4_sistem_booking_gedung
PS C:\laragon\www\pweb_sistem_booking_gedung\tugas4_sistem_booking_gedung> composer require laravel/breeze --dev
./composer.json has been updated
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
  - Locking laravel/breeze (v2.4.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
  - Installing laravel/breeze (v2.4.1): Extracting archive
Generating optimized autoload files
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

 INFO  Discovering packages.

laravel/breeze ..... DONE
laravel/pail ..... DONE
laravel/tinker ..... DONE
nesbot/carbon ..... DONE
nunomaduro/collision ..... DONE
nunomaduro/termwind ..... DONE

78 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force

 INFO  No publishable resources for tag [laravel-assets].

No security vulnerability advisories found.
Using version ^2.4 for laravel/breeze
PS C:\laragon\www\pweb_sistem_booking_gedung\tugas4_sistem_booking_gedung> php artisan breeze:install blade

 INFO  Installing and building Node dependencies.

added 139 packages, and audited 140 packages in 57s

34 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
npm notice
npm notice New major version of npm available! 10.9.4 -> 11.14.0
npm notice Changelog: https://github.com/npm/cli/releases/tag/v11.14.0
npm notice To update run: npm install -g npm@11.14.0
npm notice
```

2. Jalankan php artisan migrate untuk membuat tabel users

```
PS C:\laragon\www\pweb_sistem_booking_gedung\tugas4_sistem_booking_gedung> php artisan migrate

 INFO  Nothing to migrate.

PS C:\laragon\www\pweb_sistem_booking_gedung\tugas4_sistem_booking_gedung>
```

3. Jalankan npm install && npm run dev untuk build assets

⇒

```
PS C:\laragon\www\pweb_sistem_booking_gedung\tugas4_sistem_booking_gedung> npm install

up to date, audited 140 packages in 21s

34 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS C:\laragon\www\pweb_sistem_booking_gedung\tugas4_sistem_booking_gedung>
```

```
found 0 vulnerabilities
PS C:\laragon\www\pweb_sistem_booking_gedung\tugas4_sistem_booking_gedung> npm run dev

> dev
> vite

15.14.49 [vite] (client) Re-optimizing dependencies because lockfile has changed
Port 5173 is in use, trying another one...

VITE v8.0.11 ready in 1008 ms

→ Local:   http://localhost:5174/
→ Network: use --host to expose
→ press h + enter to show help

LARAVEL v13.6.0 plugin v3.1.0

→ APP_URL: http://localhost
15.14.51 [vite] (client) [optimizer] scanning dependencies...
15.14.52 [vite] (client) [optimizer] bundling dependencies...
```

4. Coba register dan login di <http://127.0.0.1:8000/register>

⇒ Register

Free License Policy - L... x Free License Policy - L... x localhost / localhost / ... x Laravel x Laravel Vite x 127.0.0.1 x Laravel x + - □ x

127.0.0.1:8000/register Summarize ⓘ ☆ ⚙ ... Chat



Name

Ikina Najzil Muhsinina

Email

iklinanajzil@gmail.com

Password

.....



Confirm Password

.....

[Already registered?](#) **REGISTER**

32°C Sebagian cerah Search 15:29 09/05/2026

Login




5. Amankan semua route organisasi dengan middleware auth:
Route::middleware('auth')->resource('organisasi', OrganisasiController::class)
⇒

```
tugas4_sistem_booking_gedung > routes > web.php
1  <?php
2
3  use App\Http\Controllers\ProfileController;
4  use App\Http\Controllers\OrganisasiController;
5  use Illuminate\Support\Facades\Route;
6
7  Route::get('/', function () {
8      return view('welcome');
9  });
10
11 Route::get('/dashboard', function () {
12     return view('dashboard');
13 }->middleware(['auth', 'verified'])->name('dashboard');
14
15 Route::middleware('auth')->group(function () {
16     Route::get('/profile', [ProfileController::class, 'edit'])->name('profile.edit');
17     Route::patch('/profile', [ProfileController::class, 'update'])->name('profile.update');
18     Route::delete('/profile', [ProfileController::class, 'destroy'])->name('profile.destroy');
19     ✨ Route::resource('organisasi', OrganisasiController::class);
20 });
21
22 require __DIR__.'/auth.php';
```

6. Coba akses /organisasi tanpa login — pastikan diredirect ke halaman login

⇒



7. Tambahkan nama user di navbar: {{ auth()->user()->name }}

⇒

```

resources > views > layouts > navigation.blade.php > nav.bg-white border-b border-gray-100 > div.mas-w-71ms-auto px-4 sm:px-6 lg:px-8 > div.flex justify-between h-18 > div.hidden sm:flex sm:items-center sm.ms-6 > x-dropdown > x-slot
1  nav x-data="{ open: false }" class="bg-white border-b border-gray-100"
2  <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
3    <div class="flex justify-between h-18">
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22    <div class="hidden sm:flex sm:items-center sm.ms-6">
23      <x-dropdown align="right" width="48">
24        <x-slot name="trigger">
25          <button class="inline-flex items-center px-3 py-2 border border-transparent text-sm leading-4 font-medium rounded-md text-gray-500 bg-white hover:text-gray-700"
26            <div {{ Auth::user()->name }}</div>
27
28          <div class="ms-1">
29            <svg class="fill-current h-4 w-4" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 20 20">
30              <path fill-rule="evenodd" d="M5.293 7.293 1 0 8 10 18 0 23 8 20 13 15.707 18 9 15.707 7.293 18 5.293 13 1 10 5 7.293" clip-rule
31            </svg>
32          </div>
33        </button>
34      </x-slot>
35
36      <x-slot name="content">
37        <x-dropdown-link href="route('profile.edit')">
38          {{ __('Profile') }}
39        </x-dropdown-link>
40
41        <!-- Authentication -->
42        <form method="POST" action="{{ route('logout') }}">
43          @csrf
44
45          <x-dropdown-link href="route('logout')">
46            <button type="button" class="block w-full text-left text-sm">
47              {{ __('Log Out') }}
48            </button>
49          </x-dropdown-link>
50        </form>
51      </x-slot>
52    </div>
53
54    <!-- Hamburger -->
55    <div class="me-2 flex items-center sm:hidden">
56      <button @click="open = ! open" class="inline-flex items-center justify-center p-2 rounded-md text-gray-400 hover:text-gray-500 hover:bg-gray-100 focus:outline-none"
57        <svg class="h-6 w-6 stroke-current fill:none" viewBox="0 0 24 24">
58          <path class="{{ 'hidden': open, 'inline-flex': ! open }}" class="inline-flex stroke-linecap="round stroke-linejoin="round stroke-width=2" d="M4 6h16M4 12h16M4 18h16"
59          </path>
60        </svg>
61      </button>
62    </div>
63
64  </div>
65</div>
66
67<!-- Responsive Navigation Menu -->
68<div class="{{ 'block': open, 'hidden': ! open }}" class="hidden sm:hidden">
69  <div class="pt-2 pb-3 space-y-1">
70    <x-responsive-nav-link href="route('dashboard') :active=request()->routeIs('dashboard')">
71      {{ __('Dashboard') }}
72    </x-responsive-nav-link>
73  </div>
74
75  <!-- Responsive Settings Options -->
76  <div class="pt-4 pb-1 border-t border-gray-200">
77    <div class="px-4">
78      <div class="font-medium text-base text-gray-800">{{ Auth::user()->name }}</div>
79      <div class="font-medium text-sm text-gray-500">{{ Auth::user()->email }}</div>
80    </div>
81
82    <div class="mt-3 space-y-1">
83      <x-responsive-nav-link href="route('profile.edit')">
84        {{ __('Profile') }}

```

8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu

⇒

```

PS C:\laragon\www\pweb_sistem_booking_gedung\tugas4_sistem_booking_gedung> php artisan make:middleware CekAdmin
INFO: Middleware [C:\laragon\www\pweb_sistem_booking_gedung\tugas4_sistem_booking_gedung\app\Http\Middleware\CekAdmin.php] created successfully.
PS C:\laragon\www\pweb_sistem_booking_gedung\tugas4_sistem_booking_gedung>

```

app > Http > Middleware > CekAdmin.php > ...



```
1  <?php
2
3  namespace App\Http\Middleware;
4
5  use Closure;
6  use Illuminate\Http\Request;
7  use Symfony\Component\HttpFoundation\Response;
8
9  class CekAdmin
10 {
11     /**
12      * Handle an incoming request.
13      *
14      * @param Closure(Request): (Response) $next
15      */
16     public function handle(Request $request, Closure $next, $role): Response
17     {
18         // Cek apakah user yang login punya role yang sesuai (misal: admin)
19         if (Auth::check() && Auth::user()->role == $role) {
20             return $next($request); // Silakan masuk
21         }
22         // Jika bukan admin, lempar balik ke dashboard dengan pesan error
23         return redirect('dashboard')->with('error', 'Maaf, Anda bukan Admin!');
24     }
25 }
```

tugas4_sistem_booking_gedung > bootstrap > app.php


```
1  <?php
2
3  use Illuminate\Foundation\Application;
4  use Illuminate\Foundation\Configuration\Exceptions;
5  use Illuminate\Foundation\Configuration\Middleware;
6
7  return Application::configure(basePath: dirname(__DIR__))
8      ->withRouting(
9          web: __DIR__.'/../routes/web.php',
10         commands: __DIR__.'/../routes/console.php',
11         health: '/up',
12     )
13     ->withMiddleware(function (Middleware $middleware): void {
14         $middleware->alias([
15             'cek_role' => \App\Http\Middleware\CekAdmin::class,
16         ]);
17     })
18     ->withExceptions(function (Exceptions $exceptions): void {
19         |
20     })->create();
21
```

```
app > Http > Controllers > OrganisasiController.php > OrganisasiController > index
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Organisasi;
6  use Illuminate\Http\Request;
7  use Illuminate\Support\Facades\Storage;
8
9  class OrganisasiController extends Controller
10 {
11     public function index()
12     {
13         $organisasi = Organisasi::all();
14         return view('organisasi.index', compact('organisasi'));
15     }
16 }
```

Tampilan ketika login sebagai admin



Jika Login sebagai organisasi



9. BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login

⇒

```
app > Http > Controllers > OrganisasiController.php > OrganisasiController > index
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Organisasi;
6  use Illuminate\Http\Request;
7  use Illuminate\Support\Facades\Storage;
8
9  class OrganisasiController extends Controller
10 {
11     public function index()
12     {
13         $user = auth()->user();
14         if ($user->role == 'admin') {
15             $organisations = Organisasi::all();
16         } else {
17             $organisations = Organisasi::where('user_id', $user->id)->get();
18         }
19         return view('organisasi.index', compact('organisations'));
20     }
21 }
```