No Environment ▼ Double Column ▼ cURL ▼

This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this page.

ecommerce-end-point

POST Add New Product

localhost:8080/v1/products

```
"name" : "Redmi Note 9",
"price": 200000,
"quantity": 10,
  "image_url": "https://source.unsplash.com/random/900x700/?handphone",
  "description": "Ini adalah HP Redmi Note 9 ...",
  "category": "Elektronik",
  "sku": "Redmi Note 9"
}
```

```
curl --location --request POST 'localhost:8080/v1/products' \
--data-raw '{
   "name" : "Redmi Note 9",
   "price": 200000,
   "quantity": 10,
   "image url": "https://source.unsplash.com/random/900x700/?handphone",
   "description": "Ini adalah HP Redmi Note 9 ...",
    "category": "Elektronik",
    Halifie Holding National
                                      View More
Example Response
                                                                                  200 OK
        Header (3)
  "product_id": 16,
 "name": "Redmi Note 9",
 "price": 200000,
 "quantity": 10,
 "image_url": "https://source.unsplash.com/random/900x700/?handphone",
 "description": "Ini adalah HP Redmi Note 9 ...",
 "category": "Elektronik",
 Halanda Hodalad Nata Off
                                      View More
```

GET GET List of Products

localhost:8080/v1/products?page=2

page 2

GET GET Specific Product by Product Id

localhost:8080/v1/products/2

```
Example Request
```

localhost:8080/v1/products/1

```
curl --location --request GET 'localhost:8080/v1/products/2'

Example Response 200 OK

Body Header(3)
```

```
{
    "product_id": 2,
    "name": "Adidas",
    "price": 200000,
    "quantity": 5,
    "image_url": "https://source.unsplash.com/random/900x700/?shoes",
    "description": "Ini adalah sepatu Adidas",
    "category": "Fashion",
    """" "Adidas Chara Witter Words
    View More
```

POST Add New Customer

localhost:8080/v1/customers

```
{
    "email": "user15@gmail.com",
    "password": "user15",
    "firstname": "user15",
    "lastname": "user15",
```

```
"address": "Jl. Ahmad Yani No 58 ...",
"zip": "53262",
"phone": "085158887776"
}
```

localhost:8080/v1/customers

200 OK

```
curl --location --request POST 'localhost:8080/v1/customers' \
--data-raw '{
    "email": "user15@gmail.com",
    "password": "user15",
    "firstname": "user15",
    "lastname": "user15",
    "address": "Jl. Ahmad Yani No 58 ...",
    "zip": "53262",
    "absect": "COSSASCOCZZZO"
    View More
```

Example Response

GET Get List of Customers

localhost:8080/v1/customers

GET Get Specific Customer by Customer Id

localhost:8080/v1/customers/5

```
Example Request
```

localhost:8080/v1/customers/5

```
curl --location --request GET 'localhost:8080/v1/customers/5'

Example Response 200 OK

Body Header(3)
```

```
Header(3)

{
    "customer_id": 5,
    "email": "user5@gmail.com",
    "password": "$2a$10$exqXyCC042AGv009o0ppGe.r8egfQho39qee.EX7Ar/0SDvyIGlfS",
    "firstname": "user5",
    "lastname": "user5",
    "address": "Jl. Ahmad Yani No 58 ...",
    "zip": "53262",
    """    "View More
```

POST Checkout Product

localhost:8080/v1/products/checkout

```
{
    "customer_id" : 1,
```

```
"product_id" : 5,
    "quantity" : 1
}
```

localhost:8080/v1/products/checkout

```
curl --location --request POST 'localhost:8080/v1/products/checkout' \
--data-raw '{
    "customer_id" : 1,
    "product_id" : 5,
    "quantity" : 1
}'
```

Example Response

200 OK

```
Body Header(3)

{
    "customer_id": 1,
    "product_id": 5,
    "quantity": 4
}
```

POST Buy Product Directly

localhost:8080/v1/products/buy

```
{
    "customer_id" : 3,
    "product_id" : 3,
    "quantity" : 1
}
```

localhost:8080/v1/products/buy

```
curl --location --request POST 'localhost:8080/v1/products/buy' \
--data-raw '{
    "customer_id" : 3,
    "product_id" : 3,
    "quantity" : 1
}'
```

Example Response

200 OK

```
Body Header(3)

{
    "order_id": 7,
    "customer_id": 3,
    "product_id": 3,
    "quantity": 1,
    "status": "Processed",
    "order_date": "2022-11-05T16:46:31.773691+07:00",
    "shipped_date": "0001-01-01T00:00:00Z"
}
```

POST Buy Product From Shopping Cart

localhost:8080/v1/carts/buy

BODY raw

```
{
    "customer_id" : 1,
    "product_id" : 5
}
```

Example Request

localhost:8080/v1/carts/buy

```
curl --location --request POST 'localhost:8080/v1/carts/buy' \
--data-raw '{
    "customer_id" : 1,
    "product_id" : 5
}'
```

Example Response

200 OK

```
Body Header(3)

{
  "order_id": 8,
  "customer_id": 1,
  "product_id": 5,
  "quantity": 4,
  "status": "Processed",
```

```
"order_date": "2022-11-05T16:47:22.708654+07:00",
    "shipped_date": "0001-01-01T00:00:00Z"
```

PUT Edit Shopping Cart

localhost:8080/v1/carts

BODY raw

```
{
    "customer_id": 1,
    "product_id": 5,
    "quantity": 3
}
```

Example Request

localhost:8080/v1/carts

```
curl --location --request PUT 'localhost:8080/v1/carts' \
   --data-raw '{
        "customer_id": 1,
        "product_id": 5,
        "quantity": 3
}'
```

Example Response 200 OK

```
Body Header(3)

{
    "customer_id": 1,
    "product_id": 5,
    "quantity": 3
}
```

"quantity": 1

},

GET Get List of Checked Out Products

localhost:8080/v1/carts/2

```
"cuctomon id". 2
```

View More

GET Get the Specific Product Checked Out

localhost:8080/v1/carts/2/6

```
Example Request localhost:8080/v1/carts/2/6

curl --location --request GET 'localhost:8080/v1/carts/2/6'

Example Response 200 OK

Body Header (3)

{
    "customer_id": 2,
    "product_id": 6,
    "quantity": 1
```

GET Get List of Orders

GET Get Specific Order

localhost:8080/v1/orders/1/6

```
curl --location --request GET 'localhost:8080/v1/orders/1/6'
```

Example Response 200 OK

```
Body Header(3)

{
    "order_id": 6,
    "customer_id": 1,
    "product_id": 4,
    "quantity": 1,
    "status": "Processed",
    "order_date": "2022-11-04T17:42:58+07:00",
    "shipped_date": "0001-01-01T00:00:00Z"
}
```

PUT Change Order Status

localhost:8080/v1/orders

```
{
    "order_id" : 2,
    "status" : "sent"
}
```

localhost:8080/v1/orders

```
curl --location --request PUT 'localhost:8080/v1/orders' \
   --data-raw '{
      "order_id" : 2,
      "status" : "sent"
}'
```

Example Response

200 OK

```
Body Header(3)

{
    "order_id": 2,
    "customer_id": 3,
    "product_id": 3,
    "quantity": 1,
    "status": "Sent",
    "order_date": "2022-11-04T17:15:47+07:00",
    "shipped_date": "0001-01-01T00:00:00Z"
}
```