

[illegible]

File Home Insert Page Layout Formulas Data Review View Help Acrobat

Clipboard Font Alignment Number Styles Cells Editing Adobe Acrobat

Calibri 11 A⁺ A⁻ B I U General Conditional Formatting Format as Table Cell Styles Insert Delete Format AutoSum Fill Clear Sort & Filter Find & Select Create a PDF

UPDATES AVAILABLE Updates for Office are ready to be installed, but first we need to close some apps. Update now

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
34	ORD100035	2025-02-11	CUST6467	Customer_181	64	Female	Pune	Rice	Grocery	7	45480.39	318362.73	1								
35	ORD100036	2025-10-01	CUST3281	Customer_243	64	Female	Pune	Laptop	Electronics	10	19010.69	190106.9	1								
36	ORD100037	2025-04-30	CUST9724	Customer_220	64	Male	Pune	Laptop	Electronics	5	31244.32	156221.6	1								
37	ORD100038	2025-04-28	CUST1032	Customer_20	64	Female	Pune	Mobile	Electronics	7	20998.7	146990.9	1								
38	ORD100039	2025-06-07	CUST4482	Customer_139	64	Male	Pune	Mobile	Electronics	9	46780.58	421025.22	1								
39	ORD100040	2025-11-22	CUST5569	Customer_188	64	Female	Pune	Shoes	Fashion	5	21143.07	105715.35	1								
40	ORD100041	2025-07-07	CUST3440	Customer_28	64	Female	Pune	Laptop	Electronics	5	6619.66	33098.3	1								
41	ORD100042	2025-10-03	CUST6655	Customer_192	64	Female	Pune	Laptop	Electronics	10	315.67	3156.7	1								
42	ORD100043	2025-08-01	CUST3459	Customer_320	64	Male	Pune	Mobile	Electronics	3	29528.77	88586.31	1								
43	ORD100044	2025-01-22	CUST9619	Customer_491	64	Male	Pune	Mobile	Electronics	1	3839.04	3839.04	1								
44	ORD100045	2025-08-30	CUST1189	Customer_490	64	Female	Pune	Shoes	Fashion	2	18153.87	36307.74	1								
45	ORD100046	2025-04-16	CUST6806	Customer_316	64	Male	Pune	Laptop	Electronics	8	30816.21	246529.68	1								
46	ORD100047	2025-07-11	CUST5702	Customer_381	63	Female	Pune	Book	Education	10	13908.48	139084.8	1								
47	ORD100048	2025-07-24	CUST4758	Customer_372	63	Male	Pune	Laptop	Electronics	5	13257.79	66288.95	1								
48	ORD100049	2025-07-15	CUST6258	Customer_229	63	Male	Pune	Mobile	Electronics	1	40225.63	40225.63	1								
49	ORD100050	2025-07-29	CUST5010	Customer_46	63	Female	Pune	Rice	Grocery	7	17760.62	124324.34	9								
50	ORD100050	2025-08-09	CUST5133	Customer_86	63	Female	Pune	Laptop	Electronics	6	3230.47	19382.82	9								
51	ORD100050	2025-02-19	CUST7824	Customer_21	63	Male	Pune	Rice	Grocery	1	14634.25	14634.25	9								
52	ORD100050	2025-12-10	CUST7568	Customer_212	63	Female	Pune	Shoes	Fashion	9	3626.27	32636.43	9								
53	ORD100050	2025-03-27	CUST5244	Customer_44	63	Male	Pune	Rice	Grocery	5	41509.54	207547.7	9								
54	ORD100050	2025-09-20	CUST6654	Customer_66	63	Female	Pune	Mobile	Electronics	4	3859.9	15439.6	9								
55	ORD100050	2025-12-29	CUST6704	Customer_141	63	Male	Pune	Shoes	Fashion	4	26046.5	104186	9								
56	ORD100050	2025-12-17	CUST8513	Customer_125	63	Female	Pune	Mobile	Electronics	6	38159.29	228955.74	9								
57	ORD100050	2025-04-17	CUST3537	Customer_377	63	Female	Pune	Chair	Furniture	4	35411.73	141646.92	9								
58	ORD100051	2025-07-14	CUST8124	Customer_344	63	Female	Pune	Shoes	Fashion	2	43693.36	87386.72	1								
59	ORD100052	2025-03-02	CUST1252	Customer_81	63	Male	Pune	Shoes	Fashion	3	37343.19	112029.57	1								
60	ORD100053	2025-03-13	CUST9488	Customer_147	63	Male	Pune	Shoes	Fashion	8	7259.89	58079.12	1								
61	ORD100054	2025-05-09	CUST3004	Customer_163	63	Female	Pune	Shoes	Fashion	1	2071.35	2071.35	1								

File Home Insert Page Layout Formulas Data Review View Help Acrobat

Clipboard Font Alignment Number Styles Cells Editing Adobe Acrobat

Calibri 11 A A Wrap Text General

B I U A Merge & Center

Conditional Formatting Format as Table Cell Styles

Insert Delete Format

AutoSum Fill Clear Sort & Find & Filter Select Create a PDF

UPDATES AVAILABLE Updates for Office are ready to be installed, but first we need to close some apps. Update now

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
976	ORD100985	2025-10-21	CUST6152	Customer_438	18	Female	Bengaluru	Mobile	Electronics	3	39619.15	118857.45	1								
977	ORD100986	2025-12-08	CUST7026	Customer_105	18	Female	Bengaluru	Mobile	Electronics	7	15799.46	110596.22	1								
978	ORD100987	2025-11-13	CUST7933	Customer_232	18	Male	Bengaluru	Rice	Grocery	10	9123.6	91236	1								
979	ORD100988	2025-08-03	CUST7676	Customer_42	18	Female	Bengaluru	Rice	Grocery	10	40522.56	405225.6	1								
980	ORD100989	2025-01-18	CUST6319	Customer_393	18	Female	Bengaluru	Shoes	Fashion	1	46629.03	46629.03	1								
981	ORD100990	2025-12-13	CUST5413	Customer_20	18	Male	Bengaluru	Laptop	Electronics	7	31015.64	217109.48	1								
982	ORD100991	2025-02-24	CUST1004	Customer_191	41.36	Female	Bengaluru	Mobile	Electronics	2	4160.77	8321.54	1								
983	ORD100992	2025-02-09	CUST7188	Customer_89	41.36	Male	Bengaluru	Mobile	Electronics	1	34619.77	34619.77	1								
984	ORD100993	2025-12-08	CUST8387	Customer_133	41.36	Female	Bengaluru	Chair	Furniture	5	30847.69	154238.45	1								
985	ORD100994	2025-07-05	CUST3843	Customer_209	41.36	Female	Bengaluru	Mobile	Electronics	6	6287.85	37727.1	1								
986	ORD100995	2025-08-08	CUST1713	Customer_457	41.36	Female	Bengaluru	Shoes	Fashion	1	31739.18	31739.18	1								
987	ORD100996	2025-03-30	CUST4003	Customer_305	41.36	Female	Bengaluru	Rice	Grocery	10	46852.2	468522	1								
988	ORD100997	2025-02-28	CUST1284	Customer_375	41.36	Male	Bengaluru	Mobile	Electronics	4	26365.27	105461.08	1								
989	ORD100998	2025-03-30	CUST2157	Customer_31	41.36	Male	Unknown	Mobile	Electronics	4	21599.26	86397.04	1								
990	ORD100999	2025-04-01	CUST4132	Customer_47	41.36	Female	Unknown	Chair	Furniture	4	1973.64	7894.56	1								
991	ORD101000	2025-12-07	CUST1443	Customer_315	41.36	Female	Unknown	Rice	Grocery	1	25336.7	25336.7	1								
992	ORD101001	2025-07-01	CUST7944	Customer_282	41.36	Male	Unknown	Chair	Furniture	6	28595.31	171571.86	1								
993	Order_ID	2025-05-06	CUST5835	Customer_362	41.36	Male	Unknown	Laptop	Electronics	2	28311.58	56623.16	1								
994	UNKNOWN	2025-02-13	CUST6714	Customer_31	41.36	Female	Unknown	Book	Education	10	43946.96	439469.6	8								
995	UNKNOWN	2025-12-31	CUST1090	Customer_316	41.36	Female	Unknown	Shoes	Fashion	7	751.97	5263.79	8								
996	UNKNOWN	2025-02-21	CUST8859	Customer_53	41.36	Male	Unknown	Laptop	Electronics	7	20144.84	141013.88	8								
997	UNKNOWN	2025-11-20	CUST8502	Customer_220	41.36	Male	Unknown	Laptop	Electronics	1	14756.18	14756.18	8								
998	UNKNOWN	2025-07-18	CUST3730	Customer_273	41.36	Female	Unknown	Chair	Furniture	10	43808.06	438080.6	8								
999	UNKNOWN	2025-07-13	CUST9718	Customer_11	41.36	Female	Unknown	Laptop	Electronics	2	45863.13	91726.26	8								
1000	UNKNOWN	2025-04-27	CUST3867	Customer_54	41.36	Female	Unknown	Laptop	Electronics	5	5069.79	25348.95	8								
1001	UNKNOWN	2025-10-15	CUST2870	Customer_311	41.36	Female	Unknown	Book	Education	6	6189.16	37134.96	8								
1002																					

DB Browser for SQLite - C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqpro [SALES_DATA.db]

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Undo Open Project Save Project Attach Database Close Database

Browse Data Execute SQL Database Structure Edit Pragma

SQL 1

```

1 SELECT Order_ID , COUNT(*) AS
2 duplicate_count
3 FROM DATASET
4 GROUP BY Order_ID
5 HAVING COUNT(*)>1;
6
7 SELECT COUNT(*) AS missing_customer_names
8 FROM DATASET
9 WHERE Customer_Name IS NULL OR Customer_Name = '';
10
11 SELECT COUNT(*) AS missing_city
12 FROM DATASET
13 WHERE City IS NULL OR City = '';
14
15 SELECT COUNT(*) AS missing_category
16 FROM DATASET
17 WHERE Category IS NULL OR Category = '';
18
19 SELECT COUNT(*) AS missing_age
20 FROM DATASET
21 WHERE Age IS NULL;
22
23 SELECT COUNT(*) AS missing_total_sales
24 FROM DATASET
25 WHERE Total_Sales IS NULL;
26
27 SELECT COUNT(*) AS total_orders
28 FROM DATASET;
29
30 SELECT SUM(Total_Sales) AS total_sales
31 FROM DATASET;

```

total_orders

1	992
---	-----

Editing row=1, column=0
Type: Text / Numeric; Size: 1 character(s) Apply

Remote

Identity Select an identity to connect Upload

DBHub.io Local Current Database

Name	Last modified	Size
------	---------------	------

DB Browser for SQLite - C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqpro [SALES_DATA.db]

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Undo Open Project Save Project Attach Database Close Database

Browse Data Execute SQL Database Structure Edit Pragma

SQL 1

```

27 SELECT COUNT(*) AS total_orders
28 FROM DATASET;
29
30 SELECT SUM(Total_Sales) AS total_sales
31 FROM DATASET;
32
33 SELECT AVG(Total_Sales) AS avg_sales
34 FROM DATASET;
35
36 SELECT MAX(Total_Sales) AS max_sales
37 FROM DATASET;
38
39 SELECT MIN(Total_Sales) AS min_sales
40 FROM DATASET;

```

avg_sales

1	139399.43965
---	--------------

No cell active.
Type: NULL; Size: 0 bytes Apply

Remote

Identity Select an identity to connect Upload

DBHub.io Local Current Database

Name	Last modified	Size
------	---------------	------

DB Browser for SQLite - C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqpro [SALES_DATA.db]

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Undo Open Project Save Project Attach Database Close Database

Browse Data Execute SQL Database Structure Edit Pragma

SQL 1

```

27 SELECT COUNT(*) AS total_orders
28 FROM DATASET;
29
30 SELECT SUM(Total_Sales) AS total_sales
31 FROM DATASET;
32
33 SELECT AVG(Total_Sales) AS avg_sales
34 FROM DATASET;
35
36 SELECT MAX(Total_Sales) AS max_sales
37 FROM DATASET;
38
39 SELECT MIN(Total_Sales) AS min_sales
40 FROM DATASET;
41

```

	total_orders	992
1	total_sales	139399.43965
2	avg_sales	139399.43965
3	max_sales	493677.5
4	min_sales	0

No cell active.
Type: NULL; Size: 0 bytes Apply

Remote

Identity Select an identity to connect Upload

DBHub.io Local Current Database

Name	Last modified	Size
------	---------------	------

DB Browser for SQLite - C:\Users\ALLIZWELL\Desktop\dataset cleaning.db

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Undo Open Project Save Project Attach Database Close Database

Browse Data Execute SQL Database Structure Edit Pragma

SQL 1

```

41 FROM DATASET;
42
43 UPDATE DATASET
44 SET City = 'UNKNOWN'
45 WHERE City IS NULL OR City = '';
46
47 UPDATE DATASET
48 SET Age = (
49 SELECT ROUND(AVG(Age))
50 FROM DATASET
51 WHERE Age IS NOT NULL
52 )
53 WHERE Age IS NULL;
54
55 SELECT COUNT(*) AS missing_age
56 FROM DATASET
57 WHERE Age IS NULL;
58
59 DELETE FROM DATASET
60 WHERE rowid NOT IN (
61 SELECT MIN(rowid)
62 FROM DATASET
63 GROUP BY Order_ID
64 );
65 SELECT Order_ID, COUNT(*) AS
66 duplicate_count
67 FROM DATASET
68 GROUP BY Order_ID
69 HAVING COUNT(*)>1;

```

NULL

No cell active.
Type: NULL; Size: 0 bytes Apply

Remote

Identity Select an identity to connect Upload

DBHub.io Local Current Database

Name	Last modified	Size
------	---------------	------

DB Browser for SQLite - C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqbp [SALES_DATA.db]

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Undo Open Project Save Project Close Database

Database Structure Browse Data Execute SQL Edit Pragma

SQL 1

```
1 SELECT Order_ID , COUNT(*) AS
2 duplicate_count
3 FROM DATASET
4 GROUP BY Order_ID
5 HAVING COUNT(*) >1;
```

Editing row=1, column=0
Type: Text / Numeric; Size: 1 character(s) Apply

Remote

Identity Select an identity to connect Upload

DBHub.io Local Current Database

Name	Last modified	Size
Order_ID		
duplicate_count		
1 ORD100050	9	

SQL Log Plot DB Schema Remote

Opened 'C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqbp' from recent file list.

UTF-8

DB Browser for SQLite - C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqbp [SALES_DATA.db]

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Undo Open Project Save Project Close Database

Database Structure Browse Data Execute SQL Edit Pragma

SQL 1

```
1 SELECT COUNT(*) AS missing_customer_names
2 FROM DATASET
3 WHERE Customer_Name IS NULL OR Customer_Name = '';
```

Editing row=1, column=0
Type: Text / Numeric; Size: 1 character(s) Apply

Remote

Identity Select an identity to connect Upload

DBHub.io Local Current Database

Name	Last modified	Size
missing_customer_names		
1 0		

SQL Log Plot DB Schema Remote

Opened 'C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqbp' from recent file list.

UTF-8

DB Browser for SQLite - C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqbp [SALES_DATA.db]

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Undo Open Project Save Project Close Database

Database Structure Browse Data Execute SQL Edit Pragma

SQL 1

```
1 SELECT COUNT(*) AS missing_city
2 FROM DATASET
3 WHERE City IS NULL OR City = '';
```

Editing row=1, column=0
Type: Text / Numeric; Size: 1 character(s) Apply

Remote

Identity Select an identity to connect Upload

DBHub.io Local Current Database

Name	Last modified	Size
missing_city		
1 0		

SQL Log Plot DB Schema Remote

Opened 'C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqbp' from recent file list.

UTF-8

DB Browser for SQLite - C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqbp [SALES_DATA.db]

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Undo Open Project Save Project Close Database

Database Structure Browse Data Execute SQL Edit Pragma

SQL 1

```
7 SELECT COUNT(*) AS missing_customer_names
8 FROM DATASET
9 WHERE Customer_Name IS NULL OR Customer_Name = '';
10
11 SELECT COUNT(*) AS missing_city
12 FROM DATASET
13 WHERE City IS NULL OR City = '';
14
15 SELECT COUNT(*) AS missing_category
16 FROM DATASET
17 WHERE Category IS NULL OR Category = '';
18
19 SELECT COUNT(*) AS missing_age
20 FROM DATASET
21 WHERE Age IS NULL;
22
23 SELECT COUNT(*) AS missing_total_sales
24 FROM DATASET
```

Editing row=1, column=0
Type: Text / Numeric; Size: 1 character(s) Apply

Remote

Identity Select an identity to connect Upload

DBHub.io Local Current Database

Name	Last modified	Size
missing_age		
1 20		

SQL Log Plot DB Schema Remote

Opened 'C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqbp' from recent file list.

UTF-8

DB Browser for SQLite - C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqlite [dataset cleaning.db]

FileEditViewToolsHelp

New DatabaseOpen DatabaseWrite ChangesRevert ChangesUndoOpen ProjectSave ProjectAttach DatabaseClose Database

Browse DataExecute SQLDatabase StructureEdit Pragmas

SQL 1*

```
1 SELECT Order_ID , COUNT(*) AS
2 duplicate_count
3 FROM DATASET
4 GROUP BY Order_ID
5 HAVING COUNT(*)>1;
6
7 SELECT COUNT(*) AS missing_customer_names
8 FROM DATASET
9 WHERE Customer_Name IS NULL OR Customer_Name = '';
10
11 SELECT COUNT(*) AS missing_city
12 FROM DATASET
13 WHERE City IS NULL OR City = '';
14
15 SELECT COUNT(*) AS missing_category
16 FROM DATASET
17 WHERE Category IS NULL OR Category = '';
18
19 SELECT COUNT(*) AS missing_age
20 FROM DATASET
21 WHERE Age IS NULL;
22
23 SELECT COUNT(*) AS missing_total_sales
24 FROM DATASET
25 WHERE Total_Sales IS NULL;
26
27 SELECT COUNT(*) AS total_orders
28 FROM DATASET;
29
30 SELECT SUM(Total_Sales) AS total_sales
31 FROM DATASET;
32
```

total_sales

1	138104311.37
---	--------------

Edit Database Cell

Mode: Text

NULL

No cell active.
Type: NULL; Size: 0 bytes

Apply

Remote

Select an identity to connect

Upload

DBHub.ioLocalCurrent Database

NameLast modifiedSize

SQL LogPlotDB SchemaRemote

29°C Mostly clear

07:30 AM
11-07-2026

DB Browser for SQLite - C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqpro [dataset cleaning.db]

FileEditViewToolsHelp

New DatabaseOpen DatabaseWrite ChangesRevert ChangesUndoOpen ProjectSave ProjectAttach DatabaseClose Database

Browse DataExecute SQLDatabase StructureEdit Pragmas

SQL 1*

```
1 SELECT Order_ID , COUNT(*) AS
2 duplicate_count
3 FROM DATASET
4 GROUP BY Order_ID
5 HAVING COUNT(*)>1;
6
7 SELECT COUNT(*) AS missing_customer_names
8 FROM DATASET
9 WHERE Customer_Name IS NULL OR Customer_Name = '';
10
11 SELECT COUNT(*) AS missing_city
12 FROM DATASET
13 WHERE City IS NULL OR City = '';
14
15 SELECT COUNT(*) AS missing_category
16 FROM DATASET
17 WHERE Category IS NULL OR Category = '';
18
19 SELECT COUNT(*) AS missing_age
20 FROM DATASET
21 WHERE Age IS NULL;
22
23 SELECT COUNT(*) AS missing_total_sales
24 FROM DATASET
25 WHERE Total_Sales IS NULL;
26
27 SELECT COUNT(*) AS total_orders
28 FROM DATASET;
29
30 SELECT SUM(Total_Sales) AS total_sales
31 FROM DATASET;
32
```

missing_customer_names

1 0

Edit Database Cell

Mode: Text

NULL

No cell active.
Type: NULL; Size: 0 bytes

Remote

Identity Select an identity to connect

DBHub.ioLocalCurrent Database

Name

Last modified

Size

SQL LogPlotDB SchemaRemote

Type here to search

29°C Mostly clear07:31 AM11-07-2026

DB Browser for SQLite - C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqpro [dataset cleaning.db]

FileEditViewToolsHelp

New DatabaseOpen DatabaseWrite ChangesRevert ChangesUndoOpen ProjectSave ProjectAttach DatabaseClose Database

Browse DataExecute SQLDatabase StructureEdit Pragmas

SQL 1*

41FROM DATASET;
42
43UPDATE DATASET
44SET City = 'UNKNOWN'
45WHERE City IS NULL OR City = ' '
46
47UPDATE DATASET
48SET Age=(
49SELECT ROUND (AVG (Age))
50FROM DATASET
51WHERE Age IS NOT NULL
52)WHERE Age IS NULL;
53
54SELECT COUNT(*) AS missing_age
55FROM DATASET
56WHERE Age IS NULL;
57
58DELETE FROM DATASET
59WHERE rowid NOT IN (
60SELECT MIN (rowid)
61FROM DATASET
62GROUP BY Order_ID);
63
64SELECT Order_ID, COUNT(*) AS
65duplicate_count
66FROM DATASET
67GROUP BY Order_ID
68HAVING COUNT(*)>1;
69
70
71
72

missing_age

10

Edit Database Cell

Mode: Text

NULL

No cell active.
Type: NULL; Size: 0 bytes

Apply

Remote

IdentitySelect an identity to connectUpload

DBHub.ioLocalCurrent Database

NameLast modifiedSize

SQL LogPlotDB SchemaRemote

Type here to search

29°C Mostly clear07:33 AM11-07-2026

DB Browser for SQLite - C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqlite [dataset cleaning.db]

FileEditViewToolsHelp

New DatabaseOpen DatabaseWrite ChangesRevert ChangesUndoOpen ProjectSave ProjectAttach DatabaseClose Database

Browse DataExecute SQLDatabase StructureEdit Pragmas

SQL 1*

```
1 SELECT Order_ID , COUNT(*) AS
2 duplicate_count
3 FROM DATASET
4 GROUP BY Order_ID
5 HAVING COUNT(*)>1;
6
7 SELECT COUNT(*) AS missing_customer_names
8 FROM DATASET
9 WHERE Customer_Name IS NULL OR Customer_Name = '';
10
11 SELECT COUNT(*) AS missing_city
12 FROM DATASET
13 WHERE City IS NULL OR City = '';
14
15 SELECT COUNT(*) AS missing_category
16 FROM DATASET
17 WHERE Category IS NULL OR Category = '';
18
19 SELECT COUNT(*) AS missing_age
20 FROM DATASET
21 WHERE Age IS NULL;
22
23 SELECT COUNT(*) AS missing_total_sales
24 FROM DATASET
25 WHERE Total_Sales IS NULL;
26
27 SELECT COUNT(*) AS total_orders
28 FROM DATASET;
29
30 SELECT SUM(Total_Sales) AS total_sales
31 FROM DATASET;
32
```

missing_customer_names

1 0

Edit Database Cell

Mode: Text

NULL

No cell active.
Type: NULL; Size: 0 bytes

Apply

Remote

Identity Select an identity to connect Upload

DBHub.ioLocalCurrent Database

NameLast modifiedSize

SQL LogPlotDB SchemaRemote

29°C Mostly clear

07:31 AM
11-07-2026

DB Browser for SQLite - C:\Users\ALLIZWELL\Desktop\SALES_DATA.sqpro [SALES_DATA.db]

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Undo Open Project Save Project Attach Database Close Database

Browse Data Execute SQL Database Structure Edit Pragmas

SQL 1

```
1 SELECT Order_ID , COUNT(*) AS
2 duplicate_count
3 FROM DATASET
4 GROUP BY Order_ID
5 HAVING COUNT(*)>1;
6
7 SELECT COUNT(*) AS missing_customer_names
8 FROM DATASET
9 WHERE Customer_Name IS NULL OR Customer_Name = '';
10
11 SELECT COUNT(*) AS missing_city
12 FROM DATASET
13 WHERE City IS NULL OR City = '';
14
15 SELECT COUNT(*) AS missing_category
16 FROM DATASET
17 WHERE Category IS NULL OR Category = '';
18
19 SELECT COUNT(*) AS missing_age
20 FROM DATASET
21 WHERE Age IS NULL;
22
23 SELECT COUNT(*) AS missing_total_sales
24 FROM DATASET
25 WHERE Total_Sales IS NULL;
26
27 SELECT COUNT(*) AS total_orders
28 FROM DATASET;
29
30 SELECT SUM(Total_Sales) AS total_sales
31 FROM DATASET;
32
```

total_orders

1	992
---	-----

Edit Database Cell

Mode: Text

1

Editing row=1, column=0
Type: Text / Numeric; Size: 1 character(s)

Remote

Identity Select an identity to connect Upload

DBHub.io Local Current Database

Name	Last modified	Size
------	---------------	------

SQL Log Plot DB Schema Remote

Opened 'C:/Users/ALLIZWELL/Desktop/SALES_DATA.sqpro' from recent file list



SQL 1

```
27 SELECT COUNT(*) AS total_orders
28 FROM DATASET;
29
30 SELECT SUM(Total_Sales) AS total_sales
31 FROM DATASET;
32
33 SELECT AVG(Total_Sales) AS avg_sales
34 FROM DATASET;
35
36 SELECT MAX(Total_Sales) AS max_sales
37 FROM DATASET;
38
39 SELECT MIN(Total_Sales) AS min_sales
40 FROM DATASET;
41
42
43
44
```

	max_sales
1	493677.5

Edit Database Cell

Mode: Text

NULL

No cell active.
Type: NULL; Size: 0 bytes

Apply

Remote

Identity Select an identity to connect

Upload

DBHub.io

Local

Current Database

Name

Last modified

Size

SQL Log

Plot

DB Schema

Remote





SQL 1

```
27 SELECT COUNT(*) AS total_orders
28 FROM DATASET;
29
30 SELECT SUM(Total_Sales) AS total_sales
31 FROM DATASET;
32
33 SELECT AVG(Total_Sales) AS avg_sales
34 FROM DATASET;
35
36 SELECT MAX(Total_Sales) AS max_sales
37 FROM DATASET;
38
39 SELECT MIN(Total_Sales) AS min_sales
40 FROM DATASET;
41
42
43
44
```

	avg_sales
1	139399.43965

Edit Database Cell

Mode: Text

NULL

No cell active.
Type: NULL; Size: 0 bytes

Apply

Remote

Identity Select an identity to connect

Upload

DBHub.io

Local

Current Database



Name

Last modified

Size

SQL Log

Plot

DB Schema

Remote





SQL 1

```
1 SELECT Order_ID , COUNT(*) AS
2 duplicate_count
3 FROM DATASET
4 GROUP BY Order_ID
5 HAVING COUNT(*)>1;
6
7 SELECT COUNT(*) AS missing_customer_names
8 FROM DATASET
9 WHERE Customer_Name IS NULL OR Customer_Name = '';
10
11 SELECT COUNT(*) AS missing_city
12 FROM DATASET
13 WHERE City IS NULL OR City = '';
14
15 SELECT COUNT(*) AS missing_category
16 FROM DATASET
17 WHERE Category IS NULL OR Category = '';
18
```

	Order_ID	duplicate_count
1	ORD100050	9

Edit Database Cell

Mode: Text

1

Editing row=1, column=0
Type: Text / Numeric; Size: 1 character(s)

Apply

Remote

Identity Select an identity to connect

Upload

DBHub.io Local Current Database



Name

Last modified

Size

SQL Log

Plot

DB Schema

Remote





SQL 1

```
1 SELECT Order_ID , COUNT(*) AS
2 duplicate_count
3 FROM DATASET
4 GROUP BY Order_ID
5 HAVING COUNT(*)>1;
6
7 SELECT COUNT(*) AS missing_customer_names
8 FROM DATASET
9 WHERE Customer_Name IS NULL OR Customer_Name = '';
10
11 SELECT COUNT(*) AS missing_city
12 FROM DATASET
13 WHERE City IS NULL OR City = '';
14
15 SELECT COUNT(*) AS missing_category
16 FROM DATASET
17 WHERE Category IS NULL OR Category = '';
18
```

missing_category

1 0

Edit Database Cell

Mode: Text

1

Editing row=1, column=0
Type: Text / Numeric; Size: 1 character(s)

Apply

Remote

Identity Select an identity to connect

Upload

DBHub.io

Local

Current Database

Name

Last modified

Size

SQL Log

Plot

DB Schema

Remote





SQL 1

```
7 SELECT COUNT(*) AS missing_customer_names
8 FROM DATASET
9 WHERE Customer_Name IS NULL OR Customer_Name = '';
10
11 SELECT COUNT(*) AS missing_city
12 FROM DATASET
13 WHERE City IS NULL OR City = '';
14
15 SELECT COUNT(*) AS missing_category
16 FROM DATASET
17 WHERE Category IS NULL OR Category = '';
18
19 SELECT COUNT(*) AS missing_age
20 FROM DATASET
21 WHERE Age IS NULL;
22
23 SELECT COUNT(*) AS missing_total_sales
24 FROM DATASET
```

missing_age

1 20

Edit Database Cell

Mode: Text

1

Editing row=1, column=0

Type: Text / Numeric; Size: 1 character(s)

Apply

Remote

Identity Select an identity to connect

Upload

DBHub.io

Local

Current Database

Name

Last modified

Size

SQL Log

Plot

DB Schema

Remote





SQL 1

```
17 WHERE Category IS NULL OR Category = '';
18
19 SELECT COUNT(*) AS missing_age
20 FROM DATASET
21 WHERE Age IS NULL;
22
23 SELECT COUNT(*) AS missing_total_sales
24 FROM DATASET
25 WHERE Total_Sales IS NULL;
26
27 SELECT COUNT(*) AS total_orders
28 FROM DATASET;
29
30 SELECT SUM(Total_Sales) AS total_sales
31 FROM DATASET;
32
33 SELECT AVG(Total_Sales) AS avg_sales
34 FROM DATASET;
```

total_orders

1 1000

Edit Database Cell

Mode: Text

NULL

No cell active.
Type: NULL; Size: 0 bytes

Apply

Remote

Identity Select an identity to connect

Upload

DBHub.io

Local

Current Database



Name

Last modified

Size

SQL Log

Plot

DB Schema

Remote





SQL 1

```
1 SELECT Order_ID , COUNT(*) AS
2 duplicate_count
3 FROM DATASET
4 GROUP BY Order_ID
5 HAVING COUNT(*)>1;
6
7 SELECT COUNT(*) AS missing_customer_names
8 FROM DATASET
9 WHERE Customer_Name IS NULL OR Customer_Name = '';
10
11 SELECT COUNT(*) AS missing_city
12 FROM DATASET
13 WHERE City IS NULL OR City = '';
14
15 SELECT COUNT(*) AS missing_category
16 FROM DATASET
17 WHERE Category IS NULL OR Category = '';
18
19 SELECT COUNT(*) AS missing_age
20 FROM DATASET
21 WHERE Age IS NULL;
22
23 SELECT COUNT(*) AS missing_total_sales
24 FROM DATASET
25 WHERE Total_Sales IS NULL;
26
27 SELECT COUNT(*) AS total_orders
28 FROM DATASET;
29
30 SELECT SUM(Total_Sales) AS total_sales
31 FROM DATASET;
32
```

	total_sales
1	138104311.37



Edit Database Cell

Mode: Text

1

Editing row=1, column=0
Type: Text / Numeric; Size: 1 character(s)

Remote

Identity Select an identity to connect

DBHub.io Local Current Database

Name

Last modified

Size

SQL Log

Plot

DB Schema

Remote