

1 Purpose

This procedure defines the routine monitoring of purified water *quality* against compendial limits.

2 Responsibilities

- Analyst performs daily sampling and testing.
- Laboratory head reviews records within 5 working days.

3 Acceptance criteria

All parameters shall conform to the limits in Table 1 across the monitoring period.

Table 1 — Purified water acceptance criteria (monitoring period)

Parameter	Method	Limit	Result 1	Result 2	Result 3	Remark
pH	IS 3025 Pt. 40	6.5 – 8.5	6.5	6.6	6.7	Info
Turbidity	IS 3025 Pt. 41	< 1 NTU	6.6	6.7	6.8	Pass
TDS	IS 3025 Pt. 42	< 500 mg/L	6.7	6.8	6.9	Pass
Chloride	IS 3025 Pt. 43	< 250 mg/L	6.8	6.9	7.0	Pass
Hardness	IS 3025 Pt. 44	< 200 mg/L	6.9	7.0	7.1	Pass
Iron	IS 3025 Pt. 45	< 0.3 mg/L	7.0	7.1	7.2	Pass
pH	IS 3025 Pt. 46	6.5 – 8.5	7.1	7.2	7.3	Pass
Turbidity	IS 3025 Pt. 47	< 1 NTU	7.2	7.3	7.4	Info
TDS	IS 3025 Pt. 48	< 500 mg/L	7.3	7.4	6.7	Pass
Chloride	IS 3025 Pt. 49	< 250 mg/L	7.4	6.6	6.8	Pass
Hardness	IS 3025 Pt. 50	< 200 mg/L	6.5	6.7	6.9	Pass
Iron	IS 3025 Pt. 51	< 0.3 mg/L	6.6	6.8	7.0	Pass
pH	IS 3025 Pt. 52	6.5 – 8.5	6.7	6.9	7.1	Pass
Turbidity	IS 3025 Pt. 53	< 1 NTU	6.8	7.0	7.2	Pass
TDS	IS 3025 Pt. 54	< 500 mg/L	6.9	7.1	7.3	Info
Chloride	IS 3025 Pt. 55	< 250 mg/L	7.0	7.2	7.4	Pass
Hardness	IS 3025 Pt. 56	< 200 mg/L	7.1	7.3	6.7	Pass
Iron	IS 3025 Pt. 57	< 0.3 mg/L	7.2	7.4	6.8	Pass
pH	IS 3025 Pt. 58	6.5 – 8.5	7.3	6.6	6.9	Pass
Turbidity	IS 3025 Pt. 59	< 1 NTU	7.4	6.7	7.0	Pass

Parameter	Method	Limit	Result 1	Result 2	Result 3	Remark
TDS	IS 3025 Pt. 40	< 500 mg/L	6.5	6.8	7.1	Pass
Chloride	IS 3025 Pt. 41	< 250 mg/L	6.6	6.9	7.2	Info
Hardness	IS 3025 Pt. 42	< 200 mg/L	6.7	7.0	7.3	Pass
Iron	IS 3025 Pt. 43	< 0.3 mg/L	6.8	7.1	7.4	Pass
pH	IS 3025 Pt. 44	6.5 – 8.5	6.9	7.2	6.7	Pass
Turbidity	IS 3025 Pt. 45	< 1 NTU	7.0	7.3	6.8	Pass
TDS	IS 3025 Pt. 46	< 500 mg/L	7.1	7.4	6.9	Pass
Chloride	IS 3025 Pt. 47	< 250 mg/L	7.2	6.6	7.0	Pass
Hardness	IS 3025 Pt. 48	< 200 mg/L	7.3	6.7	7.1	Info
Iron	IS 3025 Pt. 49	< 0.3 mg/L	7.4	6.8	7.2	Pass
pH	IS 3025 Pt. 50	6.5 – 8.5	6.5	6.9	7.3	Pass
Turbidity	IS 3025 Pt. 51	< 1 NTU	6.6	7.0	7.4	Pass
TDS	IS 3025 Pt. 52	< 500 mg/L	6.7	7.1	6.7	Pass
Chloride	IS 3025 Pt. 53	< 250 mg/L	6.8	7.2	6.8	Pass
Hardness	IS 3025 Pt. 54	< 200 mg/L	6.9	7.3	6.9	Pass
Iron	IS 3025 Pt. 55	< 0.3 mg/L	7.0	7.4	7.0	Info
pH	IS 3025 Pt. 56	6.5 – 8.5	7.1	6.6	7.1	Pass
Turbidity	IS 3025 Pt. 57	< 1 NTU	7.2	6.7	7.2	Pass

3.1 Trending

Results are trended monthly; see Figure 1.




Figure 1 – Conductivity trend (12 months)

4 Appendix A — Raw data register

Wide register rendered in landscape orientation.

Table 2 — Raw data register

Run id	Date	Analyst	pH	Cond.	TOC	Endotoxin	Note
RUN-1001	2026-09-01	AK	6.8	1 µS/cm	12 ppb	< 0.25 EU/mL	retest
RUN-1002	2026-09-02	RM	6.9	1.1 µS/cm	13 ppb	< 0.25 EU/mL	
RUN-1003	2026-09-03	JS	7.0	1.2 µS/cm	14 ppb	< 0.25 EU/mL	
RUN-1004	2026-09-04	AK	7.1	1.3 µS/cm	15 ppb	< 0.25 EU/mL	retest
RUN-1005	2026-09-05	RM	7.2	1 µS/cm	16 ppb	< 0.25 EU/mL	
RUN-1006	2026-09-06	JS	6.8	1.1 µS/cm	17 ppb	< 0.25 EU/mL	
RUN-1007	2026-09-07	AK	6.9	1.2 µS/cm	18 ppb	< 0.25 EU/mL	retest
RUN-1008	2026-09-08	RM	7.0	1.3 µS/cm	19 ppb	< 0.25 EU/mL	
RUN-1009	2026-09-09	JS	7.1	1 µS/cm	20 ppb	< 0.25 EU/mL	
RUN-1010	2026-09-10	AK	7.2	1.1 µS/cm	21 ppb	< 0.25 EU/mL	retest
RUN-1011	2026-09-11	RM	6.8	1.2 µS/cm	22 ppb	< 0.25 EU/mL	
RUN-1012	2026-09-12	JS	6.9	1.3 µS/cm	23 ppb	< 0.25 EU/mL	

5 Appendix B — Sign-off

Prepared by: Q. A. Manager Approved by: _____

DRAFT