ANSAKA

OAM Insight™ System

S Y S T E M B L U E P R I N T

Full-Stack Architecture & Implementation Guide

Version 1.0
Tech Stack: React + Supabase
Language: Bilingual (ID / EN)

Ansaka Consulting — Part of Mitologi Inspira Group

1. System Overview

Ansaka adalah platform diagnostik organisasi berbasis data yang menggunakan framework Organizational Alignment Map (OAM). Sistem ini memungkinkan perusahaan untuk mengidentifikasi akar masalah organisasi melalui survei terstruktur, wawancara, dan analisis mendalam.

Domain & Deployment

Domain	Fungsi
ansaka.com	Marketing website — Landing page, Services, Blog, About, Contact
app.ansaka.com	Web Application — Survey, Dashboard, Admin Panel

Three User Roles

Role	Access Level	Deskripsi
Respondent	Survey only (no login)	Karyawan yang mengisi survei via unique link anonim
Corporate Admin	Dashboard + Manajemen	Klien yang membeli kredit & melihat hasil diagnostik
Super Admin	Full system access	Tim internal Ansaka — semua data, harga, benchmark

Tiga Layanan Utama

Service	Nama	Deskripsi
1. Diagnosis	Ansaka Intelligence	Layer scan melalui survei, interview, dan workshop simulasi untuk menemukan akar masalah (OAM)
2. Intervention	Mitologi Inspira	Pelatihan presisi (MBTI, Leadership, Coaching) yang menjawab gap hasil diagnosis
3. Monitoring	LDaaS Retainer	Monitoring bulanan, konsultasi strategis, dan penyesuaian berkelanjutan

2. Database Schema (Supabase PostgreSQL)

Semua tabel menggunakan UUID sebagai primary key dan Row Level Security (RLS) untuk isolasi data per organisasi.

2.1 Core Tables

Tabel	Deskripsi	Key Fields
organizations	Data perusahaan klien	id, name, industry, size_range, country
users	Akun Corporate Admin & Super Admin	id (auth.users ref), organization_id, role, credit_balance
survey_batches	Satu campaign survei	id, organization_id, unique_link_token, status, credits_allocated, credits_used
divisions	Departemen dalam organisasi (filter analisis)	id, organization_id, name
survey_responses	Satu respons per responden	id, batch_id, raw_answers (JSONB), fp_scores, driver_scores
batch_results	Hasil agregat per batch (di-compute)	batch_id, driver_scores, fp_scores, overall_score, maturity_level
credit_transactions	Log semua transaksi kredit	id, type, amount, batch_id, payment_ref
credit_packages	Paket kredit (dikelola Super Admin)	id, name, credits, price_idr, is_active

2.2 Key SQL Snippets

organizations

```
CREATE TABLE organizations (
  id UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  name TEXT NOT NULL,
  industry TEXT,
  size_range TEXT,
  country TEXT DEFAULT 'Indonesia',
  created_at TIMESTAMPTZ DEFAULT now()
);
```

survey_batches

```
CREATE TABLE survey_batches (
  id UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  organization_id UUID REFERENCES organizations(id),
  unique_link_token TEXT UNIQUE NOT NULL,
```

```
  status TEXT CHECK (status IN ('draft','active','closed')),
  credits_allocated INT NOT NULL,
  credits_used INT DEFAULT 0,
  min_respondents INT DEFAULT 10,
  survey_version TEXT DEFAULT 'oam12-v1',
  created_at TIMESTAMPTZ DEFAULT now()
);
```

survey_responses

```
CREATE TABLE survey_responses (
  id UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  batch_id UUID REFERENCES survey_batches(id),
  division_id UUID REFERENCES divisions(id),
  submission_id TEXT UNIQUE NOT NULL,
  raw_answers JSONB NOT NULL,
  open_ended JSONB,
  fp_scores JSONB,
  driver_scores JSONB,
  layer_scores JSONB,
  gap_scores JSONB,
  submitted_at TIMESTAMPTZ DEFAULT now()
);
```

2.3 Row Level Security (RLS)

- Corporate Admin hanya dapat melihat data dari organisasinya sendiri
- Respondent tidak memiliki autentikasi — akses hanya via batch token unik
- Super Admin menggunakan service role key yang melewati semua RLS
- Data individu dianonimkan; dashboard hanya menampilkan data agregat

3. Scoring Engine

Scoring engine mengimplementasikan formula OAM yang telah dikunci dalam Data Contract. Semua kalkulasi bersifat deterministic dan reproducible.

3.1 Response Scale

Nilai	Label ID	Label EN	Keterangan
1	Sangat Tidak Setuju	Strongly Disagree	Dimasukkan dalam scoring
2	Tidak Setuju	Disagree	Dimasukkan dalam scoring
3	Setuju	Agree	Dimasukkan dalam scoring
4	Sangat Setuju	Strongly Agree	Dimasukkan dalam scoring
0	Tidak Tahu / Tidak Relevan	Don't Know / Not Relevant	EXCLUDED dari scoring

3.2 Scoring Formula

Step 1 — FP Score (per Failure Point)

```
FP Score = Σ(Q_score × weight) / Σ(weight of valid answers)
  — Jawaban = 0 (Tidak Tahu) EXCLUDED dari denominator
```

Contoh kalkulasi FP1 (Vision Clarity):

```
Q1 weight: 0.70 → score: 3 → kontribusi: 2.10
Q6 weight: 0.20 → score: 2 → kontribusi: 0.40
FP1 = (2.10 + 0.40) / (0.70 + 0.20) = 2.50 / 0.90 = 2.78
```

Step 2 — Driver Score

```
Driver Score = rata-rata semua FP Score dalam driver tersebut
Driver 1 = (FP1 + FP2 + FP3 + FP4 + FP5) / 5
```

Step 3 — Layer Score

```
Layer Score = rata-rata semua Driver Score dalam layer tersebut
```

Step 4 — Gap Score

```
Gap Score = rata-rata semua FP Score yang dipetakan ke gap tersebut
```

Step 5 — Overall Score & Maturity Level

```
Overall = rata-rata semua 12 Driver Score
```

3.3 Status Labels

Score Range	Level	Status	Description
1.0 – 1.9	Critical	**Critical**	System breakdown — tidak berjalan sama sekali
2.0 – 2.7	Weak	**Weak**	Tidak stabil / tidak konsisten
2.8 – 3.4	Stable	**Stable**	Berjalan cukup baik, mulai terstruktur
3.5 – 4.0	Strong	**Strong**	Optimal & konsisten

3.4 Maturity Level

Avg Score	Level	Key Characteristics	Primary Focus
< 2.0	Fragile	Chaos, tidak ada struktur, masalah berulang, bergantung individu	Perbaiki foundation (clarity, structure, system)
2.0 – 2.7	Developing	Ada KPI/proses, tapi tidak dijalankan konsisten	Stabilkan system & standardisasi
2.8 – 3.4	Stable	Proses cukup rapi, predictable, ada beberapa gap	Optimasi & perbaikan area lemah
> 3.4	Performing	Konsisten, adaptif, tidak bergantung individu	Scaling, innovation, continuous improvement

4. OAM Framework — Locked Constants

Semua nama, ID, dan relasi berikut adalah LOCKED sesuai OAM Insight™ Data Contract. Tidak boleh diubah dalam submission baru.

4.1 The 12 Drivers

ID	Driver Name	Layer	FPs
D1	Vision & Direction Clarity	Strategic Foundation	FP1–FP5
D2	Strategy & Priority to Team Alignment	Management Cascade	FP12
D3	Leadership Alignment & Consistency	Leadership System	FP6, FP7
D4	Role & Responsibility Clarity	Leadership System	FP8
D5	Decision Making Effectiveness	Leadership System	FP9, FP10, FP20
D6	Management System Alignment & KPI Clarity	Management Cascade	FP13, FP14, FP15
D7	Performance & Accountability	Team Execution	FP11, FP21
D8	Communication Flow	Team Execution	FP17
D9	Cross-Team Collaboration	Team Execution	FP16, FP18, FP19
D10	Capability & Skill Readiness	Individual Development	FP22, FP23
D11	Ownership & Initiative	Individual Development	FP24, FP25
D12	Feedback & Continuous Learning	Individual Development	FP26, FP27

4.2 The 5 Layers

Layer ID	Layer Label	Drivers
strategic_foundation	Strategic Foundation	D1
leadership_system	Leadership System	D3, D4, D5
management_cascade	Management Cascade	D2, D6
team_execution	Team Execution	D7, D8, D9
individual_development	Individual Development	D10, D11, D12

4.3 The 6 Execution Gaps

Gap ID	Gap Label	Linked FPs
strategic_clarity	Strategic Clarity Gap	FP1, FP2, FP3, FP4
leadership_alignment	Leadership Alignment Gap	FP6, FP7, FP11
execution_system	Execution System Gap	FP5, FP8, FP9, FP10, FP12, FP13, FP14, FP15
collaboration	Collaboration Gap	FP16, FP17, FP18, FP19, FP20
capability_fit	Capability Fit Gap	FP22, FP23
culture_engagement	Culture Engagement Gap	FP21, FP24, FP25, FP26, FP27

4.4 The 27 Failure Points

FP ID	Label	Layer	Primary Gap
FP1	Vision Clarity	Strategic Foundation	Strategic Clarity
FP2	Strategy Clarity	Strategic Foundation	Strategic Clarity
FP3	Priority Clarity	Strategic Foundation	Strategic Clarity
FP4	Goal Clarity	Strategic Foundation	Strategic Clarity
FP5	Strategy Translation	Strategic Foundation	Execution System
FP6	Leadership Alignment	Leadership System	Leadership Alignment
FP7	Leadership Consistency	Leadership System	Leadership Alignment
FP8	Role Clarity	Leadership System	Execution System
FP9	Decision Authority	Leadership System	Execution System
FP10	Decision Effectiveness	Leadership System	Execution System
FP11	Leadership Accountability	Leadership System	Leadership Alignment
FP12	Strategy Cascade	Management Cascade	Execution System
FP13	Goal Cascade	Management Cascade	Execution System
FP14	KPI Ownership	Management Cascade	Execution System
FP15	Performance Monitoring	Management Cascade	Execution System
FP16	Cross-Team Alignment	Management Cascade	Collaboration
FP17	Communication Flow	Management Cascade	Collaboration
FP18	Cross-Team Collaboration	Team Execution	Collaboration
FP19	Team Collaboration	Team Execution	Collaboration

FP20	Decision Speed	Team Execution	Collaboration
FP21	Team Accountability	Team Execution	Culture Engagement
FP22	Problem Solving	Team Execution	Capability Fit
FP23	Skill Capability	Individual Development	Capability Fit
FP24	Initiative	Individual Development	Culture Engagement
FP25	Ownership Mindset	Individual Development	Culture Engagement
FP26	Feedback System	Individual Development	Culture Engagement
FP27	Learning System	Individual Development	Culture Engagement

5. Application Structure

5.1 Routes & Pages

Route	Akses	Deskripsi
/survey/:token	Publik (no login)	Survey form untuk responden, anonim
/survey/:token/thankyou	Publik	Halaman konfirmasi setelah submit
/login	Publik	Login Corporate Admin
/register	Publik	Registrasi Corporate Admin baru
/dashboard	Corporate Admin	Halaman utama — overview organisasi
/dashboard/batches	Corporate Admin	Kelola campaign survei
/dashboard/batch/:id	Corporate Admin	Detail batch + dashboard hasil diagnostik
/dashboard/credits	Corporate Admin	Beli & kelola kredit
/dashboard/settings	Corporate Admin	Profil organisasi
/admin	Super Admin	Panel admin internal Ansaka
/admin/organizations	Super Admin	Semua data klien
/admin/batches	Super Admin	Semua batch survei
/admin/credits	Super Admin	Manajemen kredit global
/admin/packages	Super Admin	Kelola paket kredit
/admin/benchmark	Super Admin	Data benchmark industri

5.2 Component Architecture

Survey Components

- SurveyForm.jsx — Main survey container dengan state management
- DriverSection.jsx — Per-driver question group
- LikertQuestion.jsx — Skala 1-4 + opsi 'Tidak Tahu'
- OpenEndedQuestion.jsx — Text area per driver
- ProgressBar.jsx — Progress indicator

Dashboard Components

- ExecutiveSummary.jsx — Gauge chart + Radar chart (12 drivers)
- PriorityHeatmap.jsx — Horizontal bar chart (sorted critical → strong)
- LayerView.jsx — Stacked bar chart (5 layers)

- DriverDeepDive.jsx — 3 lowest FPs per driver (RESTRICTED)
- PatternIntelligence.jsx — Narrative insight cards (hipotesis)
- SentimentCards.jsx — AI summary open-ended answers
- BatchSelector.jsx — Pilih batch untuk ditampilkan

Admin Components

- BatchManager.jsx — Create, monitor, close survey batches
- CreditManager.jsx — Top up & alokasi kredit
- OrgTable.jsx — Daftar & detail semua organisasi

Shared Components

- ScoreChip.jsx — Color-coded score badge (Critical/Weak/Stable/Strong)
- MaturityBadge.jsx — Badge level kematangan organisasi
- LanguageSwitcher.jsx — Toggle ID/EN realtime
- LoadingScreen.jsx — Loading state

5.3 Library & Utilities

File	Fungsi
lib/supabase.js	Supabase client initialization
lib/scoring.js	Semua logika scoring (FP → Driver → Layer → Gap → Overall)
lib/weightMap.js	Full Q→FP weight map untuk semua 12 driver
lib/fpGapMap.js	FP→Gap dan FP→Layer mapping (sesuai Data Contract)
i18n/id.json	Semua string Bahasa Indonesia
i18n/en.json	Semua string English

6. Dashboard Design Specification

Dashboard menggunakan filosofi "The MRI, not the Surgery" — memberikan critical awareness kepada klien tanpa memberikan solusi instan. Dashboard harus menciptakan Insight Gap yang mendorong klien untuk menghubungi konsultan.

6.1 Dashboard Sections

Section	Visualisasi	Logic	Restriction
A. Executive Summary	Gauge Chart + Radar Chart (12 drivers)	Overall score + profil keseimbangan organisasi. Dynamic label otomatis berdasarkan profil.	Tidak ada
B. Priority Heatmap	Horizontal Bar Chart (sorted low→high)	Color coding: Merah (<2.5), Kuning (2.5-3.2), Hijau (>3.2). Highlight Top 3 Critical Drivers.	Tidak ada
C. Layer View	Stacked Bar Chart (5 layers)	Identifikasi di level mana sumbatan kinerja terjadi (Strategic → Individual).	Tidak ada
D. Driver Deep Dive	Bullet Chart / Simple Bar Chart	Saat Driver diklik, hanya tampilkan 3 FP dengan skor terendah.	Max 3 FP per Driver (eksklusif untuk konsultan)
E. Pattern Intelligence	Narrative Insight Cards	Relational Impact logic untuk deteksi pola. Gunakan bahasa hipotesis (soft wording).	CTA: Request Deep Dive Analysis
F. Qualitative Sentiment	Thematic Cards / Word Cloud	AI merangkum jawaban open-ended menjadi 3-5 tema utama.	Teks mentah individu tidak ditampilkan

6.2 Access Control

Kondisi	Status Dashboard
Responden < 10 (min_respondents)	Dashboard TERKUNCI — menampilkan pesan 'Kumpulkan minimal 10 responden'
Responden ≥ 10	Dashboard aktif — semua section ditampilkan
Driver Deep Dive diklik	Hanya 3 FP terendah ditampilkan (bukan semua 27)
Data individu	Selalu dianonimkan — hanya data agregat yang tampil

6.3 Advanced Analytics (Premium)

- Filter Divisi/Departemen — Bandingkan skor antar departemen (Sales vs Operations)
- Benchmark Line — Garis rata-rata industri pada grafik Bar
- Trend Monitoring (Growth Tracker) — Line Chart skor Driver dari waktu ke waktu
- AI Sentiment Summary — Rangkuman otomatis jawaban open-ended per batch

6.4 Dynamic Labels

Profil Score	Label Otomatis EN	Label Otomatis ID
D1 tinggi, D3 rendah	The Visionary Without Execution	Pemimpin Visi Tanpa Eksekusi
D6 & D7 rendah	The Execution Bottleneck	Hambatan Eksekusi
D3 & D1 rendah	The Strategic Architect	Arsitek Strategis (Belum Stabil)
Semua score > 3.4	High Performance Organization	Organisasi Performa Tinggi

7. Survey Flow & Credit System

7.1 Survey Flow

1. Responden menerima link: app.ansaka.com/survey/[token]
2. Validasi token → batch exists & status = 'active'
3. Tampilkan intro page (konteks organisasi, notifikasi anonimitas)
4. Driver 1 (6 pertanyaan + 1 open-ended) → Driver 2 → ... → Driver 12
5. Submit → scoring engine runs (FP → Driver → Layer → Gap)
6. Tulis ke survey_responses + update batch_results (agregat)
7. Kurangi 1 kredit dari batch
8. Tampilkan halaman Thank You

7.2 Credit System

Aspek	Detail
Formula dasar	1 Credit = 1 Respondent submission
Purchase flow	Admin → pilih paket → payment gateway → credit top-up → saldo tersedia
Allocation flow	Admin → create batch → alokasikan kredit ke batch → generate link
Consumption	Per submit responden → auto-deduct 1 credit dari batch
Refund	Kredit tidak terpakai dari batch yang ditutup dikembalikan ke saldo

7.3 Default Credit Packages

Nama Paket	Jumlah Kredit	Target Penggunaan
Starter	20 credits	Tim kecil, pilot assessment
Growth	50 credits	Departemen menengah
Business	100 credits	Perusahaan menengah
Enterprise	500 credits	Korporasi besar / multi-divisi

8. Build Phases & Roadmap

Phase	Nama	Deliverables	Status
Phase 1	Foundation	Supabase schema, Survey form UI (12 drivers, bilingual), Scoring engine, Submit & store	In Progress
Phase 2	Auth & Management	Corporate Admin auth, Batch management, Credit management UI, Generate survey link	Planned
Phase 3	Dashboard	Executive Summary, Priority Heatmap, Layer View, Driver Deep Dive, Pattern Intelligence cards	Planned
Phase 4	Super Admin & Advanced	Super Admin panel, Department filter, Benchmark line, Trend monitoring, AI sentiment	Planned
Phase 5	Production	Payment gateway (Midtrans/Xendit), Email notifikasi, SEO optimization, ansaka.com marketing site	Planned

8.1 Phase 1 Checklist (Active)

- **Supabase schema setup (SQL migrations untuk semua 8 tabel)**
- **Survey form React — semua 12 driver, bilingual ID/EN**
- **Scoring engine (lib/scoring.js + lib/weightMap.js)**
- **FP/Layer/Gap mapping (lib/fpGapMap.js)**
- Submit handler → koneksi ke Supabase survey_responses
- Compute & simpan hasil ke batch_results
- Deduct credit logic

8.2 Tech Dependencies

Package	Versi	Fungsi
react	^18	Core framework
react-router-dom	^6	Routing
@supabase/supabase-js	^2	Database & Auth
recharts	latest	Charts & visualizations (Radar, Bar, Line, Gauge)
i18next + react-i18next	latest	Bilingual (ID/EN) support
tailwindcss	^3	Utility-first CSS framework

9. OAM Data Contract

Kontrak data ini mengatur format data final antara Diagnostic App (writer), Apps Script/data store (storage), dan Analyst App (reader). Semua submission baru WAJIB mengikuti format ini.

9.1 Required Payload Fields

Metadata

Field	Type	Keterangan
surveyBatchId	String	ID batch survei
submissionId	String	ID unik per responden submission
organizationName	String	Nama organisasi
divisionName	String	Nama divisi responden
submittedAt	ISO 8601 String	Waktu submit
appVersion	String	Versi aplikasi (e.g. '1.0.0')
surveyVersion	String	Versi survei (e.g. 'oam12-v1')
anonymity	Boolean	Selalu true untuk respondent
responseStatus	Enum	'complete' atau 'partial'

Score Maps

Field	Keys	Contoh Value
driverScores	D1 – D12	{ "D1": 2.84, "D2": 3.01, ... }
fpScores	FP1 – FP27	{ "FP1": 2.60, "FP2": 3.10, ... }
layerScoresMap	5 layer IDs	{ "strategic_foundation": 2.91, ... }
gapHypothesisScores	6 gap IDs	{ "strategic_clarity": 2.84, ... }

9.2 Deprecated Values

Nilai berikut TIDAK BOLEH ditulis oleh submission baru (hanya untuk backward compatibility):

Deprecated ID	Replaced By
strategy_translation	execution_system
capability	capability_fit

9.3 Governance Rules

- Diagnostic App adalah SATU-SATUNYA valid writer format submission baru
- Analyst App hanya boleh sebagai reader, dengan normalisasi legacy sementara
- Apps Script / storage DILARANG rename atau mutasi keys
- primaryGapId harus salah satu dari 6 final gap IDs yang valid
- secondaryGapIds hanya boleh berisi final gap IDs