


- Questions?
- Layout with Bootstrap Grid
- Responsive & Mobile-First
- Bootstrap 5 What's New?
- Sweet Bootstrap Classes
- Additional Resources
- Next Week: DOM Manipulation

What questions do you have?



1 of 3

Responsive & Mobile First

- Responsive columns
 ex: col-4 col-sm-3 col-lg-2
- Responsive display ex: d-none d-md-block
- Responsive spacing ex: me-xl-3
- Responsive container ex: container-md

For the given size and larger

Breakpoint	Class infix	Dimensions
X-Small	None	<576px
Small	sm	≥576px
Medium	md	≥768px
Large	lg	≥992px
Extra large	xl	≥1200px
Extra extra large	xxl	≥1400px

Bootstrap 5

- No jQuery
- Added XXL breakpoint
- Start and End instead of Left and Right
- Flexible gutters
- Responsive font sizing
- data-something attributes were changed to data-bs-something



Sweet Bootstrap Classes

- Margin & padding, ex: mx-3
- Text alignment, ex: text-center
- Responsive hiding, ex: d-md-none
- Responsive flex, ex: d-sm-flex
- Clearfix, ex: clearfix
- Text truncation, ex: text-truncate
- Shadows, ex: shadow-sm
- Overflow, ex: overflow-hidden
- Muted text, ex: text-muted

Tip: Git Ignore

You can tell Git to ignore certain files or folders using a .gitignore file.

- 1) Add a file called .gitignore in your git repository
- Make sure you haven't already added the files you want to ignore
- 3) If you have already added them, you can stop tracking them with this command:

git reset <file-name>

 On separate lines, put any files or folders you want ignored



Bootstrap

https://getbootstrap.com

Sass - for customizing Bootstrap

https://sass-lang.com/

Bootswatch - free themes

https://bootswatch.com/

Wrap Bootstrap - paid themes

https://wrapbootstrap.com/