

A structural model built from the drawings

31168 YMCA Langara — Tower B and the rest of the building · prepared 6 August 2026

Andrea's ETABS models were lost with a failed drive. Rather than re-enter the building's geometry by hand, this reads the concrete-outline DXF plans drafting already exports and produces an ETABS model covering every storey. It does none of the engineering — it removes the typing.

58

storeys populated

516

wall panels, true thicknesses

2,384

columns, sized & oriented

148

floor plates

— What to open

FILE	WHAT IT IS
31168-FROM-DRAWINGS.e2k	The model. File → Import → ETABS .e2k Text File .
31168-FROM-DRAWINGS-report.txt	Every sheet, the storeys it landed on, what it produced, and every location that needed judgement.
31168-FROM-DRAWINGS-more-floors.e2k	Same walls and columns, but slab outlines interrupted by up to 18" are joined instead of 6" — 450 floor plates instead of 148. More coverage, less certainty.

All of it sits in 02 Engineering\02 Lateral Design\01 ETABS Models\ . Everything generated is named KW* , KC* , KP* with sections prefixed KOR- , so you can select, filter or delete the whole lot in one action.

— Why you can trust the geometry

The building already had a second, independent route into ETABS: the Revit analytical model exported through CSIxRevit. It only covers a fragment of the building, but where the two overlap they can be compared — and they agree exactly.

CHECK ON LEVEL 3	RESULT
Wall panels found by each route	8 vs 8
Plan extents	identical
Median distance between matching walls	0.0 in
Worst distance between matching walls	0.0 in

Two paths that share nothing but the original Revit model — one through Revit's analytical layer and CSiXRevit, the other through drafting's DXF export and this tool — put the same walls in the same places to the inch. That is why the model lands on your grid rather than near it. The check is repeatable: `takeoff e2k-compare <reference> <generated> "LEVEL 3"`.

— What it reads, and how

LAYER	BECOMES	HOW
JBP_V-WALL	Wall panels	A core is drawn as one ribbon tracing both faces of a group of walls. Each face is paired with the face opposite it; the pair gives the centreline and the true thickness.
JBP_V_COL	Columns	Footprint gives size and rotation, so a 16×24 sits the way it is drawn.
JBP_C_SLABEDG*	Floor plates	Outlines stitched into rings; rings inside a ring are openings.

Sheet titles carry the placement. `LEVEL 29 PLAN (L29-35)` fills seven storeys; `A-LEVEL 28` goes to Tower A alone; `LEVEL P2` to the parkade. The geometry is merged into an `.e2k` that ETABS itself exported, so storeys, grids, materials and design settings remain ETABS's own — the file differs from a known-good one only by the lines added.

— Limitations — read before you rely on it

Slab plates are the weak half

Drafting interrupts slab edges wherever other linework crosses them, so many outlines do not close. Those are dropped and reported rather than guessed at. Treat floors as a starting point, or ignore them and place your own diaphragms.

Nothing is assigned that is yours to decide

No diaphragms, no loads, no masses, no spectra, no stiffness modifiers, no piers or spandrels, no meshing. One concrete material is applied to every generated section — reassign by element.

Openings are detected but not cut

Shafts and stair openings are found as inner rings and reported, but not subtracted from the plates, so slab areas read high where a core passes through.

Check the thick walls. Anything modelled thicker than 24" is flagged in the report. Wall outlines that meet at junctions can pair across the junction and read thicker than the wall really is. The flags tell you exactly where to look.

It believes the drawing

Thicknesses and sizes come from what was drawn, not from a schedule. A wall drawn at the wrong width models at the wrong width. The plans used here are dated 28 June 2026 — later revisions are not in this model.

— What would make it materially better — your input decides

IMPROVEMENT	WHAT IT NEEDS FROM YOU
Cut the openings. Subtract shafts and stairs from the plates so slab areas and diaphragms are right.	Confirm that inner rings on the slab-edge layers are always openings, never a step or a depression.
Close slab edges properly by extending an interrupted edge along its own direction to the line that cut it, instead of bridging a gap by distance.	Nothing — but tell us whether the 18" variant's plates look right or wrong; that answers whether this is worth building.
Wall grades by height. Read the wall schedule so 65 MPa low and 45 MPa high come through instead of one material.	Point us at the schedule sheet you would read for this, and how you would expect the grades keyed to walls.
Beams. Nothing on the beam layers is read today.	Whether beams are worth having, or you would rather add them yourself.
A button in the KOR app instead of a command line.	Whether you would run this yourself per project, or ask for it.

The single most useful thing you can send back: open the model, and tell us the first three things that are wrong or annoying. Each one is a rule the tool does not yet know.

— Where this sits in the KOR toolset

This is a new front end on the engineering engine the app already carries, not a separate program.

```
Revit → drafting's DXF plan exports → [ DXF → ETABS ] → .e2k → ETABS
PDF drawings → [ PdfToSafe ] → .f2k / .e2k / live OAPI
PDF drawings → [ Takeoff ] → quantities, xlsx
```

All three live in `Kor.Operations.EngineeringTools`, share the same geometry code, and are covered by the same test suite (384 tests). PdfToSafe reads drawings when only a PDF exists; this reads the DXFs when drafting has exported them, which is exact and needs no vision model. The natural next step is a button in the app's Engineering Tools panel so it runs without a command line.

It only stays reliable while the layer names hold. JBP_V-WALL , JBP_V_COL and JBP_C_SLABEDG are now a machine contract, not just a drafting habit — which is a concrete argument for the Revit template and standards work already under way.

Built 6 August 2026 · `Kor.Operations.EngineeringTools.Core/Dxf` · CLI `takeoff dxf-to-etabs` , `dxf-inspect` , `e2k-compare` · documented at `docs/DxfToEtabs.md`