VICTORY 2027

Climate

LECTURE-4 Geography

Sameer Sir



Topics To Be Covered


1. Monsoons
2. Retreating Monsoons
3. Winter
4.

Climate

Distribution of Temperature, Rainfall, winds in Summer and Winter and factors affecting the climate of India (latitudes, altitude, distance from sea, winds, Himalayas, jet streams, and El Nino). Monsoon and its mechanism. Seasons: Summer; Monsoon, Retreating Monsoon and Winter. Temperature and pressure conditions, wind movements, local winds, precipitation and interpretation of climate data.

Telegram

https://t.me/icsebysameersir



2. Why does Kochi experience a much lower annual range of temperature compared to Delhi?

A. Delhi receives higher rainfall throughout the year.

B. Kochi has a maritime climate due to its coastal location.

C. Kochi is located at a higher altitude.

D. Delhi is closer to the equator.

1. Which type of climate is India characterized by?

A. Equatorial Climate

B. Tropical Monsoon Climate

C. Mediterranean Climate

D. Desert Climate

Annual range of temperature

Highest → 32°C

Lowest → 24°C → 8°C

Monsoon → Mausim

Seasonal reversal of Winds.

4. The northern plains of India experience an 'extreme' or 'continental' type of climate. What does this mean?

Land < Extreme < Hot Cold

Pole

Poll → voting

A. It is cold throughout the year.

B. It is hot throughout the year.

C. It features very hot summers and very cold winters.

D. The temperature remains constant all year round.

7. What does the abbreviation ITCZ stand for in the study of monsoon mechanisms?

Monsoon → ITCZ.

A. International Temperature Control Zone

B. Intense Torrential Cyclone Zone

C. Intertropical Convergence Zone

D. Indian Tropical Convergence Zone

8. During the summer season, a local hot and dry wind blows across the northern plains of India. What is it called?

A. Kal Baisakhi

B. Western Disturbances

C. Loo

D. Mango Showers

Climate → Tropical Monsoon type of climate

Monsoon → Winds

Land → Heat / Cool → Quickly


Water → Heat / Cool → Slowly


Heat → High temperature → Low pressure


Cold → Low temperature → High pressure


High pressure ← Low pressure


ARCTIC CIRCLE
N Summer
TROPIC OF CANCER
EQUATOR
S Winter.
TROPIC OF CAPRICORN
ANTARCTIC CIRCLE






ARCTIC CIRCLE
N-winter
TROPIC OF CANCER
EQUATOR
S-Summer
TROPIC OF CAPRICORN
ANTARCTIC CIRCLE



Mediterranean Sea
High → Winter
North East
Low ← Summer

2 types of winds
- Permanent → Trade winds
  - Easterly
  - Westerly.
- Local → Loo


ARCTIC OCEAN
Greenland
(Denmark)
Svalbard
(Norway)
ARCTIC OCEAN
United States
Canada
Iceland
Norway
Sweden
Finland
Russia
U.K.
Ireland
Estonia
Latvia
Lithuania
Belar.
Ukraine
Kazakhstan
Mongolia
United States
ATLANTIC OCEAN
Portugal
Spain
France
Italy
Armenia
Turkey
Cyprus
Greece
Lebanon
Syr.
Iraq
Iran
Kyrgyzstan
Tajikistan
China
N. Korea
S. Korea
Japan
Mexico
Caribbean
Morocco
Tunisia
Algeria
Libya
Egypt
Kuwait
Qatar
Afghan.
Pakistan
Nepal
Bhutan
India
Laos
Vietnam
Taiwan
PACIFIC OCEAN
Western Sahara
Senegal
Maurit.
Mali
Niger
Chad
Eritrea
Sudan
Saudi Arabia
U.A.E.
Oman
Yemen
Djibouti
Bur.
Bangl.
Thai.
Cambodia
Philippines
The Gambia
Guinea-Bissau
Guinea
Sierra Leone
Liberia
Cote d'Ivoire
B.Faso
Ghana
Togo
Benin
Nigeria
Cam.
C.A.R.
South Sudan
Ethiopia
Somalia
Ken.
Uganda
Rwanda
Burundi
Tanz.
Sri Lanka
Malaysia
Indonesia
Timor-Leste
Papua New Guinea
Solomon Islands
Central America
Guyana
Suriname
French Guiana (France)
Venez.
Colombia
Ecuador
Peru
Brazil
Bolivia
Paraguay
Chile
Argentina
Uruguay
Equatorial Guinea
Gabon
Congo
Dem. Rep. of Congo
Angola
Zambia
Zim.
Namibia
Bots.
South Africa
Lesotho
eSwatini
Malawi
Mozambique
Madagascar
INDIAN OCEAN
ATLANTIC OCEAN
Australia
New Caledonia
Fiji
New Zealand
SOUTHERN OCEAN
© 2020 Geology.com




INDIA
States and Union Territories
INDIA FLAG
TAJIKISTAN
AFGHANISTAN
PAKISTAN
CHINA (TIBET)
NEPAL
BHUTAN
BANGLADESH
MYANMAR (BURMA)
SRI LANKA
LADAKH
Srinagar
Leh
JAMMU & KASHMIR
Jammu
HIMACHAL PRADESH
Shimla
PUNJAB
CHANDIGARH
Dehradun
UTTARAKHAND
HARYANA
DELHI
New Delhi
UTTAR PRADESH
Lucknow
Jaipur
RAJASTHAN
SIKKIM
Gangtok
ARUNACHAL PRADESH
Itanagar
Dispur
ASSAM
NAGALAND
Kohima
Shillong
MEGHALAYA
Imphal
MANIPUR
Agartala
TRIPURA
Aizawl
MIZORAM
BIHAR
Patna
JHARKHAND
Ranchi
WEST BENGAL
Kolkata
ODISHA
Bhubaneswar
BAY OF BENGAL
Gandhinagar
GUJARAT
Bhopal
MADHYA PRADESH
CHHATTISGARH
Raipur
Daman
DADRA & NAGAR HAVELI AND DAMAN & DIU
MAHARASHTRA
Mumbai
TELANGANA
Hyderabad
Amaravati
Yanam (Puducherry)
ARABIAN SEA
Panaji
GOA
ANDHRA PRADESH
KARNATAKA
Bengaluru
Chennai
Mahe (Puducherry)
PUDUCHERRY
LAKSHADWEEP (INDIA)
Kavaratti
KERALA
TAMIL NADU
Karaikal (Puducherry)
Palk Strait
Thiruvananthapuram
ANDAMAN & NICOBAR ISLANDS (INDIA)
Port Blair
International Boundary
State/UT Boundary
Country Capital
State/UT Capital
Map not to Scale
INDIAN OCEAN
Copyright © 2020 www.mapsofindia.com


180°W 150° 120° 90° 60° 30°W 0° 30°E 60° 90° 120° 150° 180°E
75°N
60°
45°
30°
15°N
0°
15°S
30°
45°
60°
75°S
North America
Europe
Asia
Africa
South America
Australia
Antartica
PACIFIC OCEAN
ATLANTIC OCEAN
INDIAN OCEAN
PACIFIC OCEAN

2. June to September – Monsoon

- The South-West Monsoon season is the season of general rainfall.
- This season lasts from June to September.
- The differential heating of land and sea during the summer months causes the monsoon winds to drift towards the subcontinent.
- The large landmass (→ land) to the north of the Indian Ocean gets intensely heated during April and May.
- This causes the formation of an intense low pressure in the north-western part of the Indian subcontinent.

2. June to September – Monsoon



- Since the pressure in the ocean to the south of the landmass is high, it attracts the South East (S.E.) Trade Winds which prevail in the southern hemisphere.
- These S.E. Trade winds after crossing the Equator are deflected towards the right because of the Coriolis force and reach the west coast as South-West Monsoon.
- These winds bring heavy rainfall accompanied by violent thunder and lightning.
- This sudden violent onset of rainfall in the first week of June is termed as the Burst of the Monsoon.




Arakan mountain

2. June to September – Monsoon



- However, when the South-West Monsoon fails to bring rainfall for two or more weeks and there is a dry period in the rainy season it is called the Break of Monsoon.
- The first State to receive the monsoon showers is Kerala and also the last to see its withdrawal.
- As a result of the tapering topography of peninsular India the South-West Monsoon winds divides into two branches:
  - **(a) The Arabian Sea Branch; and**
  - **(b) The Bay of Bengal Branch**


Orographic Rain
Cold
windward
Leeward
Rain Shadow


HIMALAYAS
Punjab Plains
Aravallis
Vindhyas
Narmada river-valley
Satpuras
Tapi river-valley
Chotanagpur Plateau
Garo
Jaintia
Khasi
Myanmar
Arakan Yoma
Mumbai
Western Ghats
Arabian Sea Branch
(65% Contribution to the monsoon)
Bay of Bengal Branch
(35% Contribution to the monsoon)


2. June to September – Monsoon

- The rains bring down the temperature and hence, some respite from the heat. However, there is relief only as long as it rains, because the relative humidity is quite high during July-August.
- In Mumbai the temperature drops by 10° C after a week's rain.
- Nagpur sees a maximum of 45° C in May which drops to 31° C in July.

The Arabian Sea Branch

- The South-West Monsoon winds originating over the Arabian Sea further split into three branches:

(a) Its one branch is obstructed by the Western Ghats. These winds go up the slopes of the Western Ghats, become cool and bring heavy rains in the windward side of the Sahyadris and the Western Coastal Plains. After crossing the Ghats these winds descend, get heated up and thereby, the humidity in the winds is reduced. Consequently, these winds cause little rainfall east of the Western Ghats, i.e., in the rain-shadow area.


HIMALAYAS
Punjab Plains
Aravallis
Vindhyas
Narmada river-valley
Satpuras
Tapi river-valley
Chotanagpur Plateau
Garo
Jaintia
Khasi
Myanmar
Arakan Yoma
Mumbai
Western Ghats
Arabian Sea Branch
(65% Contribution to the monsoon)
Bay of Bengal Branch
(35% Contribution to the monsoon)

The Arabian Sea Branch

(b) The second branch of the Arabian Sea branch of the Monsoon winds strikes the coast north of Mumbai. These winds move further along the Narmada and Tapi river valleys and cause fair amount of rainfall in Central India. The Chota Nagpur Plateau receives 15 cm of rainfall from this branch. After that, it enters the Ganga plains and mingles with the Bay of Bengal Branch.

(c) The third branch strikes the Saurashtra Peninsula and the Kutch. After that it passes over west Rajasthan and along the Aravallis causing scanty rainfall.

The Arabian Sea Branch joins the Bay of Bengal Branch in Punjab and Haryana and together these two branches cause rainfall in the western Himalayas.

The Bay of Bengal Branch

- The Bay of Bengal branch is directed towards the coast of Myanmar and part of south-east Bangladesh.
- However, owing to the presence of the Arakan Hills along the coast of Myanmar, a large part of this branch of monsoon is deflected towards the Indian subcontinent.
- The monsoons, therefore, enter West Bengal and Bangladesh from south and south-east instead of the southwesterly direction.
- Now this branch bifurcates into two branches: one along the Ganga plains and the other along the Brahmaputra valley.

The Bay of Bengal Branch

- These branches cause wide spread rain in the Ganga plains, Brahmaputra valley and Garo and Khasi Hills of Meghalaya.
- Cherrapunji and Mawsynram, located on the crest of the southern range of Khasi Hills, receive the highest average annual rainfall in the world.


Arabian Sea Branch	Bay of Bengal Branch
1. It enters Indian landmass after blowing over a vast open sea. During this period it collects lot of moisture.	1. It travels a shorter distance (a bay) and carries less moisture.
3. It hits against the Western Ghats as soon as it blows over the land.	2. The Bay of Bengal Branch partly enters India; its major part blows over Myanmar and Thailand.

South Western Monsoon



The Bay of Bengal Branch


- Distribution of rainfall received from South-West Monsoons is largely governed by the relief or topography.
- For example, Mahabaleshwar on the windward side of the Western Ghats registers a rainfall of over 250 cm whereas Pune on the leeward side of these Ghats, receives less than 70 cm of rainfall.
- Likewise, the heavy precipitation in north-eastern states is due to the occurrence of hilly ranges in these states.
- There is a decrease in rainfall as one goes from east to west.



W
E
Rainfal decreases
56
91
102
120



The Bay of Bengal Branch

- During this particular season Kolkata receives about 120 cm , Patna 102 cm , Allahabad 91 cm and Delhi 56 cm .
- The Tamil Nadu coast remains dry during this season.
- This is because the Tamil Nadu coast is located parallel to the Bay of Bengal branch of the south-west monsoon.
- Further, it lies in the rain-shadow area of the Arabian Sea branch of the south-west monsoon.


THE SUBCONTINENT'S GEOGRAPHY
N
0 60 100 150 200 200 km
States
Capital: New Delhi
Major Cities
Neighboring Countries
Nanga Parbat
K2
KARAKORAM
Nanda Devi
Glacial
HIMALAYAS
CHINA
Kangchenjunga
Mt. Everest
Kangchenjunga
Matan
BHUTAN
PAKISTAN
PAKISTAN
Indus
Aravalli
Aravalli
Ganges
Yamuna
INDO-GANGETIC PLAINS
Ganga valley
BANGLADESH
MYANMAR
Vindhya
Satpura Range
Satpura
DECCAN
PLATEAU
Rarhrana
Coastal plains
ARABIAN SEA
BAY of BENGAL
Lakshadweep
Punarpa
Coastal plains
SRI LANKA
ANDAMAN & NICOBAR
INDIAN OCEAN
Elevation
300
Major Rivers
Peaks
0 500 1000 km


South West Monsoon In India
N
W
E
S
I N D I A
Arabian Sea
Bay of Bengal
Indian Ocean
Not to Scale


North East Monsoon In India
N
W
E
S
I N D I A
Arabian Sea
Bay of Bengal
Indian Ocean
Not to Scale

3. October to November - Retreating Monsoon


- The South-West Monsoon starts retreating from northern India in early October.
- Hence, the months of October and November are known for the retreating monsoon.
- The reason of this retreat is that the Monsoon trough of low pressure over the Ganga plains becomes weaker due to the apparent southward movement of the sun.
- The low pressure trough is gradually replaced by high pressure.

3. October to November - Retreating Monsoon

- The retreat of the Monsoon is marked by clear skies and drop in night temperature.
- The land remains moist.
- The combination of high temperature and humidity gives rise to an oppressive weather.
- This is commonly known as 'October heat'.
- Day temperature rises due to clear skies.

3. October to November - Retreating Monsoon

- The low pressure conditions are transferred to the centre of Bay of Bengal by early November.
- This shift of the low pressure area is marked by cyclonic depressions which originate over the Andaman Sea.
- Some of the cyclonic depressions manage to cross the eastern coasts of southern peninsula resulting in heavy and widespread rains on the coast of Tamil Nadu and parts of Odisha.
- These cyclonic storms move from the north-east to the south-west.


CHINA
BANGLADESH
Dhaka
Calcutta
INDIA
MYANMAR
Rangoon
THAILAND
Bay of Bengal
Bangkok
Madras
Andaman Sea
Colombo
SRI LANKA
MALAYSIA
Kuala Lumpur
Medan
SINGAPORE
INDONESIA
Indian Ocean
NORTH
0 250 500 1,000
Kilometres

3. October to November - Retreating Monsoon




- The retreating monsoons are generally dry except on the coastal areas of Tamil Nadu, Odisha and parts of Karnataka.
- The bulk of the rainfall of the Coromandel Coast is derived from depressions and cyclones.
- Retreating Monsoon winds cause rainfall in some places that is as heavy as the summer Monsoons.
- Interior parts of Deccan remain dry because they lie in the rain-shadow of the Eastern Ghats.

3. October to November - Retreating Monsoon

Tropical Cyclones

- There are tropical depressions (low-pressure systems) originating in the Bay of Bengal caused by local variations of heat and moisture.
- They lead to tropical cyclones in November and December.
- Such cyclones generally originate in the neighbourhood of the Andaman Islands between 12° N and 17° N and travel west or north west over the Bay of Bengal.
- Whenever they occur, they cause great loss of life and property due to heavy rains on the eastern coastal regions of India.


Tropical → Water Bodies
Temperate → Cold + Hot
High + Low

Tropical Cyclones	Temperate Cyclones
➢ Tropical cyclones are largely a summer phenomenon.	➢ Temperate cyclones are most intense in the winter season.
➢ They are generally smaller in size and their shape is more or less circular.	➢ They are bigger in size than the tropical cyclones and are oval in shape.
➢ Tropical cyclones develop over the seas.	➢ Temperate cyclones develop over continents.
➢ They develop in the tropical region of Bay of Bengal and influence Indian coastal climate.	➢ They develop in the temperate region of Mediterranean sea.
➢ They bring heavy rainfall with strong winds over the Coromandel Coast of India.	➢ They bring light to moderate rainfall in the North western part of India under the influence of westerly jet streams.

South-West Monsoon	North-East Monsoon
·These winds blow from June to September. ·The direction of these winds is from South-West. ·They blow from sea to land and are moisture laden winds. ·They bring heavy rainfall. This is a high temperature and high humidity season. The pressure is low on the land area and high over surrounding water bodies. ·During these months there is rainfall in the whole subcontinent.	·These winds blow from December to February. ·The direction of these winds is from North-East. ·These winds blow from land to sea. ·Clear skies, pleasant weather with low temperature and low humidity prevails over the Indian region. ·When they move over the Bay of Bengal they pick up moisture to bring rainfall only to the Coromandel coast.

Onset of Monsoon → South-West

Retreating Monsoon → North-East

4. December to February – Winter.

- The cold weather season commences at the end of November and continues till March.
- The skies are relatively clear with dry weather.
- Night temperatures are low, specially in northern India, but the days are pleasantly warm.
- The mean temperature in the northern plains is below 20° C and gets even lower in Himachal Pradesh, Jammu and Kashmir, Punjab and Haryana.

4. December to February – Winter.

Temperature

- In winter season, January is usually the coldest month.
- The temperature remains quite low during the winter months over the Indian subcontinent.
- The temperatures decrease from south to north.
- The mean maximum temperature for the month of January at Thiruvananthapuram is as high as 31° C, at Calicut 26° C, at Chennai 24° C, at Varanasi about 16° C and at Jammu only 10° C.
- The night temperature in the Gangetic Plains varies from 2.5° C to 17.5° C.

4. December to February – Winter.

- Temperatures fall below freezing point in the higher reaches of the Himalayas.
- Dras Valley in Kashmir near Kargil records minimum temperature of -45° C.
- It is the coldest place in India.
- The excessive cold in north India during this season is due to the following reasons:
  (a) In the month of February, the cold winds from the Caspian Sea and Turkmenistan bring cold wave over the northwestern parts of India;

4. December to February – Winter.

(b) Punjab, Haryana and Rajasthan experience continental type of climates as they are located far away from the sea to experience its moderating influence; and

(c) The snowfall in the nearby Himalayan ranges creates cold wave situation.

4. December to February – Winter.

- In Peninsular India, the average temperature lies between 20° C to 25° C and it does not have any well defined cold weather season.
- The coastal areas hardly experience any seasonal change in the distribution pattern of temperature due to the moderating influence of the sea and proximity to the Equator.
- For example, the mean maximum temperature for June at Thiruvananthapuram is 29.5° C and it is 31° C for January.

4. December to February – Winter.

Pressure

- The weather in this season is characterised by feeble high pressure conditions over the northwestern part of the plain.
- This is because of the oblique rays of the sun which reach the subcontinent as the sun moves to the Southern Hemisphere.
- During this season, the North-East Trade Winds prevail over the country.
- These winds blow from land to sea and hence, for most parts of the country it is dry season.

4. December to February – Winter.

- However, when these winds pass over Bay of Bengal they pick up some moisture and cause some amount of rainfall on the Coromandel Coast.
- As these winds blow from north-east to south-west, they are called the North-East Monsoon Winds.

4. December to February – Winter.

Temperate Cyclones (Western Disturbances)

- A characteristic feature of the cold weather season is the inflow of depressions from the west and the north-west.
- These low pressure systems, called the western disturbances, originate in West Asia and the regions near the Mediterranean Sea.
- They travel eastwards across Iran and Pakistan and reach India during the winter season.
- They bring the much-needed winter rains over the plains and snowfall in the mountains.

4. December to February – Winter.

- On an average, four or five such depressions affect India in each of the winter months.
- They are generally active between December and February.
- Though the amount of winter rainfall is small, it is of considerable importance for the cultivation of rabi crops.


Temperate
Winter
Monsoon

4. December to February – Winter.

Rainfall

- Most parts of India do not receive rainfall in the winter season.
- This is because the winter monsoons have little humidity and due to anticyclonic circulation on land, the possibility of rain from them decreases.
- However, there are some areas which do receive rainfall in the winter season.

4. December to February – Winter.

They are as follows:

1. Central parts of India and northern parts of Peninsula get occasional rainfall in winter.
2. Some weak temperate cyclones from the Mediterranean Sea cause rainfall in Delhi, Haryana, Punjab and western Uttar Pradesh. Though the amount of this rainfall is meagre, it is quite beneficial for the rabi crops.
3. The north-eastern part of India also gets rainfall during the winter months. Arunachal Pradesh and Assam get rains between 25 mm and 50 mm during winters.
4. In the months of October and November, the North-East Monsoon while crossing over the Bay of Bengal, picks up moisture and brings torrential rainfall over Tamil Nadu coast and southern tip of Andhra Pradesh.



DISTRIBUTION OF RAINFALL

The distribution of rainfall is determined by the following:

1. The pressure conditions and the direction of the relief features;
2. The direction of the winds bearing moisture;
3. Cyclonic depression determined by pressure gradient.

India can be divided into four rainfall regions:

DISTRIBUTION OF RAINFALL

(1) **Heavy Rainfall Region:** This region experiences more than 200 cm of rainfall annually and includes the following areas.

(i) The windward side of the Western Ghats like the Western Coastal Plains and the slopes of the Western Ghats.

(ii) Meghalaya Hills (Garo, Khasi and Jaintia), the southern slopes of Eastern Himalayas, Assam, Arunachal Pradesh and West Bengal.



DISTRIBUTION OF RAINFALL

(2) **Moderate Rainfall Region:** This region receives rainfall ranging from 100 cm to 200 cm a year. The following areas are included in this region:

(i) The northern parts of Andhra Pradesh, the southern parts of Tamil Nadu.

(ii) Middle Ganga Valley, some portions of Western Ghats, Eastern Maharashtra, Madhya Pradesh, Odisha.



DISTRIBUTION OF RAINFALL

(3) **Low Rainfall Region:** The rainfall in this region is low, varying from 50 to 100 cm. The areas of low rainfall are:

(i) Parts of the Deccan Plateau comprising the regions of Karnataka, Andhra Pradesh and Tamil Nadu.

(ii) Eastern Rajasthan, Punjab, Haryana and Kashmir.



DISTRIBUTION OF RAINFALL

(4) **Scanty Rainfall Region:** These areas get the least rainfall, i.e., less than 50 cm annually.
Desert and semi-desert areas are included in this.
The following areas come in this region:
(i) Southern Punjab, Western Rajasthan and parts of Ladakh.
(ii) The rain-shadow regions of the Western Ghats lying in the Deccan Plateau.



1. Which of the following winds is responsible for bringing torrential rainfall to the Tamil Nadu coast during the winter months?

A. South-West Monsoon

B. North-East Monsoon

C. Western Disturbances

D. Loo

12. The Southwest Monsoon splits into two branches due to the triangular shape of the peninsular landmass. What are these two branches?

A. The Northern Branch and the Southern Branch

B. The Himalayan Branch and the Deccan Branch

C. The Indian Ocean Branch and the Pacific Branch

D. The Arabian Sea Branch and the Bay of Bengal Branch



19. What is the source of the 'Western Disturbances' that bring winter rainfall to Northwest India?


A. The Bay of Bengal

B. The Mediterranean Sea


C. The Arctic Ocean

D. The Pacific Ocean


India Mean Temperatures (July)




Cherrapunji is located on the windward side of hills




Retreating Monsoons - Low pressure trough shifts causing retreat of the Monsoon Winds.




Weather Conditions in October




Weather Conditions in January



India – Winter Rainfall



India – Annual Rainfall




Saturday
El Nino
Revision
Doubts
PyQ's
Answer writing
Sunday
Thank You