

Scalable IO in Java

Doug Lea

State University of New York at Oswego

`dl@cs.oswego.edu`

`http://gee.cs.oswego.edu`


Outline

- " Scalable network services
- " Event-driven processing
- " Reactor pattern
 - Basic version
 - Multithreaded versions
 - Other variants
- " Walkthrough of java.nio nonblocking IO APIs

Network Services

- " Web services, Distributed Objects, etc
- " Most have same basic structure:
 - Read request**
 - Decode request**
 - Process service**
 - Encode reply**
 - Send reply**
- " But differ in nature and cost of each step
 - XML parsing, File transfer, Web page generation, computational services, ...

Classic Service Designs



Each handler may be started in its own thread

Classic ServerSocket Loop

```
class Server implements Runnable {
    public void run() {
        try {
            ServerSocket ss = new ServerSocket(PORT);
            while (!Thread.interrupted())
                new Thread(new Handler(ss.accept())).start();
            // or, single-threaded, or a thread pool
        } catch (IOException ex) { /* ... */ }
    }


    static class Handler implements Runnable {
        final Socket socket;
        Handler(Socket s) { socket = s; }
        public void run() {
            try {
                byte[] input = new byte[MAX_INPUT];
                socket.getInputStream().read(input);
                byte[] output = process(input);
                socket.getOutputStream().write(output);
            } catch (IOException ex) { /* ... */ }
        }
        private byte[] process(byte[] cmd) { /* ... */ }
    }
}
```

Note: most exception handling elided from code examples

Scalability Goals

- " Graceful degradation under increasing load (more clients)
- " Continuous improvement with increasing resources (CPU, memory, disk, bandwidth)
- " Also meet availability and performance goals
 - Short latencies
 - Meeting peak demand
 - Tunable quality of service
- " Divide-and-conquer is usually the best approach for achieving any scalability goal

Divide and Conquer

- " Divide processing into small tasks
 - Each task performs an action without blocking
 - " Execute each task when it is enabled
 - Here, an IO event usually serves as trigger
- 
- The diagram illustrates a sequence of five tasks within an IO handler. Five yellow ovals, each containing a task name, are arranged horizontally and enclosed within a larger, light-gray oval. The tasks, from left to right, are: 'read', 'decode', 'compute', 'encode', and 'send'. The word 'handler' is written in black text below the 'compute' oval.
- " Basic mechanisms supported in java.nio
 - Non-blocking reads and writes
 - Dispatch tasks associated with sensed IO events
 - " Endless variation possible
 - A family of event-driven designs

Event-driven Designs

- " Usually more efficient than alternatives

Fewer resources

- " Don't usually need a thread per client

Less overhead

- " Less context switching, often less locking

But dispatching can be slower

- " Must manually bind actions to events


- " Usually harder to program

Must break up into simple non-blocking actions

- " Similar to GUI event-driven actions
- " Cannot eliminate all blocking: GC, page faults, etc

Must keep track of logical state of service

Background: Events in AWT




Event-driven IO uses similar ideas but in different designs

Reactor Pattern

- " **Reactor** responds to IO events by dispatching the appropriate handler
 - Similar to AWT thread
- " **Handlers** perform non-blocking actions
 - Similar to AWT ActionListener
- " Manage by binding handlers to events
 - Similar to AWT addActionListener
- " See Schmidt et al, *Pattern-Oriented Software Architecture, Volume 2* (POSA2)
 - Also Richard Stevens's networking books, Matt Welsh's SEDA framework, etc

Basic Reactor Design



Single threaded version

java.nio Support

- " **Channels**

Connections to files, sockets etc that support non-blocking reads

- " **Buffers**

Array-like objects that can be directly read or written by Channels

- " **Selectors**

Tell which of a set of Channels have IO events

- " **SelectionKeys**

Maintain IO event status and bindings

Reactor 1: Setup

```
class Reactor implements Runnable {
    final Selector selector;
    final ServerSocketChannel serverSocket;

    Reactor(int port) throws IOException {
        selector = Selector.open();
        serverSocket = ServerSocketChannel.open();
        serverSocket.socket().bind(
            new InetSocketAddress(port));
        serverSocket.configureBlocking(false);
        SelectionKey sk =
            serverSocket.register(selector,
                SelectionKey.OP_ACCEPT);
        sk.attach(new Acceptor());
    }

    /*
     * Alternatively, use explicit SPI provider:
     * SelectorProvider p = SelectorProvider.provider();
     * selector = p.openSelector();
     * serverSocket = p.openServerSocketChannel();
     */
}
```


Reactor 2: Dispatch Loop

```
// class Reactor continued
public void run() { // normally in a new
Thread
    try {
        while (!Thread.interrupted()) {
            selector.select();
            Set selected = selector.selectedKeys();
            Iterator it = selected.iterator();
            while (it.hasNext())
                dispatch((SelectionKey)(it.next()));
            selected.clear();
        }
    } catch (IOException ex) { /* ... */ }
}

void dispatch(SelectionKey k) {
    Runnable r = (Runnable)(k.attachment());
    if (r != null)
        r.run();
}
```

Reactor 3: Acceptor

```
// class Reactor continued
class Acceptor implements Runnable { // inner
    public void run() {
        try {
            SocketChannel c = serverSocket.accept();
            if (c != null)
                new Handler(selector, c);
        }
        catch(IOException ex) { /* ... */ }
    }
}
```



Reactor 4: Handler setup

```
final class Handler implements Runnable {  
    final SocketChannel socket;  
    final SelectionKey sk;  
    ByteBuffer input = ByteBuffer.allocate(MAXIN);  
    ByteBuffer output = ByteBuffer.allocate(MAXOUT);  
    static final int READING = 0, SENDING = 1;  
    int state = READING;
```

```
    Handler(Selector sel, SocketChannel c)  
        throws IOException {  
        socket = c; c.configureBlocking(false);  
        // Optionally try first read now  
        sk = socket.register(sel, 0);  
        sk.attach(this);  
        sk interestOps(SelectionKey.OP_READ);  
        sel.wakeup();  
    }
```

```
    boolean inputIsComplete() { /* ... */ }  
    boolean outputIsComplete() { /* ... */ }  
    void process() { /* ... */ }
```


Reactor 5: Request handling

```
// class Handler continued
public void run() {
    try {
        if (state == READING) read();
        else if (state == SENDING) send();
    } catch (IOException ex) { /* ... */ }
}

void read() throws IOException {
    socket.read(input);
    if (inputIsComplete()) {
        process();
        state = SENDING;
        // Normally also do first write now
        sk.interestOps(SelectionKey.OP_WRITE);
    }
}

void send() throws IOException {
    socket.write(output);
    if (outputIsComplete()) sk.cancel();
}
}
```

Per-State Handlers

- " A simple use of GoF State-Object pattern
Rebind appropriate handler as attachment

```
class Handler { // ...

    public void run() { // initial state is reader
        socket.read(input);
        if (inputIsComplete()) {
            process();
            sk.attach(new Sender());
            sk.interest(SelectionKey.OP_WRITE);
            sk.selector().wakeup();
        }
    }

    class Sender implements Runnable {
        public void run(){ // ...
            socket.write(output);
            if (outputIsComplete()) sk.cancel();
        }
    }
}
```


Multithreaded Designs

- " Strategically add threads for scalability
 - Mainly applicable to multiprocessors
- " Worker Threads
 - Reactors should quickly trigger handlers
 - " Handler processing slows down Reactor
 - Offload non-IO processing to other threads
- " Multiple Reactor Threads
 - Reactor threads can saturate doing IO
 - Distribute load to other reactors
 - " Load-balance to match CPU and IO rates

Worker Threads

- " Offload non-IO processing to speed up Reactor thread
 - Similar to POA2 Proactor designs
- " Simpler than reworking compute-bound processing into event-driven form
 - Should still be pure nonblocking computation
 - " Enough processing to outweigh overhead
- " But harder to overlap processing with IO
 - Best when can first read all input into a buffer
- " Use thread pool so can tune and control
 - Normally need many fewer threads than clients

Worker Thread Pools



Handler with Thread Pool

```
class Handler implements Runnable {
    // uses util.concurrent thread pool
    static PooledExecutor pool = new PooledExecutor(...);
    static final int PROCESSING = 3;
    // ...

    synchronized void read() { // ...
        socket.read(input);
        if (inputIsComplete()) {
            state = PROCESSING;
            pool.execute(new Processer());
        }
    }

    synchronized void processAndHandOff() {
        process();
        state = SENDING; // or rebind attachment
        sk.interest(SelectionKey.OP_WRITE);
    }

    class Processer implements Runnable {
        public void run() { processAndHandOff(); }
    }
}
```

Coordinating Tasks

- " **Handoffs**

 - Each task enables, triggers, or calls next one

 - Usually fastest but can be brittle

- " **Callbacks** to per-handler dispatcher

 - Sets state, attachment, etc

 - A variant of GoF Mediator pattern

- " **Queues**

 - For example, passing buffers across stages

- " **Futures**

 - When each task produces a result

 - Coordination layered on top of join or wait/notify

Using PooledExecutor

- " A tunable worker thread pool
- " Main method **execute(Runnable r)**
- " Controls for:
 - The kind of task queue (any Channel)
 - Maximum number of threads
 - Minimum number of threads
 - "Warm" versus on-demand threads
 - Keep-alive interval until idle threads die
 - " to be later replaced by new ones if necessary
 - Saturation policy
 - " block, drop, producer-runs, etc

Multiple Reactor Threads

" Using Reactor Pools

Use to match CPU and IO rates


Static or dynamic construction

" Each with own Selector, Thread, dispatch loop

Main acceptor distributes to other reactors

```
Selector[] selectors; // also create threads
int next = 0;
class Acceptor { // ...
    public synchronized void run() { ...
        Socket connection = serverSocket.accept();
        if (connection != null)
            new Handler(selectors[next], connection);
        if (++next == selectors.length) next = 0;
    }
}
```

Using Multiple Reactors



Using other java.nio features

- " Multiple Selectors per Reactor

 - To bind different handlers to different IO events

 - May need careful synchronization to coordinate

- " File transfer

 - Automated file-to-net or net-to-file copying

- " Memory-mapped files

 - Access files via buffers

- " Direct buffers

 - Can sometimes achieve zero-copy transfer

 - But have setup and finalization overhead

 - Best for applications with long-lived connections

Connection-Based Extensions


- " Instead of a single service request,
 - Client connects
 - Client sends a series of messages/requests
 - Client disconnects
- " Examples
 - Databases and Transaction monitors
 - Multi-participant games, chat, etc
- " Can extend basic network service patterns
 - Handle many relatively long-lived clients
 - Track client and session state (including drops)
 - Distribute services across multiple hosts

API Walkthrough

- " Buffer
- " ByteBuffer
 - (CharBuffer, LongBuffer, etc not shown.)
- " Channel
- " SelectableChannel
- " SocketChannel
- " ServerSocketChannel
- " FileChannel
- " Selector
- " SelectionKey

Buffer

```
abstract class Buffer {  
    int      capacity();  
    int      position();  
    Buffer    position(int newPosition);  
    int      limit();  
    Buffer    limit(int newLimit);  
    Buffer    mark();  
    Buffer    reset();  
    Buffer    clear();  
    Buffer    flip();  
    Buffer    rewind();  
    int      remaining();  
    boolean  hasRemaining();  
    boolean  isReadOnly();  
}
```



ByteBuffer (1)

```
abstract class ByteBuffer extends Buffer {
    static ByteBuffer allocateDirect(int capacity);
    static ByteBuffer allocate(int capacity);
    static ByteBuffer wrap(byte[] src, int offset, int len);
    static ByteBuffer wrap(byte[] src);

    boolean        isDirect();
    ByteOrder      order();
    ByteBuffer      order(ByteOrder bo);
    ByteBuffer      slice();
    ByteBuffer      duplicate();
    ByteBuffer      compact();
    ByteBuffer      asReadOnlyBuffer();
    byte           get();
    byte           get(int index);
    ByteBuffer      get(byte[] dst, int offset, int length);
    ByteBuffer      get(byte[] dst);
    ByteBuffer      put(byte b);
    ByteBuffer      put(int index, byte b);
    ByteBuffer      put(byte[] src, int offset, int length);
    ByteBuffer      put(ByteBuffer src);
    ByteBuffer      put(byte[] src);
    char           getChar();
    char           getChar(int index);
    ByteBuffer      putChar(char value);
    ByteBuffer      putChar(int index, char value);
    CharBuffer      asCharBuffer();
}
```

ByteBuffer (2)

```
short      getShort();
short      getShort(int index);
ByteBuffer putShort(short value);
ByteBuffer putShort(int index, short value);
ShortBuffer asShortBuffer();
int        getInt();
int        getInt(int index);
ByteBuffer putInt(int value);
ByteBuffer putInt(int index, int value);
IntBuffer  asIntBuffer();
long       getLong();
long       getLong(int index);
ByteBuffer putLong(long value);
ByteBuffer putLong(int index, long value);
LongBuffer asLongBuffer();
float      getFloat();
float      getFloat(int index);
ByteBuffer putFloat(float value);
ByteBuffer putFloat(int index, float value);
FloatBuffer asFloatBuffer();
double     getDouble();
double     getDouble(int index);
ByteBuffer putDouble(double value);
ByteBuffer putDouble(int index, double value);
DoubleBuffer asDoubleBuffer();
}
```


Channel

```
interface Channel {
    boolean isOpen();
    void close() throws IOException;
}

interface ReadableByteChannel extends Channel {
    int read(ByteBuffer dst) throws IOException;
}

interface WritableByteChannel extends Channel {
    int write(ByteBuffer src) throws IOException;
}

interface ScatteringByteChannel extends ReadableByteChannel {
    int read(ByteBuffer[] dsts, int offset, int length)
        throws IOException;
    int read(ByteBuffer[] dsts) throws IOException;
}

interface GatheringByteChannel extends WritableByteChannel {
    int write(ByteBuffer[] srcs, int offset, int length)
        throws IOException;
    int write(ByteBuffer[] srcs) throws IOException;
}
```

SelectableChannel

```
abstract class SelectableChannel implements Channel {
    int      validOps();
    boolean   isRegistered();

    SelectionKey keyFor(Selector sel);
    SelectionKey register(Selector sel, int ops)
        throws ClosedChannelException;

    void      configureBlocking(boolean block)
        throws IOException;

    boolean   isBlocking();
    Object    blockingLock();
}
```

SocketChannel

```
abstract class SocketChannel implements ByteChannel ... {
    static SocketChannel open() throws IOException;

    Socket    socket();
    int       validOps();
    boolean    isConnected();
    boolean    isConnectionPending();
    boolean    isInputOpen();
    boolean    isOutputOpen();

    boolean    connect(SocketAddress remote) throws IOException;
    boolean    finishConnect() throws IOException;
    void       shutdownInput() throws IOException;
    void       shutdownOutput() throws IOException;

    int        read(ByteBuffer dst) throws IOException;
    int        read(ByteBuffer[] dsts, int offset, int length)
                throws IOException;
    int        read(ByteBuffer[] dsts) throws IOException;

    int        write(ByteBuffer src) throws IOException;
    int        write(ByteBuffer[] srcs, int offset, int length)
                throws IOException;
    int        write(ByteBuffer[] srcs) throws IOException;
}
```

ServerSocketChannel

```
abstract class ServerSocketChannel extends ... {
    static ServerSocketChannel open() throws IOException;

    int          validOps();
    ServerSocket  socket();
    SocketChannel accept() throws IOException;
}
```

FileChannel

```
abstract class FileChannel implements ... {
    int  read(ByteBuffer dst);
    int  read(ByteBuffer dst, long position);
    int  read(ByteBuffer[] dsts, int offset, int length);
    int  read(ByteBuffer[] dsts);
    int  write(ByteBuffer src);
    int  write(ByteBuffer src, long position);
    int  write(ByteBuffer[] srcs, int offset, int length);
    int  write(ByteBuffer[] srcs);
    long position();
    void position(long newPosition);
    long size();
    void truncate(long size);
    void force(boolean flushMetadataToo);
    int  transferTo(long position, int count,
                   WritableByteChannel dst);
    int  transferFrom(ReadableByteChannel src,
                     long position, int count);
    FileLock lock(long position, long size, boolean shared);
    FileLock lock();
    FileLock tryLock(long pos, long size, boolean shared);
    FileLock tryLock();
    static final int MAP_RO, MAP_RW, MAP_COW;
    MappedByteBuffer map(int mode, long position, int size);
}
```

NOTE: ALL methods throw IOException

Selector

```
abstract class Selector {  
    static Selector open() throws IOException;  
    Set  keys();  
    Set  selectedKeys();  
    int  selectNow() throws IOException;  
    int  select(long timeout) throws IOException;  
    int  select() throws IOException;  
    void wakeup();  
    void close() throws IOException;  
}
```

SelectionKey

```
abstract class SelectionKey {
    static final int    OP_READ,      OP_WRITE,
                      OP_CONNECT, OP_ACCEPT;

    SelectableChannel channel();
    Selector          selector();
    boolean           isValid();
    void              cancel();
    int               interestOps();
    void              interestOps(int ops);
    int               readyOps();
    boolean           isReadable();
    boolean           isWritable();
    boolean           isConnectable();
    boolean           isAcceptable();
    Object            attach(Object ob);
    Object            attachment();
}
```