

```
mysql> show databases;
+-----+
| Database |
+-----+
| information_schema |
| minizoo_database |
| mysql |
| performance_schema |
| sys |
+-----+
5 rows in set (0.01 sec)

mysql> create database pet_database;
Query OK, 1 row affected (0.01 sec)

mysql> use pet_database;
Database changed
```

```
mysql> -- DROP DATABASE IF EXISTS pet_database;
mysql> -- CREATE DATABASE pet_database;
mysql> -- USE pet_database;
mysql>
mysql> -- DROP TABLE IF EXISTS petPet, petEvent;
mysql>
mysql> CREATE TABLE petPet (petname VARCHAR(10), owner VARCHAR(20), species VARCHAR(20), gender VARCHAR(1), birth SMALLINT, death SMALLINT);
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> CREATE TABLE petEvent(petname VARCHAR(10), eventdate DATE, eventtype VARCHAR(255), remark VARCHAR(255));
Query OK, 0 rows affected (0.03 sec)

mysql> ALTER TABLE petPET
-> DROP COLUMN gender;
Query OK, 0 rows affected (0.03 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> ALTER TABLE petPet
-> DROP COLUMN gender;
ERROR 1091 (42000): Can't DROP 'gender'; check that column/key exists
mysql> ALTER TABLE petPet
-> ADD gender ENUM ('M', 'F');
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> desc petPet;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| petname | varchar(10) | YES | | NULL | |
| owner | varchar(20) | YES | | NULL | |
| species | varchar(20) | YES | | NULL | |
| birth | smallint | YES | | NULL | |
| death | smallint | YES | | NULL | |
| gender | enum('M','F') | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.01 sec)

mysql> ALTER TABLE petPet
-> DROP COULMN birth;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'birth' at line 2
mysql> ALTER TABLE petPet
-> DROP COULMN birth;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'birth' at line 2
mysql> desc petPet;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
```

6 rows in set (0.00 sec)

mysql> desc petEvent;

Field	Type	Null	Key	Default	Extra
petname	varchar(10)	YES		NULL	
eventdate	date	YES		NULL	
eventtype	varchar(255)	YES		NULL	
remark	varchar(255)	YES		NULL	

4 rows in set (0.00 sec)

mysql> alter table petPet add primary key (petname);

Query OK, 0 rows affected (0.03 sec)

Records: 0 Duplicates: 0 Warnings: 0

mysql> alter table petEvent add primary key (eventdate);

Query OK, 0 rows affected (0.05 sec)

Records: 0 Duplicates: 0 Warnings: 0

mysql> alter table petEvent add foreign key(petname) references petPet(petname);

Query OK, 0 rows affected (0.06 sec)

Records: 0 Duplicates: 0 Warnings: 0

mysql> desc petEvent;

Field	Type	Null	Key	Default	Extra
petname	varchar(10)	YES	MUL	NULL	
eventdate	date	NO	PRI	NULL	
eventtype	varchar(255)	YES		NULL	
remark	varchar(255)	YES		NULL	

4 rows in set (0.00 sec)