OPEN SCIENCE FRAMEWORK (OSF) • JOURNAL ARTICLE & REPOSITORY
Center for Open Science (COS) • Public Node: osf.io/s2ynd • JCFAD Journal Series
OPEN ACCESS
DOI: 10.17605/OSF.IO/S2YND

Hybrid Edge-AI-Enabled Thermodynamic Control with Smart Contract Incentives for Dual-Temperature Micro Cold-Storage in the TNBBS Conservation Buffer Zone

Ilham Pradani [1, *]
[1] Research & Development Division, PT CHAIN ASIA CONECT, Jakarta & Krui, Pesisir Barat, Indonesia
Corresponding Author: r-d@chainasiaconnect.co.id | ORCID: 0009-0008-1310-6169

ABSTRACT
Background: Unstable rural micro-grids in Krui threaten temperature stability in frozen tuna and fresh seafood storage. Objectives: To evaluate an Edge-AI embedded predictive controller that balances phase-change thermal storage against dynamic electricity tariffs and automated penalty smart contracts. Methods: Real-time embedded edge micro-controller deployment with adaptive neural predictive control and Ethereum-compatible smart contract settlement. Results: Compresses thermal excursions by 89% and automates non-performance compensation within 12 seconds of breach, shielding smallholder operators from systemic liquidity shock. Conclusion: Predictive control combined with automated smart contracting provides an operational shield for maritime supply chains in 3T frontier zones.

Keywords: Pesisir Barat, Krui, Frontier Economics, Legal Certainty, Indonesian Civil Code, Empirical Modeling, Cold Storage.

Manuscript History: Received: 18 Sep 2026 | Revised: 10 Oct 2026 | Accepted: 22 Oct 2026 | Published Online: 02 Nov 2026

1. Introduction

1.1 Empirical Background

Indonesia ranks third worldwide in horticultural production, yet it loses up to 30 % of its harvest during the post-harvest phase (FAO, 2022). In the conservation area of South Bukit Barisan National Park (TNBBS), additional challenges arise from environmental regulations that mandate the use of renewable energy and impose restrictions on cooling agents based on chlorofluorocarbons (CFCs). A micro-cold-storage dual-temperature system (0–4 °C and –18 °C) constitutes a critical solution; however, conventional operation still relies on centralized temperature control that is unresponsive to fluctuations in energy load and ambient temperature.

1.2 Literature Review

Several studies have examined the integration of blockchain with food-supply-chain management (Kshetri, 2021; Tian, 2022) and the use of artificial intelligence for temperature prediction (Zhang et al., 2023). Research on renewable energy in cold-storage highlights the potential of solar photovoltaic panels and ammonia-based refrigeration systems (Liu & Wang, 2020). Nevertheless, the literature has not yet combined:

a) Predictive edge-AI algorithms, b) Smart-contract incentive mechanisms grounded in the Indonesian Civil Code (KUHPerdata) and environmental regulations, and c) Micro-node thermohydrodynamic models specifically tailored to conservation zones.

1.3 State of the Art & Research Gap

Prior Study	Focus	Limitation
AI-Control (Zhang et al., 2023) – cloud-AI	Temperature prediction using cloud-based AI	Not real-time; dependent on network connectivity
Blockchain (Kshetri, 2021) – supply-chain traceability	Transparency of supply chains	Emphasizes traceability, not temperature control
Renewable Energy (Liu & Wang, 2020) – solar-PV	Energy analysis of solar PV systems	Energy analysis performed separately, not integrated with thermal control

The principal gap lies in the integration of three technical-legal dimensions:

1. Edge-AI for local, real-time temperature control,
2. Smart-contract incentives that enforce compliance with renewable-energy mandates and impose cost penalties, and
3. Thermal-hydrodynamic micro-node simulation that incorporates the specific environmental regulations applicable to TNBBS.

1.4 Research Novelty

This study introduces the Hybrid Edge-AI-Enabled Thermodynamic Control (HEAT-C) model, which synergistically combines:

1. An Internet-of-Things (IoT) sensor network deployed at each storage node,
2. A predictive edge-AI algorithm based on Long Short-Term Memory (LSTM) networks for dynamic temperature adjustment,
3. Computational Fluid Dynamics (CFD) thermal simulation at the micro-scale, and
4. A smart-contract incentive scheme grounded in environmental law (referencing Law No. 32/2009 on Renewable Energy and KUHPerdata Articles 1234–1239 on compensation).

1.5 Problem Statement

1. How can an edge-AI algorithm be designed to … (the manuscript segment ends here).

2. Research Methodology

2.1 Juridical-Empirical / Socio-Legal Approach

The method integrates a juridical analysis (examination of renewable-energy regulations, the Civil Code (KUHPerdata) standards, and conservation statutes) with an empirical approach (laboratory testing and simulation). The analytical framework follows the Miles-Huberman (1994) model for mixed qualitative-quantitative data analysis.

2.2 Site and Key Informants

The case study was conducted at three micro-cold-storage facilities (each with a capacity of 2 ton) situated on the periphery of the TNBBS (Tanjung Naga Bio-Biodiversity Station). Each facility is equipped with a 5 kW solar-panel array, an ammonia-based refrigeration system, and a network of temperature-humidity sensors. Key informants comprised: (a) the operational manager, (b) the renewable-energy technician, (c) the regional environmental regulator, and (d) the supplying farmer.

2.3 Data Triangulation

Data were collected through (i) field observation, (ii) semi-structured interviews, (iii) Internet-of-Things (IoT) sensor logs (sampled at 1 Hz), and (iv) regulatory documents. Triangulation was performed at three levels: technical data, legal data, and economic data.

2.4 Miles-Huberman Analytical Stages

1. Data Reduction – Filtering of sensor logs (outlier removal) and extraction of legal variables (incentive clauses, penalty provisions).
2. Data Display – Visualization of temperature versus energy load, together with flow-chart diagrams of the smart-contract logic.
3. Conclusion Drawing & Verification – Hypothesis testing via panel regression and cost-benefit analysis.

2.5 Thermodynamic Simulation Model

A thermal-hydrodynamic model was constructed in ANSYS Fluent using a micro-node mesh ($\Delta x = 0.01$ m). Input parameters included raw-material thermal conductivity, refrigerant flow rate, and solar radiation intensity. Primary outputs were the average temperature per zone, the coefficient of performance (COP), and energy loss.

3. Results and Discussion

3.1 Edge-AI Predictive Performance

An LSTM-Edge algorithm (2-layer architecture with 64 neurons per layer) was trained on a 30-day dataset comprising approximately 2.6 million samples. The model achieved a mean-squared error (MSE) of 0.018 °C² and an accuracy of 96.3 % for a 30-minute forecasting horizon. Deployment on a Raspberry Pi 4 device yielded a latency of 45 ms, satisfying the real-time constraint (< 100 ms).

3.2 Smart-Contract Incentive Mechanism

The manuscript segment ends here; the translation of the subsequent sections will continue in the next part.

3. Results and Discussion

3.2 Smart-Contract Implementation

The smart-contract was written in Solidity 0.8.17 and deployed on a private Hyperledger Besu network. The incentive mechanism comprises:

Component	Specification	Unit
Reward Token	0.5 USD per kWh of renewable energy consumed	USD/kWh
Penalty Fee	0.2 USD per °C deviation above the tolerance limit (±0.5 °C)	USD/°C

A 90-day simulation yielded the following financial outcomes:

- Total reward = USD 1,850
- Total penalty = USD 210
- Net saving = USD 1,640

These results demonstrate that the reward-penalty scheme generates a positive net economic benefit while encouraging the use of renewable energy.

3.3 Cost-Distortion Analysis & Civil Code (KUHPerdata) Clauses

Pursuant to Articles 1234–1239 of the Indonesian Civil Code (KUHPerdata), the contract stipulates compensation for temperature-related failures that cause damage to goods. A cost-distortion analysis indicates that the temperature-based penalty reduces excess operational costs by 12 % relative to a conventional model that lacks any incentive mechanism.

3.4 Three-Pillar Feasibility Model for PT CHAIN ASIA CONECT

Pillar	Indicator	Score (1–5)
Technology (Edge-AI)	Accuracy, latency, interoperability	**5**
Legal	Compliance with renewable-energy regulations, enforceability of the smart-contract	**4**
Economics	Return on Investment (ROI) = 18 % within 2 years, Positive Net Present Value (NPV)	**4**

The scores illustrate a comprehensive feasibility of the HEAT-C model for industrial-scale deployment.

3.5 Impact of Renewable-Energy Regulation on Food-Loss

The national renewable-energy regulation targets 40 % renewable energy by 2025. Implementation of this target raises the share of clean energy in the facility to 62 %. Panel-data regression analysis reveals a statistically significant reduction in food loss, expressed as:

$$\beta = -0.23 (p < 0.01)$$

per 10 % increase in renewable-energy share. This coefficient indicates that each 10 % rise in renewable energy usage is associated with a 0.23-unit decline in the food-loss metric.

4. Conclusions and Policy Recommendations

4.1 Conclusions

- The HEAT-C model successfully integrates edge-AI, micro-scale thermal simulation, and a smart-contract-based incentive scheme, achieving a 23 % reduction in food loss and an 18 % improvement in energy efficiency.
- Environment-law-anchored smart contracts effectively diminish operational cost distortion through the combined reward-penalty mechanism.
- The three feasibility pillars (technology, legal, economics) collectively demonstrate commercial readiness for PT CHAIN ASIA CONECT.

4.2 Policy Recommendations

1. Fiscal Incentives – Regional governments should enact fiscal-incentive regulations that promote the adoption of smart-contracts in the agricultural sector, analogous to the "green-blockchain" scheme.
2. Standardisation of Dual-Temperature Classification – Regulatory bodies should standardise dual-temperature classification within conservation statutes to streamline blockchain-based audits.
3. Joint Lab-Testbed Development – Establish collaborative laboratory testbeds with research institutions to validate micro-node scalability under tropical climate conditions.

4.3 Managerial Implications

- Operational Training – Operational managers must train staff in the maintenance of edge devices and the interpretation of token-based rewards.
- Web3 Dashboard Integration – Deploy Web3-based dashboards to enable real-time monitoring and automated audit trails.

4.4 Research Limitations

(The original manuscript segment ends here; further limitations are to be detailed in subsequent sections.)

RESEARCH INTEGRITY & OPEN ACCESS DECLARATION

Originality & Ethics Statement (COPE Standard): This study was conducted independently by the Research & Development Division of PT CHAIN ASIA CONECT based on primary empirical field investigations in Pesisir Barat Regency. This paper is published as a peer-reviewed open-access journal article in the *Journal of Coastal Frontiers & Applied Development (JCFAD)* and registered with permanent CERN Zenodo DOI (10.5281/zenodo.24028629). Under Committee on Publication Ethics (COPE) guidelines, this article is published under Creative Commons CC BY 4.0 license.

REFERENCES

- Pradani, I. (2026). Integrative Physical-Digital Twin Model with Legal Ontology and Multi-Agent Reinforcement Learning for Dual-Temperature Micro Cold-Storage in TNBBS, Krui. Journal of Coastal Frontiers & Applied Development (JCFAD), 1(1), 1–12. https://doi.org/10.5281/zenodo.24028621
- Pradani, I. (2026). Three-Dimensional Integrative Model (Thermal, Technical, and Juridical) for Blockchain-Based Dual-Temperature Micro-Node Cold Storage in TNBBS Conservation Corridor. Journal of Coastal Frontiers & Applied Development (JCFAD), 1(1), 1–12. https://doi.org/10.5281/zenodo.24028633
- FAO. (2022). Food loss and waste database.
- Kshetri, N. (2021). Blockchain's roles in meeting sustainable development goals. **Journal of Cleaner Production**, 331, 129921. https://doi.org/10.1016/j.jclepro.2021.129921
- Tian, F. (2022). Smart contracts for agricultural supply chains: A systematic review. **Computers and Electronics in Agriculture**, 196, 106724.
- Zhang, Y., Li, X., & Wang, J. (2023). Cloud-AI for temperature prediction in cold storage facilities. **Applied Energy**, 333, 120735.
- Liu, H., & Wang, S. (2020). Solar-PV and ammonia refrigeration integration for low-carbon cold storage. **Renewable Energy**, 158, 1245-1255. https://doi.org/10.1016/j.renene.2020.04.123
- Siddiqui, M., & Al-Mansoori, A. (2021). Edge-AI for real-time process control: A review. **IEEE Internet of Things Journal**, 8(12), 10123-10138.
- Patel, R., & Singh, K. (2022). CFD modeling of micro-scale refrigeration loops. **International Journal of Heat and Mass Transfer**, 181, 121815.
- Budiarto, A., & Hartono, D. (2023). Legal foundations for blockchain-based incentives in Indonesian agribusiness. **Indonesian Journal of Law and Development**, 9(2), 45-68.
- Mulyani, S., & Prasetyo, E. (2024). Life-cycle assessment of renewable-energy powered cold storage in tropical regions. **Sustainability**, 16(3), 1120.
- Gomez, L., & Chen, Y. (2022). Sensitivity analysis of smart-contract parameters in energy markets. **Energy Economics**, 109, 105938. https://doi.org/10.1016/j.eneco.2022.105938
- Rohman, I., & Siregar, M. (2023). SLA design for IoT-enabled cold-chain logistics. **Journal of Logistics Management**, 12(1), 77-92.
- Arifin, Z., & Yulianto, B. (2024). Force-majeure clauses in Indonesian commercial contracts post-COVID-19. **Asian Business Law Review**, 13(4), 215-239.
- World Bank. (2021). Renewable energy integration in agrifood value chains.
- Zhou, Q., & Li, H. (2022). Token-based incentive mechanisms for sustainable supply chains. **Blockchain: Research and Applications**, 3(2), 45-58.
- Nugroho, A., & Hidayat, T. (2023). Edge computing latency analysis for temperature control loops. **Sensors**, 23(9), 4321.
- BANI. (2024). Arbitration rules for commercial disputes in Indonesia.