

Terms of Use — ePokratis MedAiConnect

These Terms of Use (the “Terms”) govern your use of the ePokratis MedAiConnect mobile application and related services (the “Application” or the “Service”) provided by Telematic Medical Applications LTD (“TMA,” “we,” “us”). By creating an account, installing, or using the Application, you agree to these Terms. If you do not agree, do not use the Application.

Before accessing or using the Application, you must read and explicitly accept these Terms; access is permitted only after you have reviewed and accepted them, and accessing or navigating the Application constitutes your full, explicit, and unconditional acceptance.

These Terms incorporate by reference our Privacy Policy, which explains how we process personal data: <https://tma.gr/epokratis-privacy-policy-android-en/>.

Data Collection (reference)

During your use of the Application, we collect personal data as described in Section 2 (Collected Data) of our Privacy Policy and we collect and store such data solely for the purposes set out in Section 3 (Purpose of Data Collection and Use) of the Privacy Policy.

Anyone who does not accept these Terms must refrain from using the Application and its services.

1. Who We Are

TMA is a Greek company registered under G.E.MI. No. 007904401000, TIN 998889850. Registered address: 151 Al. Papanastasiou Avenue, Piraeus, Attica, P.C. 18533, Greece. Phone: +30 211 1165330-2. Email: info@tma.gr. Our Data Protection Officer (DPO) can be reached at dpo@tma.gr.

Service provider/operator: Telematic Medical Applications LTD (TMA).

1.A Definitions

User: any individual who accesses, browses, uses, or participates in the Application’s services.

Clinician: a licensed healthcare professional engaged by the user.

AI-based measurement: a wellness-only estimate generated via the front camera. Numeric AI results are saved to your in-app history and synced to your account; camera photos/videos are not stored (frames are processed on-device). Not a medical device. Units: Pulse Rate (bpm), Respiratory Rate (breaths/min), Oxygen Saturation (SpO₂, %), Blood Pressure (mmHg).

Compatible medical device: a third-party Bluetooth device listed in Section 22.A.

2. What the Application Does

The Application helps you:

- (i) receive and automatically record vital-sign measurements from compatible Bluetooth medical devices;
- (ii) perform AI-based measurements using the device's front camera (Stress Level, Pulse Rate, Respiratory Rate, Oxygen Saturation (SpO₂), Blood Pressure (BP));
- (iii) manually log measurements taken with devices that are not compatible with the Application;
- (iv) upload and view digital files (e.g., lab results);
- (v) communicate with healthcare professionals affiliated with TMA; and
- (vi) receive medical advice from clinicians, as described in Section 9.

2.A Services and Functionality of ePokratis MedAiConnect

- **Teleconsultation or Online Chat:** A secure platform to schedule appointments for teleconsultations, conduct video calls with contracted healthcare professionals, and receive medical advice after paying the agreed fee (see Privacy Policy).
- **Vital Signs Measurement:** From (i) compatible Bluetooth medical devices (e.g., blood-pressure monitor, oximeter, thermometer, scale, ECG monitor, multi-parameter device) or (ii) the mobile phone's front camera using AI (Stress Level, Pulse Rate, Respiratory Rate, SpO₂, BP). AI-based measurements are saved to your in-app history and synced to your account; camera photos/videos are not stored (on-device processing). AI outputs are wellness-only estimates. Charts and trends are for visualization only and are not diagnostic tools.
- **Manual Data Entry / Diagnostic Tests:** Manually enter measurement values and upload medical test results or files in digital format.
- **Emergency Assistance Request (Location Features):** The Application supports Send Location (one-time) and Location Sharing (opt-in, event-based) as described in §7 and the Privacy Policy. Location is not collected continuously in the background.
 - Send Location transmits your device location once when you tap Send Location and consent.
 - Location Sharing (if enabled) transmits your precise location only at specific

events: (a) when a vital-sign measurement is saved; (b) when a video call is initiated; or (c) when you place an emergency call via the app. You can disable Location Sharing at any time in Settings → Location Sharing → Deny, or by revoking the OS permission.

- **Purchases:** Users can purchase compatible medical devices and doctor sessions through TMA's online e-shops. Subscription purchases are available via Google Play in-app purchases.

Important: AI-based outputs are wellness-only estimates. See Section 3 and the Privacy Policy for details. For Bluetooth setup and AI-measurement guidance, see Section 22 and the AI Wellness Check Guide linked in Section 22.A.

3. Not Medical Care; No Emergency Use

3.A Intended Use of ePokratis MedAiConnect

The Application facilitates telemedicine services so healthcare professionals contracted with TMA can assess the user's health status. It does not itself provide diagnosis or treatment; it is a secure platform for communication and information exchange.

3.B Intended Users

Individuals seeking health services for themselves or others (e.g., caregivers) who want telemedicine access.

- The Application and AI-based features are **not medical devices**, not designed or approved for diagnosis, treatment, or emergency use.
- Emergency: call your local emergency number (e.g., 112) immediately; do not rely on the Application.
- AI measurements can be affected by lighting, motion, camera quality, skin tone, occlusions, and individual physiology; they are approximate.
- For Blood Pressure and Oxygen Saturation, use compatible Bluetooth medical devices for reliable values.
- Saved AI readings. AI readings (Stress Level, Pulse Rate, Respiratory Rate, SpO₂ estimate, BP estimate) are saved to your account history and synced to your signed-in devices. No camera photos/videos are stored.
- For tips to improve AI consistency, see Section 22 and the AI Wellness Check Guide (link in §22.A).

3.C Notes

The services offered by ePokratis MedAiConnect are intended exclusively to provide a secure system for storing medical information and facilitating telecommunication services between users and healthcare professionals. Any content or information provided through the Application cannot replace the proper interpretation, diagnosis, and judgment of a doctor, nor does it eliminate the need for specialized medical advice regarding a specific case. Users experiencing a medical emergency should immediately contact their doctor or call 112 (or the corresponding emergency number for their location).

Under no circumstances does ePokratis MedAiConnect provide diagnoses, or recommend the prescription, cancellation, or modification of any medical treatment to users.

The Application connects and interacts with a web application, part of the ePokratis MedAiConnect ecosystem, to enable healthcare professionals/providers to offer telemedicine services to the Application's users.

4. Eligibility; Your Account

- You must be at least 18 (or the higher local age of digital consent in your country) and have legal capacity to accept these Terms. If local law requires a higher age or guardian consent, you must meet that requirement.
- Keep your credentials secure; you're responsible for activity under your account.
- Provide accurate, up-to-date information; see the Privacy Policy for your data rights.

5. Subscriptions, Promotions, and Purchases

5.1 Subscriptions and Auto-Renewal

- Certain features (e.g., unlimited AI-based measurements) require a paid subscription. Subscriptions are billed and managed by Google Play Billing. Your store provider's terms and policies also apply.
- Subscriptions auto-renew until you cancel in Google Play. Uninstalling does not cancel a subscription.
- Prices may change; notice provided as required.

5.2 Trials and Promotions

- New users receive one free redemption unit to try AI-based measurement sessions (Stress Level, Pulse Rate, Respiratory Rate, SpO₂, BP).

- To gain unlimited access to AI-based measurements, an active subscription is required.
- Subscription benefits for doctor sessions:
 - Upon first activation of the Basic subscription, the user receives one free doctor session — even if previously downgraded from an Advanced subscription, provided that the Basic subscription had not been activated before.
 - Upon first purchase or upgrade to an Advanced subscription, the user receives three free doctor sessions.
 - Promotional benefits are non-transferable, have no cash value, and may require an active subscription at the time of redemption.
- Eligibility and details are shown in-app and may change prospectively.

5.3 Purchases via TMA e-shops

Purchases of doctor sessions or medical devices initiated through the Application are completed on TMA-managed e-shops and may require additional information (e.g., SSN/national identifier; see §8). e-shop terms and payment-gateway policies apply.

5.4 Refunds

Refunds for in-app subscriptions are handled under Google Play policies and processes. For e-shop purchases, see the e-shop's terms and your local consumer rights.

5.5 Subscription Terms & Management

Plans: ePokratis MedAiConnect offers monthly and yearly subscriptions with automatic renewal. The current price for each plan is shown in-app before purchase.

Payment & Auto-renewal: Payment is charged to your Google account at confirmation of purchase. Subscriptions auto-renew unless you turn off auto-renewal at least 24 hours before the end of the current billing period. Taxes may apply based on your billing country.

Manage or Cancel: You can manage or cancel your subscription only via Google Play: *Play Store → Profile → Payments & subscriptions → Subscriptions*.

Cancellation takes effect at the end of the current period; access continues until then. Uninstalling the app does not cancel a subscription.

Intro Offers (annual plans only): If you subscribe to Annual Basic or Annual Advanced on an introductory price, you are charged immediately for the first 12-month term at the intro

price. Unless you cancel in Google Play at least 24 hours before the end of that term, the subscription renews at the then-current standard annual price. Eligibility is determined by Google Play (typically one intro offer per Google account per plan), may vary by country, and may change or be withdrawn at any time. No free trial is included.

Refunds: Refunds are handled exclusively under Google Play policies and processes in your country/region. TMA cannot issue or accelerate refunds directly.

Price Changes: If the subscription price changes, we (and/or Google Play) will provide notice as required. If you do not accept the new price, you may cancel before the next renewal; otherwise Google Play may renew at the updated price.

Account Hold / Payment Issues: If Google Play cannot process a payment, your subscription may enter an account hold or pause state; access may be limited until you update your payment method in Google Play.

Transfers: Subscriptions are tied to your Google account and are not transferable between different platform accounts (e.g., Apple ID ↔ Google account).

6. App Permissions; Notifications

- Features may require permissions (Camera for AI measurements; Bluetooth for devices; Location for Send Location/Location Sharing). You can revoke permissions in OS settings; this may disable related features.
- AI features require the front camera; rear cameras are not supported.
- We may send service messages/alerts via in-app and push notifications. You can control push notifications at OS level. See Privacy Policy for details.

7. Location Features (Optional)

- **Send Location (one-time):** sends your device location once when you tap Send Location and consent; not continuous.
- **Location Sharing (opt-in, event-based):** if enabled, the app automatically sends your precise location at specific events: (a) when a vital-sign measurement is saved; (b) when a video call is initiated; or (c) when you place an emergency call via the app. Disable anytime in Settings → Location Sharing → Deny or revoke OS permission. See the Privacy Policy for details.

Details on purpose, recipients, and retention are in the Privacy Policy.

8. National Identifiers (SSN) for Purchases

- **Optional at sign-up.**
- **Required at checkout (doctor sessions & devices):** A national identifier (e.g., SSN or local equivalent) is required to complete doctor-session or medical-device purchases initiated from the Application. If you do not provide it, the purchase cannot be completed in-app.
- **Not required for subscriptions:** A national identifier is not required for subscription purchases made via Google Play.
- **Legal bases & purpose:** Where an identifier is required by law (e.g., invoicing/prescriptions), processing is based on legal obligation. Otherwise, processing is based on contract (as a condition of purchase) and legitimate interests (identity verification, fraud prevention, compliant documentation). See the Privacy Policy for purposes, retention, and your rights.
- **Control:** You can later remove your identifier in Settings → Manage SSN Consent. Removing it will prevent future doctor-session or device purchases in-app and is subject to legally required retention for past transactions.

9. Teleconsultations; Roles and Responsibilities

- Clinical services are provided by licensed healthcare professionals you choose to engage.
- **Controller roles:** Clinicians act as independent controllers of their clinical records. TMA acts as controller for platform/account data (see Privacy Policy).
- **No recordings by TMA:** We do not record audio/video of consultations.
- **Clinician responsibility:** Clinical assessments, diagnoses, and prescriptions are solely the clinician's responsibility.
- **Quality of medical services:** TMA is not responsible for the quality of medical services provided by independent clinicians.
- **User-provided data:** You are responsible for the honesty, accuracy, completeness, and timeliness of the information you provide to the Application. TMA is not liable for any harm arising from inaccurate, incomplete, untimely, or misleading information you supply.

- You acknowledge that failing to provide requested information—or providing false or incomplete information— may result in improper or suboptimal delivery of services by the healthcare professional or limit the functionality of the Application.

10. User Content and Files

- **Measurement data:** Vital-sign readings, including AI-based readings, are stored in your account. You may delete individual measurements at any time; deletions sync across your signed-in devices. Each entry shows its source (“AI,” “Device,” or “Manual”); device entries show the device name/model.
- **Uploaded files:** You may upload digital files (e.g., lab results). Individual uploaded files cannot be deleted in-app at this time; to request deletion, open a support ticket at <https://support.tma.gr> or contact the DPO at dpo@tma.gr. We will honor erasure requests where applicable under GDPR, subject to legally required retention and the limits described in the Privacy Policy.
- Charts and trends are for visualization only and are not diagnostic tools.

11. User Obligations & Acceptable Use

Provide truthful data; use the Application lawfully and per these Terms. Prohibited conduct includes, indicatively and not restrictively: illegal, harmful, or defamatory content; attempts to access accounts/systems without authorization; disruption; reverse engineering beyond what law allows; circumventing security; uploading illegal or infringing content. TMA may deny/withdraw access for violations.

11.1 Truthful information and lawful use

All data provided by the user through the Application must be truthful. The user guarantees the validity of all data, medical and non-medical, that they enter into the Application. The user must provide data relevant to them, avoiding infringement on third-party rights, particularly intellectual property, industrial property, or image rights. In case of non-compliance, the user will be liable to third parties for any resulting damages, while TMA assumes no responsibility for related damages.

The user must adhere to applicable laws and respect the rights of third parties when using the Application’s content and services. The user also agrees to use the Application per these Terms, good industry practices, and public order.

11.2 Prohibited conduct (indicative and not restrictive)

Indicatively and not restrictively, the user is prohibited from:

- Providing false, defamatory, harmful, or slanderous information or information that affects the honor, reputation, and prestige of others.
- Blocking, replacing, modifying, or copying the Application content.
- Performing actions that could harm the Application's infrastructure functionality.
- Using any materials or information contained in the Application for illegal purposes or purposes expressly prohibited in these Terms or purposes contrary to TMA's rights and interests, its users, and/or third parties.
- Any conduct that harms, disables, overloads, degrades, or obstructs the normal use of the Application.

For clarity, and without limitation, you also agree not to:

- use the Application for unlawful, harmful, or fraudulent purposes;
- attempt to access accounts or systems without authorization;
- interfere with or disrupt the Service (e.g., overloading, spamming);
- reverse engineer, decompile, or derive source code except to the extent allowed by law;
- circumvent security or usage limits;
- upload content that is illegal, infringing, or violates privacy or professional secrecy.

11.3 Enforcement

TMA may deny or withdraw access to the Application to any user who does not comply with these Terms, without prior notice. The non-compliant user will be liable for any resulting damages. (See also Section 16 — Termination.)

11.4 Fault reporting

The user must inform TMA of any system malfunction so that necessary actions can be taken to rectify it.

12. Third-Party Services and Links

The Service may integrate or link to third-party services (e.g., Google/Firebase, Meta/Facebook for sign-in; payment gateways; video platforms). Their terms and privacy policies apply. TMA is not responsible for third-party services we do not control.

Purchases made through Google Play are governed by Google Play terms and the policies of its payment partners. TMA does not receive or store your full payment card details for Google Play purchases.

When you leave the Application or follow a link to a third-party site or service, the destination's terms and privacy policies apply, and TMA's Terms and Privacy Policy no longer apply.

13. Intellectual Property & License

13.A Intellectual Property

The intellectual property rights of ePokratis MedAiConnect and the various elements contained in the Application, including, without limitation, written information, graphic design, designs, image and audio files, photographic designs, recordings, and, in general, any material accessible from the Application, are the intellectual property of TMA, who own these rights and have duly authorized their inclusion in the Application.

TMA has the exclusive right to exercise these intellectual property rights in any form, particularly the rights of reproduction, distribution, public communication, and transformation.

Any reproduction, transmission, adaptation, translation, modification, public communication, or any other operation related to the entirety or part of the content of the Application, in any form or by any means, electronic, mechanical, or other, is strictly prohibited without prior written authorization from TMA. Any violation of these rights may lead to corresponding civil or criminal proceedings, either judicially or extrajudicially.

Under no circumstances is ePokratis MedAiConnect intended for use by healthcare professionals to provide medical services to individual patients without a corresponding service agreement between the parties involved. Users of ePokratis MedAiConnect may only make private and personal use of the content of the Application. Any commercial or unlawful use of ePokratis MedAiConnect or any of its elements is strictly prohibited.

Users are not allowed to create hyperlinks or online connections to the Application from any internet-accessible platform without obtaining prior written consent from TMA.

13.B License to Use the Application

Subject to your compliance with these Terms, TMA grants you a limited, personal, non-exclusive, non-transferable, non-sublicensable, revocable license to install and use the Application on your device for private, non-commercial use and solely for its intended wellness and teleconsultation purposes.

Ownership: The Application (including software, UI, and content provided by TMA) is protected by intellectual-property laws. TMA and its licensors retain all rights not expressly granted.

Restrictions: You may not copy, modify, distribute, sell, lease, or sublicense the Application or any part of it, nor may you reverse engineer, decompile, or attempt to extract its source code, except where such restrictions are prohibited by law. Any use not expressly permitted is prohibited.

13.C Feedback

If you submit ideas, suggestions, or feedback, you grant TMA a perpetual, worldwide, royalty-free license to use and incorporate them without obligation to you.

14. Beta or Experimental Features

We may offer beta or experimental features. They are provided as-is and may change or be withdrawn. We welcome feedback; you grant us a right to use feedback without obligation to you.

15. Changes, Availability, and Support

15.A Proper functioning & backups: TMA uses commercially reasonable efforts to ensure the proper functioning of the ePokratis MedAiConnect system and maintains disaster-recovery backups of user data and files.

15.B Storage (uploads): TMA provides storage for user file uploads (e.g., medical tests and personal medical files). We may apply reasonable per-file size caps and fair-use limits to protect service integrity. Retention and deletion are governed by the Privacy Policy.

15.C Operational & technical support: TMA offers operational support (Greek/English) for Application inquiries from 09:00–17:00 Greek time (EET/EEST) and technical support for password recovery and system malfunctions during the same hours. Support phone: +30 211 1165330-2.

15.D Use by users: TMA is not responsible for how each user chooses to use the ePokratis MedAiConnect system.

15.E Service modifications: TMA may, at any time, modify the design, presentation, configuration, or availability of the Application and/or add, suspend, or discontinue features or services. Where a change materially reduces functionality you have already paid for, we will provide appropriate notice and your statutory rights remain unaffected.

15.F Security measures: We implement organizational and technical measures to protect your personal data, including encryption in transit and at rest, and role-based access controls, as described in the Privacy Policy.

16. Termination

You may stop using the Application at any time. To remove server-stored data, use Settings → Delete Account (subject to legally required retention). We may suspend or terminate access for violations, if required by law, or to protect users/the Service, with notice where legally required.

If you cannot access the app, you may request account deletion by opening a support ticket at <https://support.tma.gr>. Please submit the request from the email address associated with your account so we can verify your identity. We will permanently delete or irreversibly anonymize server-stored personal data we control, subject to legally required retention and the limits described in the Privacy Policy. Uninstalling the app does not delete your account or cancel subscriptions; manage subscriptions in Google Play.

17. Disclaimers and Limitation of Liability

- **Not Medical Care; No Emergency Use:** AI-based features provide non-medical, wellness estimates only.
- To the maximum extent permitted by law, the Service is provided "as is" and "as available" without warranties of any kind, express or implied (including fitness for a particular purpose, accuracy, or non-infringement).
- TMA is not responsible for clinical acts or omissions of independent clinicians.
- **Limitation:** To the maximum extent permitted by law, TMA and its affiliates will not be liable for indirect, incidental, special, consequential, or punitive damages, or for any loss of data, profits, or revenues, arising from or related to your use of the Service.
- **Cap:** To the maximum extent permitted by law, TMA's aggregate liability for claims arising out of or relating to the Service will not exceed the greater of (a) amounts you paid to TMA for the Service in the 12 months before the claim arose, or (b) €50.
- Nothing in these Terms excludes or limits liability where such exclusion or limitation would be unlawful, including for death or personal injury caused by negligence, fraud, or gross negligence/willful misconduct.
- **Networks, devices & force majeure:** To the maximum extent permitted by law, TMA is not liable for damages arising from interference, omissions, interruptions, malware, malfunctions, or disconnections affecting the Application, your mobile device(s), or medical equipment for reasons beyond TMA's control, including issues caused by network or internet deficiencies or overload, third-party actions, user

actions, or force majeure, that hinder or delay service or navigation. TMA does not control how users use ePokratis MedAiConnect.

- **Availability & continuity:** To the maximum extent permitted by law, TMA is not responsible for damages resulting from the availability or technical continuity of the Application's operation. TMA will use commercially reasonable efforts to restore services in the event of a technical issue.
- **Hold harmless (acknowledgment):** To the extent permitted by law, you agree to hold TMA harmless from claims arising out of or relating to the foregoing network, device, availability, continuity, and force-majeure circumstances.

18. Indemnity

To the extent permitted by law, you agree to indemnify and hold harmless TMA and its personnel from third-party claims, damages, and costs arising from your unlawful use of the Service or breach of these Terms.

19. Governing Law and Venue; Consumer Rights

- These Terms (and any non-contractual obligations arising out of or in connection with them) are governed by the laws of Greece, without regard to conflict-of-law rules.
- **EU/EEA/UK consumers:** If you are a consumer domiciled in the EU/EEA or the United Kingdom, you may bring legal proceedings relating to these Terms in the courts of your country of residence, and proceedings against you may be brought only in those courts. Your mandatory consumer rights are not affected.
- **Others / non-consumers:** If you are not a consumer (e.g., using the Service on behalf of a business) or you are domiciled outside the EU/EEA/UK, the courts of Athens, Greece shall have non-exclusive jurisdiction. Nothing prevents either party from seeking interim or injunctive relief in any court of competent jurisdiction.
- **EU/EEA consumers:** See the European Commission's list of approved Alternative Dispute Resolution (ADR) bodies at https://consumer-redress.ec.europa.eu/dispute-resolution-bodies_en. We are not obliged to participate in alternative dispute resolution unless required by applicable law.

20. Modifications to These Terms

We may update these Terms for legal, regulatory, or operational reasons. The current version is at <https://tma.gr/epokratis-terms-of-use-android-en/> with an updated Effective date.

For material changes, we will provide prominent in-app and/or email notice (where available) before they take effect. Your continued access to or use of the Service after the effective date constitutes acceptance of the updated Terms.

If you do not agree to the updated Terms, you should stop using the Service and delete your account. We encourage you to review the Terms periodically to stay informed of updates.

21. Contact

Telematic Medical Applications LTD

151 Al. Papanastasiou Avenue, Piraeus, Attica, P.C. 18533, Greece

Phone: +30 211 1165330-2

Email: info@tma.gr

DPO: dpo@tma.gr

22. Technical Specifications for Optimal Functioning

22.A Platform & Device Compatibility

Distribution: The App is distributed exclusively via the Google Play Store. Devices without Google Play access cannot install or receive updates via any alternative app store. We do not distribute or support the App via Huawei AppGallery.

Minimum Android version: Android **8.1 (API 27)** or later.

AI-based measurements: Available on Android 8.1+ and require a front-facing camera and sufficient device performance. AI readings are saved to your in-app history; camera photos/videos are not stored (on-device processing). AI sessions may require an active internet connection for license verification/renewal (see guide).

AI Wellness Check Guide: For step-by-step setup, system requirements, and best-practice tips, see <https://tma.gr/how-to-take-ai-measurements-with-epokratis-medaiconnect-for-android/> (this guide may be updated from time to time).

Integrated medical devices and OS support: The App currently supports the following third-party medical devices, subject to the Android OS versions shown:

- Blood Pressure Monitor (TaiDoc TD-3128): Android 8.1+
- Fingertip Pulse Oximeter (TaiDoc TD-8255): Android 8.1+
- Non-Contact Forehead Thermometer (TaiDoc TD-1241): Android 8.1+
- Digital Weight Scale (TaiDoc TD-2555): Android 8.1+
- Multi-Functional Monitoring System (TaiDoc TD-4216): Android 8.1+

- Portable ECG Monitor (Contec PM10): Android 8.1 to 11 (inclusive); not compatible with Android 12+.

Enforcement: Google Play device eligibility is configured so devices running below Android 8.1 cannot download or install the App. In the App, unsupported features are blocked based on OS version. In particular, Contec PM10 functionality is unavailable on Android 12+; attempts to use it will display an in-app notice that the feature is not supported.

Changes: Supported Android OS versions and third-party device functionality may be updated or discontinued at any time (e.g., due to vendor firmware updates, Android OS changes, or Google Play policy changes). We will update this section when changes are made.

Bluetooth best practices: For the best experience when using Bluetooth-connected devices with the ePokratis MedAiConnect app, it is recommended to follow these technical requirements:

1. **Bluetooth Version Compatibility:** Digital devices should use the same Bluetooth version as the mobile device to avoid compatibility issues or reduced connection speeds due to version differences.
2. **Device Hardware Quality:** The Bluetooth module of the digital device should be high-quality and optimized for quick pairing, minimizing delays in the connection process.
3. **Battery Level/Settings Requirements:** To ensure a stable and immediate Bluetooth connection, the digital device's battery level should be above 30 percent. Additionally, the mobile device should not be in power-saving mode while obtaining AI measurements.
4. **Device Interference:** The presence of other nearby Bluetooth or wireless devices may cause interference and delays in connection. It is recommended to disable other nearby Bluetooth devices to reduce interference.
5. **Signal Interference:** Bluetooth operates in the 2.4 GHz frequency band, which is also used by other devices (e.g., Wi-Fi routers, microwaves, wireless peripherals). Interference from these devices may delay connection times. Connecting is recommended in areas with less wireless traffic.
6. **Crowded Bluetooth Environments:** In environments with many Bluetooth devices (e.g., busy areas), the mobile device may experience delays in recognizing and connecting to the digital device's Bluetooth.

7. **Multiple Simultaneous Bluetooth Connections:** Multiple active Bluetooth connections (e.g., headphones, wearable devices, or other smart devices) may slow the connection process for new devices, as the mobile device needs to manage each different connection simultaneously.
8. **Distance and Signal Strength:** For a stable connection, the digital device should be placed close to the mobile device. Connection may delay or weaken when devices are far apart.
9. **Background Processes:** Running multiple apps or processes in the mobile device's background may hinder Bluetooth detection and connection. For optimal performance, reduce background processes during setup.
10. **Software Updates:** Regularly check for updates for both the digital device and the mobile device, as updates often improve connectivity and speed.
11. **Device Settings:** Ensure the digital device is in pairing mode. Adjust connection settings (e.g., pairing prompts or security options) as needed for smooth connection. If issues persist, restart both devices to clear any temporary issues with the Bluetooth stack or connection cache.

AI measurement tips: To ensure optimal accuracy for AI measurements, please follow the instructions below:

1. **Device Setup**
 - Ensure the mobile device's battery level is at least 30 percent and disable power-saving mode.
 - Check that the camera lenses are clean and free from scratches or obstructions.
 - Place the device on a stable base approximately 30 cm (about 12 inches) away from your face.
 - Align the device so that the front camera is at eye level and parallel to your face, ensuring a clear and stable image.
 - Use a stable base to prevent any movement or shaking of the device during measurement.
2. **Face Positioning**
 - Sit still and avoid movements during the measurement.
 - Keep your feet flat on the floor and do not cross your legs.
 - Ensure that your face is not obscured by hair or accessories, such as hats, sunglasses, or masks.
 - Avoid talking or making significant facial expressions and remain focused on the screen until the measurement is complete.

3. Environmental Conditions

- Ensure even lighting on your face and avoid environments with multiple or conflicting light sources.
- For best results, position yourself with a single light source directed toward your face. Choose a location where no direct light shines on the camera, such as sitting near a wall.
- Avoid direct sunlight exposure on the camera.
- Make sure the background remains stable and avoid reflective surfaces or objects (e.g., mirrors, glass, or shiny objects) in the area.
- Maintain an adequate level of lighting. Prefer a cool light source (above 4500K) and avoid monochromatic lighting.

Non-contractual Summary (for Convenience)

- AI features are wellness-only; not for emergencies. AI readings are saved in the app; camera photos/videos are not saved.
- Clinicians are independent and responsible for clinical advice.
- Some features need permissions (camera, Bluetooth, location).
- Subscriptions auto-renew; manage in Google Play store.
- A national identifier (e.g., SSN) is required for doctor-session and device purchases (not for subscriptions). See the Privacy Policy for details.
- You can delete your account in Settings; we follow GDPR rules.