



3. Letters symbolize colors below:  
GS: Green Stripe  
LG: Light Gray  
OS: Orange Stripe  
W: White

NOTES: 2. -.003 Heated Pad configuration is for 220V power sources.  
1. -.001 Heated Pad configuration is for 110V power sources.

PROPRIETARY AND CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
«INSERT COMPANY NAME HERE». ANY  
REPRODUCTION IN PART OR AS A WHOLE  
WITHOUT THE WRITTEN PERMISSION OF  
«INSERT COMPANY NAME HERE» IS  
PROHIBITED.

UNLESS OTHERWISE SPECIFIED:		NAME		DATE	
DIMENSIONS ARE IN INCHES		DRAWN		E. PRADO	
TOLERANCES:		CHECKED			
FRACTIONAL: ±		ENG APPR.			
ANGULAR: MATCH		MFG APPR.			
TWO PLACE DECIMAL: ±		Q.A.			
THREE PLACE DECIMAL: ±		COMMENTS:			
INTERPRET GEOMETRIC TOLERANCING PER:					
MATERIAL					
FINISH		N/A			
DO NOT SCALE DRAWING					
APPLICATION					
NEXT ASSY		USED ON			

SIZE DWG. NO. REV  
DGB3 E-Box.1 -  
SCALE: 1:1 WEIGHT: SHEET 1 OF 2

