



How to extract features for speech analysis on PRAAT

Open Read from File choose the file you want



Then click “View & Edit” after selecting the file you wish to analyze




Make sure “show pitch” is selected under the pitch tab as well as “show intensity” under the intensity tab, “show formants” under the formant tab, and finally “show pulses” under the pulses tab



Got to the pitch tab pitch settings
select the option
“cross-correlation” under “analysis
method”





Manually select the section you
want to analyze by simply dragging
your cursor on the upper window.
For Jitter/shimmer/HNR you want
to manually highlight/select the
segment of the signal in which
there is spoken sound.




Go to the Pulses tab Select Voice Report it will give you a pop out with tons of data including jitter, shimmer and HNR.

We typically just take the local percentage for the Jitter and Shimmer, and the mean HNR that comes in dB



When recording your own data, go back to the starting screen, and click “new”, then click “Record mono sound”. A window will then pop up, as shown in the far right part of the image, make sure to set sampling frequency to 16000Hz to match that of the other data. This will allow for more accurate comparison. All recording can and filtering can be done in this window and then the new audio file can be saved and accessed in the same manner as step one of this manual. You can click “sound help” at any point to get a more detailed description of each step.



NOTE: On MacOS, you will likely need to grant Praat permission to use the built-in microphone in your computer’s system preferences. If you have difficulty with this you can always record an .mp3 or .wav file through other means and load it into Praat by clicking “open”.