

# DBSource Manual

---


To get started, you need to add connections.

Go to **Connection -> Add**.


You will see New Connection window. Please enter:

- **Connection** - name of connection;
- **Path** - where the scripts will be saved;
- **ByFolders** - if true scripts will be saved in different folders, depending on the type;

On the right side select the connection type and fill all settings for this type. Then press **Save** connection.



New connection window



Main window

(1 – Button Connect/Disconnect, 2 – Button Load All, 3 – Button Current Schema,  
4 – Button Date Filter, 5 – Button Name Filter, 6 – Button Load)

To connect to the server please select connection name from drop-down list (9). Next, click **Connect** button (1).


In the **Object Types** field (10), you will see a list of server object types. Select the required types and click Load Objects List button (6).

In the **Objects** field you will see a list of objects. Select the required objects. To save the database scripts for selected objects, click the **Start** button (7).


If you want to stop progress, press **Stop** button (8).

Additionally, you can filter the list of objects by

- schema - button **Current Schema** (3), to choose objects from current DB schema (only Oracle) ;
- date - button **Date Filter** (4), to choose objects modified from selected date. To clear filter press **Cancel**;



- name - button **Name Filter** (5), to choose objects by name or part. To clear filter press **Cancel**;



The filter activity is indicated by the green color of the button.

Also you can fast load all server objects. For this click button **Load All Server Objects** (2), set filters if need (3,4,5) and press **Start** (7).