

Resources / Homework/Quiz questions (/COMP3331/23T1/resources/83523) / Quiz(Week 3)

Quiz(Week 3)

Q1 . If a local name server has no clue about where to find the address for a hostname then

- A. Server asks its adjacent name server
- B. Server asks its root name server
- C. Request is not processed
- D. Server explodes

Q2 . Which of the following is an example of a Top Level Domain?

- A. yoda.jedi.starwars.com
- B. jedi.starwars.com
- C. starwars.com
- D. .com**

Q3 . A web browser needs to contact www.cse.unsw.edu.au (<http://www.cse.unsw.edu.au/>) . The minimum number of DNS requests sent is:

- A. 0
- B. 1
- C. 2
- D. 3

Q4 . The role of the CDN provider's authoritative DNS name server in a content distribution network basically is:

- A. to provide an alias address for each browser access to the "origin server" of a CDN website
- B. to map the query for each CDN object to the CDN server closest to the requestor (browser)
- C. to provide a mechanism for CDN "origin servers" to provide paths for clients (browsers)
- D. none of the above, CDN networks do not use DNS

Q5 . When web-based email is used, two mail servers communicate with each other using HTTP. True or False?

Q6 . P2P networks must have servers to help new peers find other peers. True or False?

Q7 . P2P networks must maintain trackers to help new peers join the network. True or False?

Q8 . The 'rarest first' is a P2P networking policy to select

- A. the next peer to download chunks from
- B. the next chunk to download
- C. the tracker to query for other peers
- D. the file to download