

[Get keyword mentions](#)
[Example request](#)
[Get tag](#)
[FAQ:](#)

Get keyword mentions

HTTP Method:

POST

BASE URL:

<https://api.mediatoolkit.com>

ENDPOINT:

/v2/organization/{ORGANIZATION_ID}/group/{GROUP_ID}/keyword/{KEYWORD_ID}/mentions/scroll

URL Params:

- access_token

POST Body:

Unset

```
{
  "query": {
    "mentionFilter": {
      "mentionType": {
        "any": [
          "ALL"
        ],
        "all": [
          "ALL"
        ],
        "not": [
          "ALL"
        ]
      },
      "sentiment": {
        "any": [
          "POSITIVE"
        ],
        "all": [
          "POSITIVE"
        ],

```

```
        "not": [
            "POSITIVE"
        ]
    },
    "tag": {
        "any": [
            0
        ],
        "all": [
            0
        ],
        "not": [
            0
        ]
    },
},
"feedTime": {
    "from": UNIX_TIMESTAMP_MS,
    "to": UNIX_TIMESTAMP_MS
},
"publishedTime": {
    "from": UNIX_TIMESTAMP_MS,
    "to": UNIX_TIMESTAMP
}
},
"paged": {
    "page": 0,
    "count": 0,
    "sorted": {
        "direction": "ASC",
        "property": "PUBLISHED_TIME"
    }
},
"scrollToken": "string"
}
```

Example response:

Unset

```
{
  "mentions": [
    {
      "id": 0,
      "type": "string",
      "mention": "string",
      "fullText": "string",
      "languages": [
        "string"
      ],
      "from": "string",
      "author": "string",
      "insertTime": 0,
      "title": "string",
      "url": "string",
      "image": "string",
      "photo": "string",
      "originalPhoto": "string",
      "photos": [
        "string"
      ],
      "originalPhotos": [
        "string"
      ],
      "reach": 0,
      "virality": 0,
      "databaseInsertTime": 0,
      "keywords": [
        "string"
      ],
      "locations": [
        "string"
      ],
      "autoSentiment": "string",
      "authorGender": "string",
      "sourceReach": 0,
      "interaction": 0,
      "influenceScore": 0,
      "followersCount": 0,
    }
  ]
}
```

```

        "score": 0,
        "typeSpecificInfo": {}
    }
],
"scrollToken": "string"
}

```

Example request

Get 100 latest mentions from all sources, sentiment must be positive and mention needs to have a tag with ID 13929.

```

Unset
{
  "query": {
    "mentionFilter": {
      "mentionType": {
        "any": [
          "ALL"
        ],
      },
    },
    "sentiment": {
      "must": [
        "POSITIVE"
      ]
    },
    "tag": {
      "all": [
        13929
      ]
    },
  },
  "feedTime": {
    "from": 16790611380000,
    "to": 16790651380000
  },
}

```

```
},  
  "paged": {  
    "page": 1,  
    "count": 100,  
    "sorted": {  
      "direction": "DESC",  
      "property": "FEED_TIME"  
    }  
  }  
}
```

Get tag

HTTP Method:

GET

BASE URL:

<https://api.mediatoolkit.com>

ENDPOINT:

/v2/organization/{organizationId}/tags

URL Params:

- Access_token

Example response:

```
Unset
{
  "tags": [
    {
      "id": 0,
      "name": "string",
      "categoryId": 0
    }
  ]
}
```

FAQ

Operators:

any -> return mentions that include any of the values

all -> return mentions that include all of the values

not -> return mentions that don't have any of the values

mentionType - send the request without that filter to get all source types or add it to collect only some of them (e.g. TWITTER, INSTAGRAM)

feedTime : from/to: must be in milliseconds

Difference between **publishedTime/feedTime**:

publishedTime -> post publish timestamp

feedTime -> timestamp of inserting into your feed (most of the time feedTime > publishedTime, since we collect it after it's published)

Example: we add a new source/channel to tracking today that we never found before, we pull the posts for the past 30 days for that channel, feedTime will be **now** while each of the posts would have publishedTime that is posted on the source.