

ICT600 CORRECTED STUDENT EDITION

February 2025 Corrected Student Scheme

Official question and answer checked against generated corrections

Scope	February 2025 final examination
Evidence	Printed question, supplied scheme where available, current lecture notes, and technical verification
Status	100 marks: Part A 70, Part B 30

Prepared 26 September 2026

How to use this reference

Teaching-use document

Attempt the original question before revealing this scheme. This corrected edition is not an official UiTM replacement; it records known source errors and accepts equivalent technically correct answers.

- Assessment total: 100 marks: Part A 70, Part B 30.
- Model answers show one defensible solution; alternative correct wording or code may receive full credit.
- For code, method marks remain available when the approach is sound and a minor syntax error does not invalidate the solution.
- Security improvements are shown where historical examples trusted or displayed unvalidated input.

Q1

Network definitions and four MCO teaching cloud applications.

[18 marks]

Model answer

- Use the four accurate network definitions from January 2024 (8).
- Any four relevant applications with their teaching use during MCO/PKP, such as UFuture, Classroom, Teams, Meet, Drive, or OneDrive (10).

Marking guide: Definitions: 2 each. Cloud applications: official 2.5 per complete pair.

Q2

Reproduce the student table and styled web page.

[12 marks]

Model answer

- Valid header plus three complete rows and values (6).
- Required powderblue/center/blue/red presentation and content (6).

Marking guide: 6 marks per subpart.

Q3

JavaScript variables/output and displayName('Sharaf').

[18 marks]

Model answer

- Four variables plus matching output (8).
- Reusable function whose call displays Name: Sharaf (10).

Marking guide: Q3(a) 8; Q3(b) 10.

Correction / moderation note

The official answer accidentally repeats Username: Aidan from January 2024. The generated scheme correctly follows the February prompt.

Q4

HTML table and simple JavaScript page.

[12 marks]

Model answer

- Use colspan for the table title and reproduce both village columns/rows (6).
- Match What Can You Do?, Hello You!, and the click interaction (6).

Marking guide: 6 marks per subpart.

Correction / moderation note

The official JavaScript exemplar contains wording copied from another paper; mark against the February figure and behavior.

Q5

PHP city array and string trace.

[10 marks]

Model answer

- Store LN11/London and OX47/Oxford in a nested array and display them (4).
- Trace original, uppercase, lowercase, replacement, substr(2,6), and strpos after replacement (6); the substring begins with roun.

Marking guide: Q5(a) 4; Q5(b) 6.

Part B Q2

Recommend a checkout-payment wireframe.

[15 marks]

Model answer

- Show header, navigation, page name, billing/delivery information, payment method, order summary, confirmation, and footer.

Marking guide: Use a 15-mark functional-section rubric consistent with the January paper.

Part B Q1 - secure all-required registration

Study the complete working exemplar below.

[See printed allocation]

Model answer

- Equivalent correct implementations that satisfy the stated behaviour should receive credit.

```
<?php
$values = ['fullname' => '', 'email' => '', 'birthdate' => '', 'gender' => ''];
$message = '';

function e(string $value): string {
    return htmlspecialchars($value, ENT_QUOTES, 'UTF-8');
}

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    foreach ($values as $key => $unused) {
        $values[$key] = trim($_POST[$key] ?? '');
    }
    $password = $_POST['password'] ?? '';
    if ($values['fullname'] === '' || $values['email'] === '' || $password === '' ||
        $values['birthdate'] === '' || $values['gender'] === '') {
        $message = 'Unsuccessful: enter all required information.';
    } else {
        $message = 'Successful signup for ' . $values['fullname'] . '.';
    }
}
?>
<!doctype html>
<html lang="en"><head><meta charset="utf-8"><title>User Signup</title></head>
<body>
```

```

<h1>User Signup</h1>
<form method="post">
  <label>Full name* <input name="fullname" value="<?= e($values['fullname']) ?>" required></label><br>
  <label>Email* <input type="email" name="email" value="<?= e($values['email']) ?>" required></label><br>
  <label>Password* <input type="password" name="password" required></label><br>
  <label>Birthdate <input type="date" name="birthdate" value="<?= e($values['birthdate']) ?>"></label><br>
  <label><input type="radio" name="gender" value="M"> Male</label>
  <label><input type="radio" name="gender" value="F"> Female</label><br>
  <button type="submit">Signup</button>
</form>

<?php if ($message != ''): ?><p><?= e($message) ?></p><?php endif; ?>
</body></html>

```

Marking guide: Apply the original question's subpart allocation and award method marks consistently.

Correction / moderation note

The February question makes birthdate and gender required. The generated scheme correctly validates them, unlike the official code, but still required output encoding; this exemplar adds it.

Consistency rules

- Award equivalent technically correct syntax and wording.
- Do not reproduce a known historical error merely because it appears in a supplied scheme.
- Keep printed subpart totals fixed unless a documented moderation decision says otherwise.
- For scenario questions, connect the explanation or mitigation to the scenario.
- Record additional accepted alternatives for the next controlled revision.