

ICT600 CORRECTED STUDENT EDITION

July 2025 Corrected Student Scheme

Moderation-aware edition for the printed 102-mark anomaly

Scope	July 2025 final examination
Evidence	Printed question, supplied scheme where available, current lecture notes, and technical verification
Status	Printed total 102; official-intended/normalised total 100

Prepared 26 September 2026

How to use this reference

Teaching-use document

Attempt the original question before revealing this scheme. This corrected edition is not an official UiTM replacement; it records known source errors and accepts equivalent technically correct answers.

- Assessment total: Printed total 102; official-intended/normalised total 100.
- Model answers show one defensible solution; alternative correct wording or code may receive full credit.
- For code, method marks remain available when the approach is sound and a minor syntax error does not invalidate the solution.
- Security improvements are shown where historical examples trusted or displayed unvalidated input.

Q1

Define four web-technology components and compare browser vs web application.

[18 marks]

Model answer

- Internet, web standards, web server, and CMS: 2 marks each.
- Five paired comparison dimensions: nature, purpose, architecture role, data handling, and scope: 2 marks each.

Marking guide: Q1(a) 8; Q1(b) 10.

Q2

Define HTML, CSS, and web development; state three good-design principles.

[12 marks]

Model answer

- Each definition: full meaning plus function (2).
- Any three principles such as consistency, navigation, responsiveness, readability, accessibility, and organised content, with explanation (2 each).

Marking guide: 6 marks per subpart.

Q3

CRUD statements and the 2025S1 enrollment query.

[18 marks]

Model answer

- INSERT, SELECT, UPDATE with WHERE, DELETE with WHERE (2 each).
- SELECT Students.Name/Major, join on StudentID, filter Enrollments.Semester='2025S1' (10).

Marking guide: Q3(a) 8; Q3(b) 10.

Q4

Framework simplification and MVC request flow.

[10 marks]

Model answer

- Any four valid benefits such as reusable code, routing, ORM/database support, security helpers, structure, or faster development (4).
- Controller receives request, Model retrieves books, Controller passes data, View renders list (2 marks each MVC role).

Marking guide: Q4(a) 4; Q4(b) 6.

Q5(a)

Identify three search-form security risks and mitigations.

[6 marks]

Model answer

- Any three valid pairs, for example SQL injection/prepared statements, XSS/contextual output encoding, data leakage/HTTPS, or information disclosure/generic errors and secure logging.

Marking guide: Risk (1) + matching mitigation (1) x3.

Q5(b)

Describe three secure-coding techniques.

[8 printed marks / 6 official-intended]

Model answer

- Parameterized queries for SQL injection (2).
- Context-aware output encoding for XSS (2).
- Password hashing, TLS, and secure session handling for authentication (2).
- If the printed 8 marks must be honored, award 2 additional marks for correctly applying the three controls to sensitive-user-data handling or for a fourth valid technique.

Marking guide: Never silently reduce the printed paper. Use 8 for historical candidate marking unless formal moderation authorizes 6; use 6 when normalising the paper to the official 100-mark design.

Correction / moderation note

The question PDF prints 8, while the official answer and generated scheme allocate 6. This makes the printed paper total 102.

Part B Q1

Validate the registration form and critically compare JavaScript with jQuery.

[15 marks]

Model answer

- Validation behavior: 8 marks; comparison/recommendation: 7 marks.
- Accept either native JavaScript or jQuery when the code and comparison are internally consistent.

Marking guide: Submit/event (2), empty checks (2), email (2), message (2); comparison and recommendation (7).

Part B Q2 - runnable Student Result Analyzer

Study the complete working exemplar below.

[See printed allocation]

Model answer

- Equivalent correct implementations that satisfy the stated behaviour should receive credit.

```
<!doctype html>
<html lang="en"><head><meta charset="utf-8"><title>Result Analyzer</title></head>
<body>
  <form id="resultForm">
    <label>Name <input id="studentName" required></label>
    <label>Five marks <input id="marks" placeholder="75,64,80,55,90" required></label>
    <button>Analyze</button>
  </form>
  <pre id="result"></pre>
  <script>
document.getElementById('resultForm').addEventListener('submit', event => {
  event.preventDefault();
  const name = document.getElementById('studentName').value.trim();
  const marks = document.getElementById('marks').value.split(',').map(Number);
  if (!name || marks.length !== 5 || marks.some(m => !Number.isFinite(m) || m < 0 || m > 100)) {
    document.getElementById('result').textContent = 'Enter a name and five marks from 0 to 100.';
  }
});
  </script>
</body>
</html>
```

```

    return;
  }
  const total = marks.reduce((sum, mark) => sum + mark, 0);
  const average = total / marks.length;
  const grade = average >= 80 ? 'A' : average >= 70 ? 'B' :
    average >= 60 ? 'C' : average >= 50 ? 'D' : 'F';
  document.getElementById('result').textContent =
    `Student: ${name}\nMarks: ${marks.join(', ')}\nTotal: ${total}\n` +
    `Average: ${average.toFixed(2)}\nGrade: ${grade}`;
  });
</script></body></html>

```

Marking guide: Apply the original question's subpart allocation and award method marks consistently.

Correction / moderation note

The official and generated examples hard-code the sample. The corrected teaching version actually accepts a name and five marks, matching the verb accept in the question.

Consistency rules

- Award equivalent technically correct syntax and wording.
- Do not reproduce a known historical error merely because it appears in a supplied scheme.
- Keep printed subpart totals fixed unless a documented moderation decision says otherwise.
- For scenario questions, connect the explanation or mitigation to the scenario.
- Record additional accepted alternatives for the next controlled revision.