

ICT600 CORRECTED STUDENT EDITION

Semester 20252 Test 1 Corrected Student Scheme

Corrected, self-contained Test 1 answer reference

Scope	May 2025 Test 1
Evidence	Printed question, supplied scheme where available, current lecture notes, and technical verification
Status	Official question and answer audited; figure-dependent answers reconstructed and code normalised

Prepared 26 September 2026

How to use this reference

Teaching-use document

Attempt the original question before revealing this scheme. This corrected edition is not an official UiTM replacement; it records known source errors and accepts equivalent technically correct answers.

- Assessment total: 80 marks.
- Model answers show one defensible solution; alternative correct wording or code may receive full credit.
- For code, method marks remain available when the approach is sound and a minor syntax error does not invalidate the solution.
- Security improvements are shown where historical examples trusted or displayed unvalidated input.

Question 1(a)

Define Internet, Intranet, and Extranet.

[6 marks]

Model answer

- Internet: global network of interconnected networks using standard protocols.
- Intranet: private organisational network for authorised internal users.
- Extranet: controlled access to selected organisational resources for authorised external parties.

Marking guide: 2 marks per definition.

Question 1(b)

Identify four terms from the descriptions.

[4 marks]

Model answer

- HTTP; business logic; required; whitespace.

Marking guide: 1 mark each.

Question 2(a)

Explain how colours are specified in HTML/CSS.

[5 marks]

Model answer

- Named colours, HEX, RGB, HSL, and alpha-enabled RGBA/HSLA forms are accepted.

Marking guide: 1 mark per valid representation, maximum 5.

Question 2(b)

Style the heading blue/Verdana/300% and paragraph red/Courier/160%.

[2 marks]

Model answer

- Use valid CSS rules for h1 and p.

```
h1 { color: blue; font-family: Verdana, sans-serif; font-size: 300%; }  
p { color: red; font-family: Courier, monospace; font-size: 160%; }
```

Marking guide: Heading rule (1), paragraph rule (1).

Question 2(c)

Create the illustrated Name/Age HTML table.

[3 marks]

Model answer

- The Name heading spans the two name columns.

```
<table border="1">
<tr><th colspan="2">Name</th><th>Age</th></tr>
<tr><td>Ahmad Akmal</td><td>Salleh</td><td>24</td></tr>
<tr><td>Norsyahidah</td><td>Fauzi</td><td>20</td></tr>
</table>
```

Marking guide: Table/rows (1), colspan header (1), complete data (1).

Question 2(d)

Create the illustrated Customer Care Form and POST it to success.php.

[20 marks]

Model answer

- Include name, email, contact, gender, complaint/feedback, description, submit, and reset controls.

```
<!doctype html><html lang="en"><body>
<h1>Customer Care Form</h1>
<form action="success.php" method="post">
  <label>Name <input name="name" required></label><br>
  <label>E-mail <input type="email" name="email" required></label><br>
  <label>Contact <input type="tel" name="contact"></label><br>
  <fieldset><legend>Gender</legend>
    <label><input type="radio" name="gender" value="Female"> Female</label>
    <label><input type="radio" name="gender" value="Male"> Male</label>
  </fieldset>
  <label><input type="checkbox" name="type[]" value="Complaint"> Complaint</label>
  <label><input type="checkbox" name="type[]" value="Feedback"> Feedback</label><br>
  <label>Description <textarea name="description"></textarea></label><br>
  <button type="submit">Submit</button><button type="reset">Reset</button>
</form></body></html>
```

Marking guide: Form/action/method (4), text/email/contact (4), gender (3), checkboxes (3), textarea (2), actions (2), valid structure/labels (2).

Question 3(a)

Move the four printed Student Information values into JavaScript variables and output them.

[10 marks]

Model answer

- Use name, program, part, and cgpa variables and write into matching elements.

```
<h1>Student Information</h1>
<p id="name"></p><p id="program"></p><p id="part"></p><p id="cgpa"></p>
<script>
const studentName = "John Doe";
const program = "ABC123";
const part = "Part 1";
const cgpa = 3.8;
document.getElementById("name").textContent = studentName;
document.getElementById("program").textContent = program;
document.getElementById("part").textContent = part;
document.getElementById("cgpa").textContent = cgpa;
</script>
```

Marking guide: Variables (4), output operations (4), valid script/DOM use (2).

Question 3(b)

Calculate the average score of three students and display it in a p element.

[5 marks]

Model answer

- A function receives three scores, calculates their mean, and updates the output element.

```
<p id="average"></p>
<script>
function average(a, b, c) { return (a + b + c) / 3; }
document.getElementById("average").textContent = average(80, 90, 100).toFixed(2);
</script>
```

Marking guide: Element/lookup (1), function/parameters (2), calculation/return (1), display (1).

Question 4(a)

Produce the Arau/Kangar table using a PHP multidimensional array without loops.

[5 marks]

Model answer

- Store both rows and access each indexed value explicitly.

```
<?php
$places = [['Arau', 'Perlis', '02600'], ['Kangar', 'Perlis', '01000']];
echo '<table border="1">';
echo '<tr><td>'.$places[0][0]. '</td><td>'.$places[0][1]. '</td><td>'.$places[0][2]. '</td></tr>';
echo '<tr><td>'.$places[1][0]. '</td><td>'.$places[1][1]. '</td><td>'.$places[1][2]. '</td></tr>';
echo '</table>';
?>
```

Marking guide: Array (2), table structure (1), two complete rows (2).

Question 4(b)

Trace the supplied PHP string script.

[10 marks]

Model answer

- 50
- How can you do this to me and can you be honest?
- HOW CAN YOU DO THIS TO ME AND CAN YOU BE HONEST?
- how can you do this to me and can you be honest?
- How could you do this to me and could you be honest?
- w coul
- bool(false)
- int(4)

Marking guide: Award across the eight printed output operations; require exact types for strpos results.

Question 4(c)

Convert MYR to Thai Baht at rate 7.73.

[10 marks]

Model answer

- Multiply the MYR amount by 7.73 and return/display the result.

```
<?php
function convertToBaht(float $myr, float $rate = 7.73): float {
    return $myr * $rate;
}
echo 'MYR100 = BHT' . number_format(convertToBaht(100), 2);
?>
```

Consistency rules

- Award equivalent technically correct syntax and wording.
- Do not reproduce a known historical error merely because it appears in a supplied scheme.
- Keep printed subpart totals fixed unless a documented moderation decision says otherwise.
- For scenario questions, connect the explanation or mitigation to the scenario.
- Record additional accepted alternatives for the next controlled revision.