




Battery Input




22.2V to 12V




22.2V to 7.5V




12V to 5.1V




Status LEDs



Raspberry Pi




Raspberry Pi Pico




Servo Motors

Recommended ST3215-7.4V Servo




DC Motors


Recommended 36GP-3626 43RPM 12V w/ built-in PWM speed controller



Battery Monitor




DC Motor Encoders



Mounting





Board2Pdf: Light Colors Placement TOP – Page 1/2

Designed by: Ilo Japar

HKU Martians

Sheet: Light Colors Placement TOP

File: PCB v0.3.kicad_pcb

Title: Prototype Rover PCB v0.3


Size: A4


Date: 2026-04-10

Rev: A

KiCad E.D.A. 10.0.0

Id: /1





Designed by: Ito Japar

HKU Martians

Sheet:

File: PCB v0.3.kicad_pcb

Title: Prototype Rover PCB v0.3


Size: A4


Date: 2026-04-10

Rev: A

KiCad E.D.A. 10.0.0

Id: 1/3





Designed by: Ito Japar

HKU Martians

Sheet:

File: PCB v0.3.kicad_pcb

Title: Prototype Rover PCB v0.3

Size: A4

Date: 2026-04-10

Rev: A

KiCad E.D.A. 10.0.0

Id: 3/3