## Homework 6

AUTHOR
Sze Sze Chan

PUBLISHED
January 25, 2025

```
# Can you improve this analysis code?
library(bio3d)
s1 <- read.pdb("4AKE") # kinase with drug</pre>
```

Note: Accessing on-line PDB file

```
s2 <- read.pdb("1AKE") # kinase no drug
```


Note: Accessing on-line PDB file PDB has ALT records, taking A only, rm.alt=TRUE

```
s3 <- read.pdb("1E4Y") # kinase with drug
```

Note: Accessing on-line PDB file


```
s1.chainA <- trim.pdb(s1, chain="A", elety="CA")
s2.chainA <- trim.pdb(s2, chain="A", elety="CA")
s3.chainA <- trim.pdb(s1, chain="A", elety="CA")
s1.b <- s1.chainA$atom$b
s2.b <- s2.chainA$atom$b
s3.b <- s3.chainA$atom$b
plotb3(s1.b, sse=s1.chainA, typ="l", ylab="Bfactor")</pre>
```

localhost:4324




plotb3(s2.b, sse=s2.chainA, typ="l", ylab="Bfactor")

localhost:4324 2/7



plotb3(s3.b, sse=s3.chainA, typ="l", ylab="Bfactor")

localhost:4324




```
# Inputs: A list of PDB file identifiers (e.g., "4AKE", "1AKE", "1E4Y") to be analyzed.
library(bio3d); lapply(list("4AKE", "1AKE", "1E4Y"), function(pdb) {
protein <- read.pdb(pdb)
food <- trim.pdb(protein, chain="A", elety="CA")
cookie <- food$atom$b
plotb3(cookie, sse=food, typ="l", ylab="Bfactor")
cat("Serve sushi ", pdb, "with pasta ")
})</pre>
```

Note: Accessing on-line PDB file

Warning in get.pdb(file, path = tempdir(), verbose = FALSE):
/var/folders/8v/ljcn64zd6bs7yszj9yy3lnc80000gn/T//RtmpjHKoY1/4AKE.pdb exists.
Skipping download


localhost:4324 4/7



Serve sushi 4AKE with pasta Note: Accessing on-line PDB file


Warning in get.pdb(file, path = tempdir(), verbose = FALSE):
/var/folders/8v/ljcn64zd6bs7yszj9yy3lnc80000gn/T//RtmpjHKoY1/1AKE.pdb exists.
Skipping download

PDB has ALT records, taking A only, rm.alt=TRUE



Serve sushi 1AKE with pasta Note: Accessing on-line PDB file

Warning in get.pdb(file, path = tempdir(), verbose = FALSE): /var/folders/8v/ljcn64zd6bs7yszj9yy3lnc80000gn/T//RtmpjHKoY1/1E4Y.pdb exists. Skipping download



Serve sushi 1E4Y with pasta

[[1]]

NULL

[[2]]

NULL

[[3]]

NULL