

Visualizing Multi-dimensional Clusters, Trends, and Outliers using Star Coordinates

Eser Kandogan

Student: Hazrat Ali

IBM Almaden Research Center - 26 references

About article


- **Title** : Visualizing Multi-dimensional Clusters, Trends, and Outliers
- **Date** : January 2001
- **Author** : Eser Kandogan
- **Publisher** : Conference: Proceedings of the seventh ACM SIGKDD international conference on Knowledge discovery and data mining

Multidimensional visualization


- Engineering and business data has many dimensions
- Interactive visualizations technique to get insight
- Star Coordinates
 - Arrange into 2 dimensional surface
 - Finding vector sum of all axes

Star coordinates


- Nth dimensional space
 - Represented by n-1 sweep
 - Vector sum of all axes
 - Ambiguities
 - Use of interaction techniques




a) 1-Dimensional



b) 2-Dimensional




c) 3-Dimensional



d) 4-Dimensional



Vector sum

- Point P_j represents one point
- It is composed of 8 data points $D_{j1} - D_{j8}$
- There are 7 Coordinates $C_1 - C_7$




Interaction Techniques

- Scaling
- Rotation
- Marking
- Range selection
- Footprints



Churn Analysis

- Cancel services
- Clustering to predict interesting patterns
 - customers that exhibit
 - similar patterns in advance
 - so that new services,
 - promotions, etc. can be offered



Conclusion

Customers are clustered into two main groups

- customers with an international plan are more likely to churn
- voice plan membership makes them less likely to churn



Thanks



Questions ?