


## Groups

- Protist
  - Metazoa
  - Viridiplantae
  - Fungi



## SMO. Bibliography for the molecular phylogenies used to manually curate the “reference supertree of eukaryotes”.

Example taken from the Reference supertree topology for 461 species that is depicted above:

The phylogenetic relationships of the below three species are supported by the molecular phylogenies reported by both the genome project (denoted with the species abbreviated name) and specific lineages (denoted with numbers) reconstructed with different phylogenetic methods and/or genetic markers/orthologs.



- [mro] Kapheim K.M., et al. (2015). Social evolution. Genomic signatures of evolutionary transitions from solitary to group living. *Science*, 348(6239):1139-43.
- [bte] Sadd B., et al. (2015). The genomes of two key bumblebee species with primitive eusocial organization. *Genome Biology*, 16:76.
- [ame] Weinstock G.M., et al., (2006). Insights into social insects from the genome of the honeybee *Apis mellifera*. *Nature*, 443: 931-949.
- [11] Carapelli A, et al., 2007. BMC Evolutionary Biology, 7(S2):S12. Phylogenetic analysis of mitochondrial protein coding genes confirms the reciprocal paraphyly of Hexapoda and Crustacea.
- [52] Meusemann K, et al., 2010. Mol. Biol. Evol., 27:2451-2464. A Phylogenomic Approach to Resolve the Arthropod Tree of Life.
- [73] Rota-Stabelli O, et al., 2010. Proc. R. Soc. B. DOI: 10.1098/rspb.2010.0590. A congruent solution to arthropod phylogeny: phylogenomics, microRNAs and morphology support monophyletic Mandibulata.
- [75] Sasaki G, et al., 2013. BMC Evolutionary Biology 13:236. Molecular phylogenetic analyses support the monophyly of Hexapoda and suggest the paraphyly of Entognatha.
- [91] The Honeybee Genome Sequencing Consortium, 2006. Nature 443:931-949. Insights into social insects from the genome of the honeybee *Apis mellifera*.

### [number shown in the species name] References for lineage specific phylogenies reconstructed at the local or large phylogenetic scales:

- [1] Amborella Genome Project, 2013. Science, 342:1241089. The Amborella Genome and the Evolution of Flowering Plants.
- [2] Amemiya CT, et al., 2013. Nature, 496:311-316. The African coelacanth genome provides insights into tetrapod evolution.
- [3] Bachvaroff RT, et al., 2011. J. Eukaryot. Microbiol., 58(3):223-233. Alveolate Phylogeny Inferred using Concatenated Ribosomal Proteins.
- [4] Binder M and Hibbett DS, 2006. Mycologia, 98(6):971-981. Molecular systematics and biological diversification of Boletales.
- [5] Binder M, et al., 2013. Mycologia, 105(6):1350-1373. Phylogenetic and phylogenomic overview of the Polyporales.
- [6] Bininda-Emonds OR, et al., 2007. Nature, 446:507-512. The delayed rise of present-day mammals.

- [7] Brown MW, et al., 2009. Mol. Biol. Evol., 26(12):2699-2709. Phylogeny of the “Forgotten” Cellular Slime Mold, *Fonticula alba*, Reveals a Key Evolutionary Branch within Opisthokonta.
- [8] Brown JW and Sorhannus U, 2010. Plos One 5(9):e12759. A Molecular Genetic Timescale for the Diversification of Autotrophic Stramenopiles (Ochrophyta): Substantive Underestimation of Putative Fossil Ages.
- [9] Burki F, et al., 2008. Biol. Lett., 4:366-369. Phylogenomics reveals a new ‘megagroup’ including most photosynthetic eukaryotes.
- [10] Cai J, et al., 2015. Nature Genetics 47:65-72. The genome sequence of the orchid *Phalaenopsis equestris*.
- [11] Carapelli A, et al., 2007. BMC Evolutionary Biology, 7(S2):S12. Phylogenetic analysis of mitochondrial protein coding genes confirms the reciprocal paraphyly of Hexapoda and Crustacea.
- [12] Laumer CE, et al., 2019. Proceedings of the royal society B, 286(1906):20190831. Revisiting metazoan phylogeny with genomic sampling of all phyla.
- [13] Castoe TA, et al., 2013. PNAS, 110:20645-20650. The Burmese python genome reveals the molecular basis for extreme adaptation in snakes.
- [14] Cavalier-Smith T, et al., 2014. Mol. Phylogenetics and Evol., 81:71-85. Multigene eukaryote phylogeny reveals the likely protozoan ancestors of opisthokonts (animals, fungi, choanozoans) and Amoebozoa.
- [15] Cavalier-Smith T, et al., 2015. Mol. Phylogenetics and Evol., 83:293-304. Multigene phylogeny resolves deep branching of Amoebozoa.
- [16] Chang ES, et al., 2015. PNAS, 112(48):14912-14917. Genomic insights into the evolutionary origin of Myxozoa within Cnidaria.
- [17] Cho YS, et al., 2013. Nature Communications, 4:2433. The tiger genome and comparative analysis with lion and snow leopard genomes.
- [18] Crawford NG, et al., 2015. Molecular Phylogenetics and Evolution, 83:250-257. A phylogenomic analysis of turtles.
- [19] Cunha HA, et al., 2011. PlosOne 6:e28297. Phylogenetic Status and Timescale for the Diversification of Steno and Sotalia Dolphins.
- [20] Delsuc F, et al., 2008. Genesis 46:592-604. Additional molecular support for the new chordate phylogeny.
- [21] Dohm JC, et al., 2014. Nature, 505(7484):546-549. The genome of the recently domesticated crop plant sugar beet (*Beta vulgaris*).
- [22] dos Reis M, et al., 2012. Proc Biol Sci., 279(1742):3491-500. Phylogenomic datasets provide both precision and accuracy in estimating the timescale of placental mammal phylogeny.
- [23] Dunn CW, et al., 2014. Annu. Rev. Ecol. Syst. 45:371-395. Animal Phylogeny and Its Evolutionary Implications.
- [24] Ellison AM and Gotelli NJ, 2009. Journal of Experimental Botany 60:19-42. Energetics and the evolution of carnivorous plants—Darwin’s ‘most wonderful plants in the world’.
- [25] Fong JJ, et al., 2012. Plos One 7(11):e48990. A Phylogenomic Approach to Vertebrate Phylogeny Supports a Turtle-Archosaur Affinity and a Possible Paraphyletic Lissamphibia.
- [26] Foote AD, et al., 2015. Nature Genetics 47:272-275. Convergent evolution of the genomes of marine mammals.
- [27] Givnish TJ, et al., 2006. Aliso 22:28-51. Phylogenetic relationships of monocots based on the highly informative plastid gene *ndhF*: evidence for widespread concerted convergence.
- [28] Giribet G and Edgecombe GD, 2012. Annu Rev Entomol. 2012;57:167-86. Reevaluating the arthropod tree of life.
- [29] Green RE, et al., 2014. Science, 346:1335. Three crocodilian genomes reveal ancestral patterns of evolution among archosaurs.
- [30] Hampl V, et al., 2009. PNAS, 106(10):3859-3864. Phylogenomic analyses support the monophly of Excavata and resolve relationships among eukaryotic “supergroups”.
- [31] He N, et al., 2013. Nature Communications 4:2445. Draft genome sequence of the mulberry tree *Morus notabilis*.
- [32] Heidel AJ, et al., 2011. Genome Research, 21:1882-1891. Phylogeny-wide analysis of social amoeba genomes highlights ancient origins for complex intercellular communication.
- [33] Heikkilä M, et al. 2015. BMC Evolutionary Biology, 15:260. Elusive ditrysian phylogeny: an account of combining systematized morphology with molecular data (Lepidoptera).
- [34] Hertweck KL, et al. 2015. Bot J Linn Soc, 178: 375-393. Phylogenetics, divergence times and diversification from three genomic partitions in monocots.
- [35] Hibbett DS, 2006. Mycologia, 98(6):917-925. A Phylogenetic Overview of the Agaricomycotina.

- [36] Hibbett DS, et al., 2007. Mycological Research, 111:509-547. A higher-level phylogenetic classification of the Fungi.
- [37] Ibarra-Laclette E, et al., 2013. Nature 498:94-98. Architecture and evolution of a minute plant genome.
- [38] James TY, et al., 2006. Mycologia, 98:860-871. A molecular phylogeny of the flagellated fungi (Chytridiomycota) and description of a new phylum (Blastocladiomycota).
- [39] James TY, et al., 2006. Nature, 443:818-822. Reconstructing the early evolution of Fungi using a six-gene phylogeny.
- [40] Jarvis ED, et al., 2014. Science, 346:1320. Whole-genome analyses resolve early branches in the tree of life of modern birds.
- [41] John AJ, et al., 2012. Genome Biology, 13:415. Sequencing three crocodilian genomes to illuminate the evolution of archosaurs and amniotes.
- [42] Kagale S, et al., 2014. Nature Communications 5:3706. The emerging biofuel crop *Camelina sativa* retains a highly undifferentiated hexaploid genome structure.
- [43] Klopstein S, et al., 2013. PLoS One, 8(8):e69344. The Hymenopteran Tree of Life: Evidence from Protein-Coding Genes and Objectively Aligned Ribosomal Data.
- [44] Koenig D and Weigel D, 2015. Nature Review Genetics, 16:285. Beyond the thale: comparative genomics and genetics of *Arabidopsis* relatives.
- [45] Koufopanou V, et al., 2013. FEMS Yeast Res., 13(6):574-584. Primers for fourteen protein-coding genes and the deep phylogeny of the true yeasts.
- [46] Kramer EM and Hedges SA, 2010. Phil. Trans. R. Soc. B, 365:477-490. *Aquilegia* as a model system for the evolution and ecology of petals.
- [47] Leliaert F, et al., 2012. Crit. Rev. Plant Sci., 31:1-46. Phylogeny and Molecular Evolution of the Green Algae.
- [48] MacDougall-Shackleton SA and Ball GF, 1999. Trends in Neurosciences 22:432-436. Comparative studies of sex differences in the song-control system of songbirds.
- [49] Margulies EH, et al., 2007. Genome Res, 17: 760-774. Analyses of deep mammalian sequence alignments and constraint predictions for 1% of the human genome.
- [50] Matheny PB, et al., 2006. Mycologia, 98(6):982-995. Major clades of Agaricales: a multilocus phylogenetic overview.
- [51] Meredith RW, et al., 2011. Science, 334:521-524. Impacts of the Cretaceous Terrestrial Revolution and KPg extinction on mammal diversification.
- [52] Meusemann K, et al., 2010. Mol. Biol. Evol., 27:2451-2464. A Phylogenomic Approach to Resolve the Arthropod Tree of Life.
- [53] Ming R, et al., 2013. Genome Biology, 14:R41. Genome of the long-living sacred lotus (*Nelumbo nucifera* Gaertn.).
- [54] Misof B, et al. 2014. Science, 346(6210):763-7. Phylogenomics resolves the timing and pattern of insect evolution.
- [55] Mitter C, et al., 2017. Annual Review of Entomology, 62:265-283. Phylogeny and Evolution of Lepidoptera.
- [56] Moore MJ, et al., 2007. PNAS, 104(49):19363-19368. Using plastid genome-scale data to resolve enigmatic relationships among basal angiosperms.
- [57] Moore MJ, et al., 2010. PNAS, 107(10):4623-4628. Phylogenetic analysis of 83 plastid genes further resolves the early diversification of eudicots.
- [58] Moreau CS, et al., 2006. Science, 312:101-104. Phylogeny of the ants: diversification in the age of angiosperms.
- [59] Moreau H, et al., 2012. Genome Biology 13:R74. Gene functionalities and genome structure in *Bathycoccus prasinos* reflect cellular specializations at the base of the green lineage.
- [60] Morin E, et al., 2012. PNAS, 109(43):17501-17506. Genome sequence of the button mushroom *Agaricus bisporus* reveals mechanisms governing adaptation to a humic-rich ecological niche.
- [61] Nakamura Y, et al., 2013. Plos One 8(3):e57122. The First Symbiont-Free Genome Sequence of Marine Red Alga, Susabi-nori (*Pyropia yezoensis*).
- [62] Near TJ, et al., 2012. PNAS, 109:13698-13703. Resolution of ray-finned fish phylogeny and timing of diversification.
- [63] Near TJ, et al., 2013. PNAS, 110:12738-12743. Phylogeny and tempo of diversification in the superradiation of spiny-rayed fishes.
- [64] Ni X, et al., 2013. Nature, 498:60-64. The oldest known primate skeleton and early haplorhine evolution.
- [65] Nosenko T, et al., 2013. Mol Phylogenetic Evol., 67(1):223-33. Deep metazoan phylogeny: when different genes tell different stories.
- [66] Nystedt B, et al., 2013. Nature, 497:579-584. The Norway spruce genome sequence and conifer genome evolution.
- [67] Paps J, et al., 2013. Protist, 164(1):2-12. Molecular phylogeny of unikonts: new insights into the position of apusomonads and acyromonads and the internal relationships of opisthokonts.
- [68] Prum OP, et al., 2015. Nature, 526:569. A comprehensive phylogeny of birds (Aves) using targeted next-generation DNA sequencing.
- [69] Qin C, et al., 2014. PNAS 111(14):5135-5140. Whole-genome sequencing of cultivated and wild peppers provides insights into *Capsicum* domestication and specialization.
- [70] Qiu H, et al., 2013. Current Biology, 23(19):R865. Adaptation through horizontal gene transfer in the cryptoendolithic red alga *Galdieria phlegrea*.
- [71] Regier JC, et al., 2013. PLoS One, 8(3):e58568. A Large-Scale, Higher-Level, Molecular Phylogenetic Study of the Insect Order Lepidoptera (Moths and Butterflies).

- [72] Ronquist F, 1999. *Zoologica Scripta*, 28:3-11. Phylogeny of the Hymenoptera (Insecta): The state of the art.
- [73] Rota-Stabelli O, et al., 2010. *Proc. R. Soc. B.* DOI: 10.1098/rspb.2010.0590. A congruent solution to arthropod phylogeny: phylogenomics, microRNAs and morphology support monophyletic Mandibulata.
- [74] Ryan JF, et al., 2013. *Science*, 342:1242592. The Genome of the Ctenophore *Mnemiopsis leidyi* and Its Implications for Cell Type Evolution.
- [75] Sasaki G, et al., 2013. *BMC Evolutionary Biology* 13:236. Molecular phylogenetic analyses support the monophyly of Hexapoda and suggest the paraphyly of Entognatha.
- [76] Schierwater B, et al., 2009. *PLoS Biol.*, 7(1):e20. Concatenated analysis sheds light on early metazoan evolution and fuels a modern "urmetazoon" hypothesis.
- [77] Schoch CL, et al., 2006. *Mycologia*, 98(6):1041-1052. A multigene phylogeny of the Dothideomycetes using four nuclear loci.
- [78] Schoch CL, et al., 2009. *Studies in Mycology*, 64:1-15. A class-wide phylogenetic assessment of Dothideomycetes.
- [79] Schoch CL, et al., 2009. *Systematic Biology*, 58(2):224-68. The Ascomycota tree of life: a phylum-wide phylogeny clarifies the origin and evolution of fundamental reproductive and ecological traits.
- [80] Schultz TR and Brady SG, 2008. *PNAS*, 105(14):5435-5440. Major evolutionary transitions in ant agriculture.
- [81] Shalchian-Tabrizi K, et al., 2008. *Plos One*, 3:e2098. Multigene Phylogeny of Choanozoa and the Origin of Animals.
- [82] Shoguchi E, et al., 2013. *Curr Biol*. 23(15):1399-408. Draft assembly of the *Symbiodinium minutum* nuclear genome reveals dinoflagellate gene structure.
- [83] Simakov O, et al., 2013. *Nature* 493:526-531. Insights into bilaterian evolution from three spiralian genomes.
- [84] Simakov O, et al., 2015. *Nature*. 527:459-65. Hemichordate genomes and deuterostome origins.
- [85] Sims GE, et al., 2009. *PNAS*, 106:17077-17082. Whole-genome phylogeny of mammals: Evolutionary information in genic and nongenic regions.
- [86] Singh R, et al., 2013. *Nature* 500:335-339. Oil palm genome sequence reveals divergence of interfertile species in Old and New worlds.
- [87] Song S, et al., 2012. *PNAS*, 109:14942-14947. Resolving conflict in eutherian mammal phylogeny using phylogenomics and the multispecies coalescent model.
- [88] Spaulding M, et al., 2009. *PLoS ONE* 4:e7062. Relationships of Cetacea (Artiodactyla) Among Mammals: Increased Taxon Sampling Alters Interpretations of Key Fossils and Character Evolution.
- [89] Suh SO, et al., 2006. *Mycologia*, 98(6):1006-1017. Phylogenetics of Saccharomycetales, the ascomycete yeasts.
- [90] The Bactrian Camels Genome Sequencing and Analysis Consortium, 2013. *Nature Communications* 3:1202. Genome sequences of wild and domestic bactrian camels.
- [91] The Honeybee Genome Sequencing Consortium, 2006. *Nature* 443:931-949. Insights into social insects from the genome of the honeybee *Apis mellifera*.
- [92] Tine M, et al., 2014. *Nature communications* 5:5770. European sea bass genome and its variation provide insights into adaptation to euryhalinity and speciation.
- [93] Varshney RK, et al., 2013. *Nature Biotechnology* 31, 240-246. Draft genome sequence of chickpea (*Cicer arietinum*) provides a resource for trait improvement.
- [94] von Reumont BM, et al., 2012. *Mol Biol Evol*, 29(3):1031-45. Pancrustacean phylogeny in the light of new phylogenomic data: support for Remipedia as the possible sister group of Hexapoda.
- [95] Wang H, et al., 2009. *PNAS*, 106:3853-3858. Rosid radiation and the rapid rise of angiosperm-dominated forests.
- [96] Wang Z, et al., 2013. *Nature Genetics*, 45:701-706. The draft genomes of soft-shell turtle and green sea turtle yield insights into the development and evolution of the turtle-specific body plan.
- [97] Ward PS, et al., 2015. *Systematic Entomology*, 40:61-81. The evolution of myrmicine ants: phylogeny and biogeography of a hyperdiverse ant clade (Hymenoptera: Formicidae).
- [98] Ward PS, 2014. *Annu. Rev. Ecol. Evol. Syst.* 45:23-43. The Phylogeny and Evolution of Ants.
- [99] Werneburg I and Sánchez-Villagra MR, 2009. *BMC Evolutionary Biology* 9:82. Timing of organogenesis support basal position of turtles in the amniote tree of life.
- [100] White MM, et al., 2006. *Mycologia*, 98:872-84. Phylogeny of the Zygomycota based on nuclear ribosomal sequence data.
- [101] Wiegmann BM, et al., 2011. *PNAS*, 108(14):5690-5695. Episodic radiations in the fly tree of life.
- [102] Woo YH, et al., 2015. *eLife* 4:e06974. Chromerid genomes reveal the evolutionary path from photosynthetic algae to obligate intracellular parasites.
- [103] Xiao JH, et al., 2013. *Genome Biology* 14:R141. Obligate mutualism within a host drives the extreme specialization of a fig wasp genome.
- [104] Xi et al., 2012. *PNAS* 109:17519-17524. Phylogenomics and a posteriori data partitioning resolve the Cretaceous angiosperm radiation Malpighiales.

- [105] Ye N, et al., 2015. Nature Communications 6:6986. Saccharina genomes provide novel insight into kelp biology.
- [106] Yubuki N, et al., 2010. Protist, 161:264-278. Ultrastructure and molecular phylogenetic position of a novel phagotrophic stramenopile from low oxygen environments: *Rictus lutensis* gen. et sp. nov. (Bicosoecida, incertae sedis).
- [107] Zeng L, et al., 2014. Nat Commun 5:4956. Resolution of deep angiosperm phylogeny using conserved nuclear genes and estimates of early divergence times.
- [108] Zhang N, et al., 2006. Mycologia, 98(6):1076-1087. An overview of the systematics of the Sordariomycetes based on a four-gene phylogeny.
- [109] Zhang H, et al., 2013. Genome Biology, 14:401. Genome sequencing of the important oilseed crop *Sesamum indicum* L.
- [110] Zhang G, et al., 2014. Science 346:1311. Comparative genomics reveals insights into avian genome evolution and adaptation.

**[abbreviation code for the species name] References for the phylogeny reconstructed by the specific genome project (depicted in the main text or supplementary material of the corresponding publication). When necessary, the species specific phylogeny of a closer species or genera was used instead.**

- [aae] Nene V., et al. (2007). Genome Sequence of *Aedes aegypti*, a Major Arbovirus Vector. Science, 316(5832):1718-1723.
- [aal] Summerbell R.C., et al. (2011). Acremonium phylogenetic overview and revision of *Gliomastix*, *Sarocladium*, and *Trichothecium*. Stud Mycol., 68:139-62.
- [aan] Gobler C.J., et al. (2011). Niche of harmful alga *Aureococcus anophagefferens* revealed through ecogenomics. Proc Natl Acad Sci U S A., 108 (11) 4352-4357.
- [aar] Haudry A., et al. (2013). An atlas of over 90,000 conserved noncoding sequences provides insight into crucifer regulatory regions. Nature Genetics, 45: 891–898.
- [abb] Morin E., et al. (2012). Genome sequence of the button mushroom *Agaricus bisporus* reveals mechanisms governing adaptation to a humic-rich ecological niche. Proc Natl Acad Sci U S A., 109(43):17501-6.
- [abu] Brawand D., et al. (2014). The genomic substrate for adaptive radiation in African cichlid fish. Nature, 513: 375–381.
- [aca] Clarke M., et al. (2013). Genome of *Acanthamoeba castellanii* highlights extensive lateral gene transfer and early evolution of tyrosine kinase signaling. Genome Biology, 14:R11.
- [ace] Suen G., et al. (2011). The Genome Sequence of the Leaf-Cutter Ant *Atta cephalotes* Reveals Insights into Its Obligate Symbiotic Lifestyle. PLoS Genet, 7(2): e1002007.
- [ach] Huang S., et al. (2013). Draft genome of the kiwifruit *Actinidia chinensis*. Nature Communications 4, Article number: 2640.
- [aco] Filiault D.L., et al. (2018). The *Aquilegia* genome provides insight into adaptive radiation and reveals an extraordinarily polymorphic chromosome with a unique history. Elife, 7:e36426.
- [acr] Alföldi J., et al. (2011). The genome of the green anole lizard and a comparative analysis with birds and mammals. Nature, 477(7366): 587–591.
- [ada] Marinotti O., et al. (2013). The Genome of *Anopheles darlingi*, the main neotropical malaria vector. Nucl. Acids Res, 41(15):7387-7400.
- [ade] Floudas D., et al. (2012). The Paleozoic Origin of Enzymatic Lignin Decomposition Reconstructed from 31 Fungal Genomes. Science, 336(6089):1715-1719.
- [adi] Shizato C., et al. (2014). Using the *Acropora digitifera* genome to understand coral responses to environmental change. Nature 476: 320–323.
- [aec] Nygaard S., et al. (2011). The genome of the leaf-cutting ant *Acromyrmex echinatior* suggests key adaptations to advanced social life and fungus farming. Genome Res, 21: 1339-1348.
- [af0] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. Gigascience, 3:26.
- [aga] Holt R.A., et al (2002). The Genome Sequence of the Malaria Mosquito *Anopheles gambiae*. Science, 298(5591):129-149.

- [ago] Dietrich F.S., et al. (2004). The *Ashbya gossypii* genome as a tool for mapping the ancient *Saccharomyces cerevisiae* genome. *Science*, 304(5668):304-307.
- [ala] Kemen E., et al., (2011). Gene Gain and Loss during Evolution of Obligate Parasitism in the White Rust Pathogen of *Arabidopsis thaliana*. *PLoS Biol*, 9(7): e1001094.
- [ali] Liang L., et al. (2020). Genome and Transcriptome Analyses Provide Insight Into the Omega-3 Long-Chain Polyunsaturated Fatty Acids Biosynthesis of *Schizochytrium limacinum* SR21. *Front Microbiol*, 11:687.
- [aly] Hu T.T., et al. (2011). The *Arabidopsis lyrata* genome sequence and the basis of rapid genome size change. *Nat Genet*, 43:476-81.
- [ame] Weinstock G.M., et al., (2006). Insights into social insects from the genome of the honeybee *Apis mellifera*. *Nature*, 443: 931-949.
- [amg] Galindo L.J., et al. (2021). Phylogenomics of a new fungal phylum reveals multiple waves of reductive evolution across Holomycota. *Nature Communications* 12, Article number: 4973. Paquin B., et al., (1995). Molecular phylogeny of *Allomyces macrogynus*: congruency between nuclear ribosomal RNA- and mitochondrial protein-based trees. *J Mol Evol*. 41(5):657-65.
- [ami] St John J., et al. (2012). Sequencing three crocodilian genomes to illuminate the evolution of archosaurs and amniotes. *Genome Biol*, 13:415.
- [aml] Li R., et al. (2010). The sequence and de novo assembly of the giant panda genome. *Nature*, 463:311-7.
- [amu] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nat Genet*, 47(4):410-5.
- [amx] McGaugh S., et al. (2014). The cavefish genome reveals candidate genes for eye loss. *Nature Communications* 5, Article number: 5307
- [ang] Pel J., et al. (2007). Genome sequencing and analysis of the versatile cell factory *Aspergillus niger* CBS 513.88. *Nature Biotechnology*, 25:221-231.
- [ani] Galagan J., et al. (2005). Sequencing of *Aspergillus nidulans* and comparative analysis with *A. fumigatus* and *A. oryzae*. *Nature*, 438:1105-1115.
- [ann] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [api] The International Aphid Genomics Consortium (2010). Genome Sequence of the Pea Aphid *Acyrtosiphon pisum*. *PLoS Biol*, 8(2): e1000313.
- [apl] Huang Y., et al. (2013). The duck genome and transcriptome provide insight into an avian influenza virus reservoir species. *Nature Genetics* 45, 776–783. Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [apu] Gostinčar C., et al. (2014). Genome sequencing of four *Aureobasidium pullulans* varieties: biotechnological potential, stress tolerance, and description of new species. *BMC Genomics*, 15:549.
- [aqc] Doyle J., et al. (2013). he Genome Sequence of a Widespread Apex Predator, the Golden Eagle (*Aquila chrysaetos*). *PLoS ONE*, 9(4): e95599.
- [aqp] Srivastava M., et al. (2010). The *Amphimedon queenslandica* genome and the evolution of animal complexity. *Nature*, 466: 720–726. Redmond A.K., et al. (2021). Evidence for sponges as sister to all other animals from partitioned phylogenomics with mixture models and recoding. *Nature communications*, 12(1):1–14.
- [are] Martino E., et al. (2018). Comparative genomics and transcriptomics depict ericoid mycorrhizal fungi as versatile saprotrophs and plant mutualists. *New Phytol*, 217(3):1213-1229.
- [ari] Mosier AC, et al. (2016). Fungi Contribute Critical but Spatially Varying Roles in Nitrogen and Carbon Cycling in Acid Mine Drainage. *Front Microbiol*, 7:238.
- [aro] Oeyen J.P., et al. (2020). Sawfly Genomes Reveal Evolutionary Acquisitions That Fostered the Mega-Radiation of Parasitoid and Eusocial Hymenoptera. *Genome Biology and Evolution*, 12(7): 1099–1188.
- [aru] Riley R., et al. (2016). Comparative genomics of biotechnologically important yeasts. *Proc Natl Acad Sci U S A*, 113(35):9882-7.
- [asp] Armaleo D., et al. (2019). The lichen symbiosis re-viewed through the genomes of *Cladonia grayi* and its algal partner *Astrochloris glomerata*. *MC Genomics* 20, Article number: 605.
- [asu] Jex A., et al. (2011). *Ascaris suum* draft genome. *Nature*, 479: 529–533.
- [ata] Jia J., et al. (2013). *Aegilops tauschii* draft genome sequence reveals a gene repertoire for wheat adaptation. *Nature*, 496: 91–95.
- [ath] Arabidopsis Genome Initiative. (2000). Analysis of the genome sequence of the flowering plant *Arabidopsis thaliana*. *Nature*, 408(6814):796-815.
- [atr] Amborella Genome Project. (2013). The Amborella Genome and the Evolution of Flowering Plants. *Science*, 342(6165):1241089
- [ava] Flot J.F., et al. (2013). Genomic evidence for ameiotic evolution in the bdelloid rotifer *Adineta vaga*. *Nature*, 500: 453–457.
- [bac] Yim H.S., et al. (2014). Minke whale genome and aquatic adaptation in cetaceans. *Nature Genetics*, 46: 88–92.
- [bad] Binder M., et al. (2013). Phylogenetic and phylogenomic overview of the Polyporales. *Mycologia*, 105(6):1350-73.

- [ban] Kelley J., et al. (2013). Compact genome of the Antarctic midge is likely an adaptation to an extreme environment. *Nature Communications* 5, Article number: 4611.
- [bbo] Brayton K.A., et al. (2007). Genome sequence of Babesia bovis and comparative analysis of apicomplexan hemoprotozoa. *PLOS Pathogens*, 3: 1401-1413.
- [bci] Amselem J., et al. (2011). Genomic analysis of the necrotrophic fungal pathogens Sclerotinia sclerotiorum and Botrytis cinerea. *PLoS Genet.*, 7(8):e1002230.
- [bco] Ohm R.A., et al. (2012). Diverse lifestyles and strategies of plant pathogenesis encoded in the genomes of eighteen Dothideomycetes fungi. *PLoS Pathog.*, 8(12):e1003037.
- [bde] Rosenblum E.B., et al. (2013). Complex history of the amphibian-killing chytrid fungus revealed with genome resequencing data. *Proc Natl Acad Sci U S A.*, 110(323):9385-9390.
- [bdi] The International Brachypodium Initiative. (2010) Genome sequencing and analysis of the model grass Brachypodium distachyon. *Nature* 463, 763-768.
- [bfl] Putnam N.H., et al. (2008). The amphioxus genome and the evolution of the chordate karyotype. *Nature*, 453:1064-71.
- [bgl] Adema C.M., et al. (2017). Whole genome analysis of a schistosomiasis-transmitting freshwater snail. *Nature Communications*, 8:15451.
- [bho] Denoeud F., et al. (2011). Genome sequence of the stramenopile Blastocystis, a human anaerobic parasite. *Genome Biol.*, 12(3): R29.
- [bin] Riley R., et al. (2016). Comparative genomics of biotechnologically important yeasts. *Proc Natl Acad Sci U S A.*, 113(35):9882-7.
- [bma] Ghedin E., et al. (2007). Draft genome of the filarial nematode parasite Brugia malayi. *Science*, 317:1756-60.
- [bmo] Xia Q., et al. (2004). A draft sequence for the genome of the domesticated silkworm (*Bombyx mori*). *Science*, 306: 1937-40. & Mita K., et al . (2004). The genome sequence of silkworm, *Bombyx mori*. *DNA Res.*, 11: 27-35.
- [bna] Curtis B.A., et al (2012). Algal genomes reveal evolutionary mosaicism and the fate of nucleomorphs. *Nature*, 492: 59–65.
- [bob] Riley R., et al. (2014). Extensive sampling of basidiomycete genomes demonstrates inadequacy of the white-rot/brown-rot paradigm for wood decay fungi. *Proc Natl Acad Sci U S A.* , 111(27):9923-8.
- [bpr] Moreau H., et al (2012). Gene functionalities and genome structure in *Bathycoccus prasinos* reflect cellular specializations at the base of the green lineage. *Genome Biology*, 13:R74.
- [brp] Brassica rapa Genome Sequencing Project Consortium. (2011). The genome of the mesopolyploid crop species *Brassica rapa*. *Nat Genet.*, 43(10):1035-9.
- [bta] Elsik C.G., et al. (2009). The genome sequence of taurine cattle: a window to ruminant biology and evolution. *Science*, 324:522-8. Robinson T.J. and Ropiquet A. (2011). Examination of Hemiplasy, Homoplasy and Phylogenetic Discordance in Chromosomal Evolution of the Bovidae. *Syst Biol*, 60: 439–450.
- [bte] Sadd B., et al. (2015). The genomes of two key bumblebee species with primitive eusocial organization. *Genome Biology*, 16:76.
- [bvu] Dohm J., et al. (2014). The genome of the recently domesticated crop plant sugar beet (*Beta vulgaris*). *Nature*, 505: 546–549.
- [cal] Jones T., et al. (2004). The diploid genome sequence of *Candida albicans*. *Proc Natl Acad Sci.*, 101(19):7329-7334.
- [cam] Kagale S., et al. (2014). The emerging biofuel crop *Camelina sativa* retains a highly undifferentiated hexaploid genome structure. *Nature Communications* 5, Article number: 3706.
- [can] Mondo S.J., et al., (2017). Widespread adenine N6-methylation of active genes in fungi. *Nat Genet.*, 49(6):964-968.
- [cap] Kim S., et al. (2013). Genome sequence of the hot pepper provides insights into the evolution of pungency in Capsicum species. *Nature Genetics*, 46: 270–278.
- [car] Varshney R., et al. (2013). Draft genome sequence of chickpea (*Cicer arietinum*) provides a resource for trait improvement. *Nature Biotechnology*, 31: 240–246.
- [cca] Varshney R.K., et al. (2012). Draft genome sequence of pigeonpea (*Cajanus cajan*), an orphan legume crop of resource-poor farmers. *Nature Biotechnology*, 30(1):83-9.
- [cce] Cong Q., et al. (2016). Complete genomes of Hairstreak butterflies, their speciation, and nucleo-mitochondrial incongruence. *Scientific Reports* 6, Article number: 24863.
- [cci] Jason E., et al. (2010). Insights into evolution of multicellular fungi from the assembled chromosomes of the mushroom *Coprinopsis cinerea* (*Coprinus cinereus*). *Proc Natl Acad Sci U S A.*, 107(26):11889-11894.
- [ccl] Wu G., et al. (2014). Sequencing of diverse mandarin, pummelo and orange genomes reveals complex history of admixture during citrus domestication. *Nature Biotechnology*, 32: 656–662.
- [cco] Chang Y., et al. (2015). Phylogenomic Analyses Indicate that Early Fungi Evolved Digesting Cell Walls of Algal Ancestors of Land Plants. *Genome Biol Evol*, 7(6): 1590-1601.

- [ccr] Collén J., et al. (2013). Genome structure and metabolic features in the red seaweed *Chondrus crispus* shed light on evolution of the Archaeplastida. *Proc Natl Acad Sci U S A.*, 110 (13) 5247-5252.
- [ceb] Oxley P., et al. (2014). The Genome of the Clonal Raider Ant *Cerapachys biroi*. *Curr Biol*, 24: 451-458.
- [cel] The C. elegans Sequencing Consortium, (1998). Genome sequence of the nematode *C. elegans*: a platform for investigating biology. *Science*, 282: 2012-8.
- [ces] Fernandez-Fueyo E., et al. (2012). Comparative genomics of *Ceriporiopsis subvermispora* and *Phanerochaete chrysosporium* provide insight into selective ligninolysis. *Proc Natl Acad Sci U S A.*, 109(14):5458-63.
- [cfa] Kirkness E.F., et al. (2003). The dog genome: survey sequencing and comparative analysis. *Science*, 301:1898-903. Lindblad-Toh K., et al. (2005). Genome sequence, comparative analysis and haplotype structure of the domestic dog. *Nature*, 438:803-19.
- [cfe] The Bactrian Camels Genome Sequencing and Analysis Consortium (2011). Genome sequences of wild and domestic bactrian camels. *Nature Communications* 3, Article number: 1202.
- [cfl] Bonasio R., et al. (2010). Genomic Comparison of the Ants *Camponotus floridanus* and *Harpegnathos saltator*. *Science*, 329: 1068-1071.
- [cfu] de Wit P.J., et al (2012). The genomes of the fungal plant pathogens *Cladosporium fulvum* and *Dothistroma septosporum* reveal adaptation to different hosts and lifestyles but also signatures of common ancestry. *PLoS Genet.*, 8(11):e1003088.
- [cgi] Zhang G., et al., (2012). The oyster genome reveals stress adaptation and complexity of shell formation. *Nature*, 490: 49–54.
- [cgj] Cuomo C., et al. (2015). Draft Genome Sequence of the Cellulolytic Fungus *Chaetomium globosum*. *Genome Announc*, 3(1):e00021-15.
- [che] Ohm R.A., et al. (2012). Diverse lifestyles and strategies of plant pathogenesis encoded in the genomes of eighteen Dothideomycetes fungi. *PLoS Pathog.*, 8(12):e1003037.
- Condon B.J., et al. (2013). Comparative genome structure, secondary metabolite, and effector coding capacity across *Cochliobolus* pathogens. *PLoS Genet.*, 9(1):e1003233.
- [chi] Dong Y., et al. (2013). Sequencing and automated whole-genome optical mapping of the genome of a domestic goat (*Capra hircus*). *Nature Biotechnology*, 31: 135–141.
- [chp] Shaffer H., et al. (2013). The western painted turtle genome, a model for the evolution of extreme physiological adaptations in a slowly evolving lineage. *Genome Biology*, 14:R28.
- [chu] Ma W., et al. (2020). A chromosome-level genome assembly reveals the genetic basis of cold tolerance in a notorious rice insect pest, *Chilo suppressalis*. *Mol Ecol Resour*, 20(1):268-282.
- [cin] Dehal P., et al. (2002). The draft genome of *Ciona intestinalis*: insights into chordate and vertebrate origins. *Science*, 298:2157-67.
- [cja] The Marmoset Genome Sequencing and Analysis Consortium, (2014). The common marmoset genome provides insight into primate biology and evolution. *Nature Genetics*, 46: 850–857.
- [cla] Guo S., et al. (2013). The draft genome of watermelon (*Citrullus lanatus*) and resequencing of 20 diverse accessions. *Nature Genetics*, 45: 51–58.
- [clg] Armaleo D., et al. (2019). The lichen symbiosis re-reviewed through the genomes of *Cladonia grayi* and its algal partner *Astrochloris glomerata*. *BMC Genomics*, 20(1):605.
- [cli] Shapiro M., et al. (2013). Genomic Diversity and Evolution of the Head Crest in the Rock Pigeon. *Science*, 339( 6123):1063-1067. Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [cls] Wang X., et al. (2011). The draft genome of the carcinogenic human liver fluke *Clonorchis sinensis*. *Genome Biology* 12:R107. Huang Y., et al. (2013). The Carcinogenic Liver Fluke, *Clonorchis sinensis*: New Assembly, Reannotation and Analysis of the Genome and Characterization of Tissue Transcriptomes. *PLoS ONE*, 8(1): e54732.
- [cme] Matsuzaki M., et al. (2004). Genome sequence of the ultrasmall unicellular red alga *Cyanidioschyton merolae* 10D. *Nature*, 428:653-7. Nozaki H., et al. (2007). A 100%-complete sequence reveals unusually simple genomic features in the hot-spring red alga *Cyanidioschyton merolae*. *BMC Biology*, 5:28.
- [cml] Garci-Mas J., et al. (2012). The Genome of melon (*Cucumis melo* L.). *Proc Natl Acad Sci U S A.* , 109(29):11872-7.
- [cmu] Feng Y., et al. (2011). Development of a multilocus sequence tool for typing *Cryptosporidium muris* and *Cryptosporidium andersoni*. *J Clin Microbiol*, 49: 34–41.
- [cmy] Wang X., et al. (2013). The draft genomes of soft-shell turtle and green sea turtle yield insights into the development and evolution of the turtle-specific body plan. *Nature Genetics* 45, 701–706.
- [cne] Loftus B.J., et al. (2005). The genome of the basidiomycetous yeast and human pathogen *Cryptococcus neoformans*. *Science*, 307(5713):1321-4.
- [cob] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.

- [cof] Denoeud F., et al. (2014). The coffee genome provides insight into the convergent evolution of caffeine biosynthesis. *Science*, 345(6201):1181-1184.
- [cor] Chang Y., et al. (2015). Phylogenomic Analyses Indicate that Early Fungi Evolved Digesting Cell Walls of Algal Ancestors of Land Plants. *Genome Biol Evol*, 7(6): 1590-1601.
- [cow] Sebé-Pedrós A., et al. (2016). The Dynamic Regulatory Genome of Capsaspora and the Origin of Animal Multicellularity. *Cell*, 165: 1224-1237.
- [cpl] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [cpo] Rodríguez-Prieto A., et al. (2014). Development of Rapidly Evolving Intron Markers to Estimate Multilocus Species Trees of Rodents. *PLoS ONE* 9(5): e96032. Gossmann T.I., et al. (2019). Ice-Age Climate Adaptations Trap the Alpine Marmot in a State of Low Genetic Diversity. *Current Biology*, 29(10): 1712-1720.e7.
- [cpp] Ming R., et al. (2008). The draft genome of the transgenic tropical fruit tree papaya (*Carica papaya* Linnaeus). *Nature*, 452(7190):991-6.
- [cpq] Peng C., et al. (2021). A Draft Genome Assembly of *Culex pipiens pallens* (Diptera: Culicidae) Using PacBio Sequencing. *Genome Biology and Evolution*, 13(3): evab005.
- [cpu] Floudas D., et al. (2012). The Paleozoic Origin of Enzymatic Lignin Decomposition Reconstructed from 31 Fungal Genomes. *Science*, 336(6089):1715-1719.
- [cpv] Abrahamsen M.S., et al. (2004). Complete genome sequence of the apicomplexan, *Cryptosporidium parvum*. *Science*, 304:441-5.
- [cqu] Pendleton A.L., et al. (2014). Duplications and losses in gene families of rust pathogens highlight putative effectors. *Front Plant Sci.*, 5:299.
- [crc] St John J., et al. (2012). Sequencing three crocodilian genomes to illuminate the evolution of archosaurs and amniotes. *Genome Biol*, 13:415.
- [cre] Merchant S.S., et al. (2007). The Chlamydomonas genome reveals the evolution of key animal and plant functions. *Science*, 318(5848):245-50.
- [crp] Crouch J.A., et al. (2020). Genome Sequence of the Chestnut Blight Fungus *Cryphonectria parasitica* EP155: A Fundamental Resource for an Archetypical Invasive Plant Pathogen. *Phytopathology*, 110(6):1180-1188.
- [cru] Slotte T., et al. (2013). The *Capsella rubella* genome and the genomic consequences of rapid mating system evolution. *Nature Genetics*, 45: 831-835.
- [csa] Huang S., et al. (2009). The genome of the cucumber, *Cucumis sativus* L. *Nature Genetics*, 41: 1275-1281.
- [csg] Small K.S., et al. (2007). A haplome alignment and reference sequence of the highly polymorphic *Ciona savignyi* genome. *Genome Biol.*, 8(3): R41. Vinson J., et al., (2005). Assembly of polymorphic genomes: algorithms and application to *C. savignyi*. *Genome Research*, 15:1127-1135.
- [csi] Xu Q., et al. (2012). The draft genome of sweet orange (*Citrus sinensis*). *Nature Genetics*, 45: 59-66.
- [csn] Xiao J.H., et al. (2013). Obligate mutualism within a host drives the extreme specialization of a fig wasp genome. *Genome Biology*, 14:R141.
- [csu] Blanc G., et al (2012) The genome of the polar eukaryotic microalga *Coccomyxa subellipsoidea* reveals traits of cold adaptation. *Genome Biol.*, 13(5):R39.
- [cte] Simakov O., et al. (2013). Insights into bilaterian evolution from three spiralian genomes. *Nature*, 493: 526-31.
- [cuc] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [cva] Blanc G., et al. (2010). The *Chlorella variabilis* NC64A genome reveals adaptation to photosymbiosis, coevolution with viruses, and cryptic sex. *Plant cell*, 22(9):2943-55.
- [cvo] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [cys] Chen S., et al. (2013). Whole-genome sequence of a flatfish provides insights into ZW sex chromosome evolution and adaptation to a benthic lifestyle. *Nature Genetics*, 46: 253–260.
- [cze] Haridas S., et al. (2020). 101 Dothideomycetes genomes: A test case for predicting lifestyles and emergence of pathogens. *Stud Mycol.*, 96:141-153.
- [dac] Floudas D., et al. (2012). The Paleozoic Origin of Enzymatic Lignin Decomposition Reconstructed from 31 Fungal Genomes. *Science*, 336(6089):1715-1719.
- [dbr] Piškur J., et al. (2012). The genome of wine yeast *Dekkera bruxellensis* provides a tool to explore its food-related properties. *Int J Food Microbiol.*, 157(2):202-9.
- [ddi] Eichinger L., et al. (2005). The genome of the social amoeba *Dictyostelium discoideum*. *Nature*, 435(7038): 43-57.
- [des] Ng K.P., et al. (2012). Draft Genome Sequence of *Daldinia eschscholzii* Isolated from Blood Culture. *Eukaryotic Cell*, 11(5):703-704.
- [dex] Haridas S., et al. (2020). 101 Dothideomycetes genomes: A test case for predicting lifestyles and emergence of pathogens. *Stud Mycol.*, 96:141-153.
- [dfa] Heidel A.J., et al. (2011). Phylogeny-wide analysis of social amoeba genomes highlights ancient origins for complex intercellular communication. *Genome Res.*, 21(11):1882-91.
- [dha] Dujon B., et al. (2004). Genome evolution in yeasts. *Nature*, 430(6995):35-44.
- [dic] Saha S., et al. (2017). Improved annotation of the insect vector of citrus greening disease: biocuration by a diverse genomics community. *Journal Database*, 2017:3917099.

- [dme] Adams M.D., et al. (2000). The genome sequence of *Drosophila melanogaster*. *Science*, 287(5461):2185-95.
- [dpl] Zhan S., et al. (2011). The Monarch Butterfly Genome Yields Insights into Long-Distance Migration. *Cell*, 147: 1171–1185.
- [dpn] Keeling C., et al. (2013). Draft genome of the mountain pine beetle, *Dendroctonus ponderosae* Hopkins, a major forest pest. *Genome Biology*, 14:R27.
- [dpp] Colbourne J., et al. (2011). The Ecoresponsive Genome of *Daphnia pulex*. *Science*, 331: 555-561.
- [dpu] Sucgang R., et al. (2011). Comparative genomics of the social amoebae *Dictyostelium discoideum* and *Dictyostelium purpureum*. *Genome biology*, 12(2):R20.
- [dre] Howe K., et al. (2013). The zebrafish reference genome sequence and its relationship to the human genome. *Nature*, 496: 498–503.
- [dse] de Wit PJ., et al (2012). The genomes of the fungal plant pathogens *Cladosporium fulvum* and *Dothistroma septosporum* reveal adaptation to different hosts and lifestyles but also signatures of common ancestry. *PLoS Genet.*, 8(11):e1003088. Ohm RA., et al. (2012). Diverse lifestyles and strategies of plant pathogenesis encoded in the genomes of eighteen Dothideomycetes fungi. *PLoS Pathog.*, 8(12):e1003037.
- [dsq] Floudas D., et al. (2012). The Paleozoic Origin of Enzymatic Lignin Decomposition Reconstructed from 31 Fungal Genomes. *Science*, 336(6089):1715-1719.
- [eca] Wade C.M., et al. (2009). Genome Sequence, Comparative Analysis, and Population Genetics of the Domestic Horse. *Science*, 326(5954):865-867.
- [ecu] Katinka M.D., et al. (2001). Genome sequence and gene compaction of the eukaryote parasite *Encephalitozoon cuniculi*. *Nature*, 414(6862):450-453.
- [edi] J. Craig Venter Institute: Weedall G.D. and Hall N. (2011). Evolutionary genomics of Entamoeba. *Res Microbiol.*, 162(6):637-45.
- [ega] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [egr] Myburg A. et al. (2014). The genome of *Eucalyptus grandis*. *Nature*, 510: 356–362.
- [egu] Singh R., et al. (2013). Oil palm genome sequence reveals divergence of interfertile species in Old and New worlds. *Nature*, 500: 335–339.
- [ehe] Kis-Papo T., et al. (2014). Genomic adaptations of the halophilic Dead Sea filamentous fungus *Eurotium rubrum*. *Nat Commun.*, 5:3745.
- [ehu] Read B., et al. (2013). Pan genome of the phytoplankton *Emiliania* underpins its global distribution. *Nature*, 499: 209–213.
- [ein] Ehrenkaufer G.M., et al. (2013). The genome and transcriptome of the enteric parasite *Entamoeba invadens*, a model for encystation. *Genome Biol*, 14(7):R77.
- [elu] Rondeau E., et al. (2014). The Genome and Linkage Map of the Northern Pike (*Esox lucius*): Conserved Synteny Revealed between the Salmonid Sister Group and the Neoteleosteii. *PLoS ONE*, 9(7): e102089.
- [esi] Cock M., et al. (2010). The Ectocarpus genome and the independent evolution of multicellularity in brown algae. *Nature*, 465: 617–621.
- [fal] Brown M.W., et al. (2009). Phylogeny of the “Forgotten” Cellular Slime Mold, *Fonticula alba*, Reveals a Key Evolutionary Branch within Opisthokonta. *Molecular Biology and Evolution*, 26(12): 2699–2709.
- [fca] Tamasian G., et al. (2014). Annotated features of domestic cat – *Felis catus* genome. *Gigascience*, 3:13.
- [fch] Zhan X., et al. (2013). Peregrine and saker falcon genome sequences provide insights into evolution of a predatory lifestyle. *Nature Genetics*, 45: 563–566.
- [fcy] Mock T., et al. (2017). Evolutionary genomics of the cold-adapted diatom *Fragilaropsis cylindrus*. *Nature*, 541:536-540.
- [fil] Ellegren H., et al. (2012). The genomic landscape of species divergence in *Ficedula* flycatchers. *Nature*, 491: 756–760.
- [fme] Floudas D., et al. (2012). The Paleozoic Origin of Enzymatic Lignin Decomposition Reconstructed from 31 Fungal Genomes. *Science*, 336(6089):1715-1719.
- [foa] Geib S.M., et al. (2017). Whole Genome Sequencing of the Braconid Parasitoid Wasp *Fopius arisanus*, an Important Biocontrol Agent of Pest Tepridid Fruit Flies. *G3* (Bethesda) 7:2407-2411.
- [fox] Ma L.J., et. al. (2010) Comparative genomics reveals mobile pathogenicity chromosomes in *Fusarium*. *Nature*, 464: 367-373.
- [fpi] Floudas D., et al. (2012). The Paleozoic Origin of Enzymatic Lignin Decomposition Reconstructed from 31 Fungal Genomes. *Science*, 336(6089):1715-1719.
- [fve] Shulaev V., et al. (2011). The genome of the woodland strawberry (*fragaria vesca*). *Nature genetics*, 43: 109-116.
- [gac] Jones F., et al. (2012). The genomic basis of adaptive evolution in threespine sticklebacks. *Nature*, 484: 55–61.
- [gag] St John J., et al. (2012). Sequencing three crocodilian genomes to illuminate the evolution of archosaurs and amniotes. *Genome Biol*, 13:415.
- [gam] Riley R., et al. (2014). Extensive sampling of basidiomycete genomes demonstrates inadequacy of the white-rot/brown-rot paradigm for wood decay fungi. *Proc Natl Acad Sci U S A*, 111(27):9923-8.
- [gan] Binder M., et al. (2013). Phylogenetic and phylogenomic overview of the Polyporales. *Mycologia*, 105(6):1350-73.

- [gau] Leushkin E., et al. (2013). The miniature genome of a carnivorous plant *Genlisea aurea* contains a low number of genes and short non-coding sequences. *BMC Genomics*, 14:476.
- [gfo] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [gga] Hillier LW., et al. (2004). Sequence and comparative analysis of the chicken genome provide unique perspectives on vertebrate evolution. *Nature*, 432:695-716. Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [ggo] Scally A., et al. (2012). Insights into hominid evolution from the gorilla genome sequence. *Nature*, 483:169-75.
- [gin] Franzen O., et al. (2009). Draft Genome Sequencing of *Giardia intestinalis* Assemblage B Isolate GS: Is Human Giardiasis Caused by Two Different Species? *PLoS Pathog*, 5(8): e1000560, Adam ED, et al. (2013). Genome sequencing of *Giardia lamblia* genotypes A2 and B isolates (DH and GS) and comparative analysis with the genomes of genotypes A1 and E (WB and Pig). *Genome Biol Evol*, 5(12):2498-511.
- [glu] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nat Genet*, 47(4):410-5.
- [gma] Schmutz J., et al. (2010). Genome sequence of the palaeopolyploid soybean. *Nature*, 463(7278):178-83.
- [gmf] Ma L.J., et al. (2010) Comparative genomics reveals mobile pathogenicity chromosomes in *Fusarium*. *Nature*, 464: 367-373.
- [gmo] Star B., et al. (2011). The genome sequence of Atlantic cod reveals a unique immune system. *Nature*, 477(7363):207-10.
- [gmr] International Glossina Genome Initiative. (2014). Genome Sequence of the Tsetse Fly (*Glossina morsitans*): Vector of African Trypanosomiasis. *Science*, 344(6182):380-386.
- [gni] Clopton R.E. (2009). Phylogenetic Relationships, Evolution, and Systematic Revision of the Septate Gregarines (Apicomplexa: Eugregarinorida: Septatorina). *Comp Parasitol*, 76(2): 167–190. Boisard J., et al. (2022). Marine gregarine genomes reveal the breadth of apicomplexan diversity and provide new insights on gliding motility. *BioRxiv* doi: <https://doi.org/10.1101/2021.08.09.454911>. Salomaki E.D., et al. (2021). Gregarine single-cell transcriptomics reveals differential mitochondrial remodeling and adaptation in apicomplexans. *BMC Biology*, 19, Article number: 77.
- [gpr] Chang Y., et al. (2015). Phylogenomic Analyses Indicate that Early Fungi Evolved Digesting Cell Walls of Algal Ancestors of Land Plants. *Genome Biol Evol*, 7(6): 1590-1601.
- [gra] Wang K., et al. (2012). The draft genome of a diploid cotton *Gossypium raimondii*. *Nature Genetics*, 44: 1098–1103.
- [gsu] Schönknecht G., et al. (2013). Gene Transfer from Bacteria and Archaea Facilitated Evolution of an Extremophilic Eukaryote. *Science*, 339:1207-1210.
- [gth] Curtis B.A., et al (2012). Algal genomes reveal evolutionary mosaicism and the fate of nucleomorphs. *Nature*, 492: 59–65.
- [gtr] Floudas D., et al. (2012). The Paleozoic Origin of Enzymatic Lignin Decomposition Reconstructed from 31 Fungal Genomes. *Science*, 336(6089):1715-1719.
- [han] Olson A., et al. (2012). Insight into trade-off between wood decay and parasitism from the genome of a fungal forest pathogen. *New Phytol*, 194(4):1001-13.
- [hbu] Riley R., et al. (2016). Comparative genomics of biotechnologically important yeasts. *Proc Natl Acad Sci U S A*, 113(35):9882-7.
- [hcy] Marmeisse R., (2004). *Hebeloma cylindrosporum*: A Model Species to Study Ectomycorrhizal Symbiosis from Gene to Ecosystem. *New Phytologist*, 163(3):481-498.
- [hel] Pombert JF, et al. (2014). A Lack of Parasitic Reduction in the Obligate Parasitic Green Alga *Helicosporidium*. *PLoS Genet* 10(5): e1004355
- [hha] Walzer K.A., et al. (2013). *Hammondia hammondi*, an avirulent relative of *Toxoplasma gondii*, has functional orthologs of known *T. gondii* virulence genes. *Proc Natl Acad Sci U S A* , 110(18):7446-51.
- [hle] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [hma] Chapman J.A., et al. (2010). The dynamic genome of *Hydra*. *Nature*, 464: 592-596.
- [hme] The Heliconius Genome Consortium (2012). Butterfly genome reveals promiscuous exchange of mimicry adaptations among species. *Nature*, 487: 94–98.
- [hpa] Baxter L., et al. (2010). Signatures of Adaptation to Obligate Biotrophy in the *Hyaloperonospora arabidopsis* Genome. *Science*, 330 (6010) :1549-1551.
- [hpi] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nature Genetics*, 47: 410–415.
- [hpo] Ramezani-Rad M., et al. (2003). The Hansenula polymorpha (strain CBS4732) genome sequencing and analysis. *FEMS Yeast Res*, 4(2):207-15.
- [hpu] Ohm R.A., et al. (2012). Diverse lifestyles and strategies of plant pathogenesis encoded in the genomes of eighteen Dothideomycetes fungi. *PLoS Pathog*, 8(12):e1003037.
- [hro] Simakov O., et al. (2013). Insights into bilaterian evolution from three spiralian genomes. *Nature*, 493: 526-31.

- [hsa] Lander E.S., et al. (2001). Initial sequencing and analysis of the human genome. *Nature*, 409:860-921. Venter J.C., et al. (2001). The sequence of the human genome. *Science*, 291:1304-51. Finstermeier K., et al. (2013) A mitogenomic phylogeny of living primates. *PLoS One* 8: e69504
- [hsl] Bonasio R., et al. (2010). Genomic Comparison of the Ants *Camponotus floridanus* and *Harpegnathos saltator*. *Science*, 329: 1068-1071.
- [hsu] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nat Genet.*, 47(4):410-5.
- [hva] Riley R., et al. (2016). Comparative genomics of biotechnologically important yeasts. *Proc Natl Acad Sci U S A.*, 113(35):9882-7.
- [hvu] The International Barley Genome Sequencing Consortium (IBSC) (2012). A physical, genetical and functional sequence assembly of the barley genome. *Nature*, 491: 711-716.
- [hyp] Wu W., et al. (2017). Characterization of four endophytic fungi as potential consolidated bioprocessing hosts for conversion of lignocellulose into advanced biofuels. *Appl Microbiol Biotechnol.*, 101(6):2603-2618.
- [ich] Coyne R., et al. (2011). Comparative genomics of the pathogenic ciliate *Ichthyophthirius multifiliis*, its free-living relatives and a host species provide insights into adoption of a parasitic lifestyle and prospects for disease control. *Genome Biology*, 12:R100.
- [isc] Giulia-Nuss M., et al. (2015). Genomic insights into the *Ixodes scapularis* tick vector of Lyme disease. *Nature Communications* 7, Article number: 10507.
- [itr] The Broad Institute: <http://software.broadinstitute.org/allpaths-lg/blog/?p=361> ;
- [jar] Riley R., et al. (2014). Extensive sampling of basidiomycete genomes demonstrates inadequacy of the white-rot/brown-rot paradigm for wood decay fungi. *Proc Natl Acad Sci U S A.*, 111(27):9923-8.
- [kla] Dujon B., et al. (2004). Genome evolution in yeasts. *Nature*, 430(6995):35-44.
- [lac] Cong Q., et al. (2015). Skipper genome sheds light on unique phenotypic traits and phylogeny. *BMC Genomics*, 16:639.
- [laf] Thomas M.G., et al. (2000). Molecular and morphological evidence on the phylogeny of the Elephantidae. *Proc R Soc B Biol Sci*, 267: 2493–2500.
- [lal] Haudry A., et al. (2013). An atlas of over 90,000 conserved noncoding sequences provides insight into crucifer regulatory regions. *Nature Genetics*, 45: 891–898.
- [lbc] Martin F., et al. (2008). The genome of *Laccaria bicolor* provides insights into mycorrhizal symbiosis. *Nature*, 452(7183):88-92.
- [lch] Amemiya C., et al. (2013). The African coelacanth genome provides insights into tetrapod evolution. *Nature*, 496: 311–316.
- [lcr] Xiao S., et al. (2015). Gene map of large yellow croaker (*Larimichthys crocea*) provides insights into teleost genome evolution and conserved regions associated with growth. *Scientific Reports* 5, Article number: 18661.
- [lcu] Anstead C., et al. (2015). *Lucilia cuprina* genome unlocks parasitic fly biology to underpin future interventions. *Nature Communications* 6, Article number: 7344.
- [lgj] Simakov O., et al. (2013). Insights into bilaterian evolution from three spiralian genomes. *Nature*, 493: 526-31.
- [lgm] Luo Y., et al. (2015). The Lingula genome provides insights into brachiopod evolution and the origin of phosphate biominerilization. *Nature Communications* 6, Article number: 8301.
- [lhu] Smith C., et al. (2011). Draft genome of the globally widespread and invasive Argentine ant (*Linepithema humile*). *Proc Natl Acad Sci U S A.*, 108: 5673-5678.
- [lja] Sato S., et al. (2008). Genome Structure of the Legume, *Lotus japonicus*. *DNA Research*, 15(4):227-39.
- [llo] Kang Z., et al. (2017). Transcriptomes of three species of Tipuloidea (Diptera, Tipulomorpha) and implications for phylogeny of Tipulomorpha. *PLoS One*, 12(3):e0173207.
- [lma] Ivens A.C., et al. (2005). The genome of the kinetoplastid parasite, *Leishmania major*. *Science*, 309:436-42.
- [loa] Desjardins C., et al. (2013). Genomics of *Loa loa*, a Wolbachia-free filarial parasite of humans. *Nature Genetics*, 45: 495–500.
- [loc] Wang X., et al. (2013). The locust genome provides insight into swarm formation and long-distance flight. *Nature Communications* 5, Article number: 2957.
- [lpm] Rouxel T., et al. (2011). Effector diversification within compartments of the *Leptosphaeria maculans* genome affected by Repeat-Induced Point mutations. *Nat Commun.*, 2:202.
- [lst] Riley R., et al. (2016). Comparative genomics of biotechnologically important yeasts. *Proc Natl Acad Sci U S A.*, 113(35):9882-7.
- [lth] Souciet J.L., et al. (2009). Comparative genomics of protoploid *Saccharomycetaceae*. *Genome Res.*, 19:1696-709.
- [lus] Wang Z., et al. (2012). The genome of flax (*Linum usitatissimum*) assembled de novo from short shotgun sequence reads. *Plant J.*, 72(3): 461–473.
- [lve] Zhou Z., et al. (2013). Baiji genomes reveal low genetic variability and new insights into secondary aquatic adaptations. *Nature Communications* 4, Article number: 2708.

- [mac] D'Hont A., et al. (2012) The banana (*Musa acuminata*) genome and the evolution of monocotyledonous plants. *Nature*, 488: 213–217.
- [mbi] Ahrendt S.R., (2018). Leveraging single-cell genomics to expand the fungal tree of life. *Nat Microbiol.*, 3(12):1417-1428.
- [mbr] King N., et al. (2008). The genome of the choanoflagellate *Monosiga brevicollis* and the origin of metazoans. *Nature*, 451:783-8. Carr M., et al. 2008. PNAS, 105(43):16641-16646. Molecular phylogeny of choanoflagellates, the sister group to Metazoa.
- [mcc] Hoy M., et al. (2016). Genome sequencing of the phytoseiid predatory mite *Metaseiulus occidentalis* reveals completely atomised Hox genes and super-dynamic intron evolution. *Genome Biol Evol*, 8: 1762-1775.
- [mci] Tang X., et al. (2015). Complete Genome Sequence of a High Lipid-Producing Strain of *Mucor circinelloides* WJ11 and Comparative Genome Analysis with a Low Lipid-Producing Strain CBS 277.49. *PLoS One*, 10(9):e0137543.
- [mcx] Ahola V., et al. (2014). The Glanville fritillary genome retains an ancient karyotype and reveals selective chromosomal fusions in Lepidoptera. *Nature Communications* 5, Article number: 4737.
- [mdd] Mikkelsen T.S., et al. (2007). Genome of the marsupial *Monodelphis domestica* reveals innovation in non-coding sequences. *Nature*, 447(7141):167-77.
- [mde] Burke G.R., et al. (2018). Whole Genome Sequence of the Parasitoid Wasp *Microplitis demolitor* That Harbors an Endogenous Virus Mutualist. *G3 (Bethesda)* 8(9):2875-2880.
- [mdo] Velasco R., et al. (2010). The genome of the domesticated apple (*Malus × domestica* Borkh.). *Nature Genetics*, 42: 833–839.
- [mes] Bredeson J.V., et al. (2016). Sequencing wild and cultivated cassava and related species reveals extensive interspecific hybridization and genetic diversity. *Nat. Biotechnol.*, 34: 562-570.
- [meu] Renfree M.B., et al. (2011). Genome sequence of an Australian kangaroo, *Macropus eugenii*, provides insight into the evolution of mammalian reproduction and development. *Genome Biology* 12, Article number: R81.
- [mga] Dalloul RA., et al. (2010). Multi-platform next-generation sequencing of the domestic turkey (*Meleagris gallopavo*): genome assembly and analysis. *PLoS Biol*, 8:e1000475. Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [mgl] Xu J., et al. (2007). Dandruff-associated *Malassezia* genomes reveal convergent and divergent virulence traits shared with plant and human fungal pathogens. *Proc Natl Acad Sci.*, 104(47):18730-18735.
- [mgr] Goodwin S.B., et al. (2011). Finished genome of the fungal wheat pathogen *Mycosphaerella graminicola* reveals dispensome structure, chromosome plasticity, and stealth pathogenesis. *PLoS Genet.*, 7(6):e1002070.
- [mgu] Hellsten U., et al., (2013). Fine-scale variation in meiotic recombination in *Mimulus* inferred from population shotgun sequencing. *Proc Natl Acad Sci U S A.* , 110(48):19478–19482.
- [mic] Worden A.Z., et al. (2009). Green evolution and dynamic adaptations revealed by genomes of the marine picoplankton *Micromonas*. *Science*, 324: 268-72.
- [mle] Ryan J.F., et al. (2013). The Genome of the Ctenophore *Mnemiopsis leidyi* and Its Implications for Cell Type Evolution. *Science*, 342(6164): 1242592.
- [mlp] Duplessis S., et al. (2011). Obligate biotrophy features unraveled by the genomic analysis of rust fungi. *Proc Natl Acad Sci.*, 108(22):9166–9171.
- [mlu] Tsagkogeorga G., et al. (2013). Phylogenomic Analyses Elucidate the Evolutionary Relationships of Bats. *Curr Biol.*, 23(22):2262-2267. Lei M. & Dong D. (2016). Phylogenomic analyses of bat subordinal relationships based on transcriptome data. *Scientific Reports*, 6, Article number: 27726.
- [mml] Gibbs R.A., et al. (2007). Evolutionary and biomedical insights from the rhesus macaque genome. *Science*, 316:222-34.
- [mmr] Larsen P.A., et al., 2017. Hybrid de novo genome assembly and centromere characterization of the gray mouse lemur (*Microcebus murinus*). *BMC Biol.*, 15: 110.
- [mmu] Waterston R.H., et al. (2002). Initial sequencing and comparative analysis of the mouse genome. *Nature*, 420:520-62.
- [mox] Nishida H., et al. (2011). Draft genome sequencing of the enigmatic basidiomycete *Mixia osmundae*. *J Gen Appl Microbiol.*, 57(1):63-67. Toome M., et al. (2014). Genome sequencing provides insight into the reproductive biology, nutritional mode and ploidy of the fern pathogen *Mixia osmundae*. *New Phytol.*, 202(2):554-64.
- [mpo] Okagaki L., et al.(2015). Genome Sequences of Three Phytopathogenic Species of the Magnaportheaceae Family of Fungi. *G3*, 5(12):2539-2545.
- [mpu] Worden A.Z., et al. (2009). Green evolution and dynamic adaptations revealed by genomes of the marine picoplankton *Micromonas*. *Science*, 324: 268-72.
- [mro] Kapheim K.M., et al. (2015). Social evolution. Genomic signatures of evolutionary transitions from solitary to group living. *Science*, 348(6239):1139-43.

- [msc] Jan Ševčík J., et al. (2016). Molecular phylogeny of the megadiverse insect infraorder Bibionomorpha sensu lato (Diptera). *PeerJ*, 4:e2563. <https://doi.org/10.7717/peerj.2563>
- [msx] Kanost M.R., et al. (2016). Multifaceted biological insights from a draft genome sequence of the tobacco hornworm moth, *Manduca sexta*. *Insect Biochem Mol Biol.*, 76:118-147.
- [mth] Berka R.M., et al (2011). Comparative genomic analysis of the thermophilic biomass-degrading fungi *Myceliophthora thermophila* and *Thielavia terrestris*. *Nat Biotechnol.*, 29(10):922-7.
- [mtr] Young N.D., et al. (2011). The *Medicago* genome provides insight into the evolution of rhizobial symbioses. *Nature* 480,520-4.
- [mud] Scott J., et al. (2014). Genome of the house fly, *Musca domestica* L., a global vector of diseases with adaptations to a septic environment. *Genome Biology*, 15:466.
- [mun] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [mvi] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [myd] Zhao C., et al. (2015). A Massive Expansion of Effector Genes Underlies Gall-Formation in the Wheat Pest *Mayetiola destructor*. *Curr Biol*, 25(5):613–620.
- [mze] Brawand D., et al. (2014). The genomic substrate for adaptive radiation in African cichlid fish. *Nature*, 513: 375–381.
- [nca] Reid A.J., et al. (2012). Comparative Genomics of the Apicomplexan Parasites *Toxoplasma gondii* and *Neospora caninum*: Coccidia Differing in Host Range and Transmission Strategy. *PLoS Pathog.*, 8(3): e1002567.
- [nco] Shin S., et al. (2014). The genome sequence of the Antarctic bullhead notothen reveals evolutionary adaptations to a cold environment. *Genome Biology*, 15:468.
- [ncr] Galagan J.E., et al. (2003). The genome sequence of the filamentous fungus *Neurospora crassa*. *Nature*, 422(6934):859-868.
- [neb] Brawand D., et al. (2014). The genomic substrate for adaptive radiation in African cichlid fish. *Nature*, 513: 375–381.
- [nfu] Riley R., et al. (2016). Comparative genomics of biotechnologically important yeasts. *Proc Natl Acad Sci U S A.*, 113(35):9882-7.
- [nga] Radakovits R., et al. (2012). Draft genome sequence and genetic transformation of the oleaginous alga *Nannochloropsis gaditana*. *Nature Communications* 3, Article number: 686.
- [ngr] Fritz-Laylin L.K., et al. (2010). The Genome of *Naegleria gruberi* Illuminates Early Eukaryotic Versatility. *Cell*, 140: 631–642.
- [nha] Coleman J.J., et al. (2009). The genome of *Nectria haematococca*: contribution of supernumerary chromosomes to gene expansion. *PLoS Genet.*, 5(8):e1000618.
- [nlu] Xue J., et al. (2014). Genomes of the rice pest brown planthopper and its endosymbionts reveal complex complementary contributions for host adaptation. *Genome Biology*, 15:521.
- [nni] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [nnu] Ming R., et al. (2013). Genome of the long-living sacred lotus (*Nelumbo nucifera* Gaertn.). *Genome Biology*, 14:R41.
- [npa] Sun Y., et al. (2015). Whole-genome sequence of the Tibetan frog *Nanorana parkeri* and the comparative evolution of tetrapod genomes. *Proc Natl Acad Sci U S A.* , 112(11): E1257-E1262.
- [nta] Sierro N., et al. (2014). The tobacco genome sequence and its comparison with those of tomato and potato. *Nature Communications* 5, Article number: 3833.
- [nve] Putnam N.H., et al. (2007). Sea anemone genome reveals ancestral eumetazoan gene repertoire and genomic organization. *Science*, 317: 86-94.
- [nvi] Werren J., et al. (2010). Functional and Evolutionary Insights from the Genomes of Three Parasitoid *Nasonia* Species. *Science*, 327: 343-348.
- [oan] Warren W.C., et al. (2008). Genome analysis of the platypus reveals unique signatures of evolution. *Nature*, 453:175-83.
- [oar] Jian Y., et al. (2014). The sheep genome illuminates biology of the rumen and lipid metabolism. *Science*, 344(6188):1168-1173.
- [oct] Albertin C., et al. (2015). The octopus genome and the evolution of cephalopod neural and morphological novelties. *Nature*, 524: 220–224.
- [ocu] Carneiro M., et al. (2014). Rabbit genome analysis reveals a polygenic basis for phenotypic change during domestication. *Science*, 345:1074-1079.
- [odi] Hee-Chan S., et al. (2001). Miniature Genome in the Marine Chordate *Oikopleura dioica*. *Science*, 294(5551):2506.
- [ogr] Song B., et al. (2015). A genome draft of the legless anguid lizard, *Ophisaurus gracilis*. *GigaScience*, 4:17.
- [oha] Vonk F., et al. (2013). The king cobra genome reveals dynamic gene evolution and adaptation in the snake venom system. *Proc Natl Acad Sci U S A.* , 110(51):20651-20656.

- [oho] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [ola] Kasahara M., et al. (2007). The medaka draft genome and insights into vertebrate genome evolution. *Nature*, 447: 714-719.
- [oma] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nat Genet.*, 47(4):410-5. Martino E., et al. (2018). Comparative genomics and transcriptomics depict ericoid mycorrhizal fungi as versatile saprotrophs and plant mutualists. *New Phytol.*, 217(3):1213-1229.
- [oni] Brawand D., et al. (2014). The genomic substrate for adaptive radiation in African cichlid fish. *Nature*, 513: 375–381.
- [oor] Foote A., et al. (2015). Convergent evolution of the genomes of marine mammals. *Nature Genetics*, 47: 272–275.
- [opb] Derkx M.F.L., et al. (2015). The Genome of Winter Moth (*Operophtera brumata*) Provides a Genomic Perspective on Sexual Dimorphism and Phenology. *Genome Biol Evol.*, 7(8):2321–2332.
- [osa] International Rice Genome Sequencing Project. (2005). The map-based sequence of the rice genome. *Nature*, 436:793-800.
- [osp] Palenik B., et al., (2007). The tiny eukaryote *Ostreococcus* provides genomic insights into the paradox of plankton speciation. *Proc Natl Acad Sci U S A.* , 104(18):7705-7710.
- [otx] Swart E., et al. (2013). The *Oxytricha trifallax* Macronuclear Genome: A Complex Eukaryotic Genome with 16,000 Tiny Chromosomes. *PLoS Biol*, 11(1): e1001473.
- [pal] Zhang G., et al. (2013). Comparative Analysis of Bat Genomes Provides Insight into the Evolution of Flight and Immunity. *Science*, 339(6118):456-460.
- [pan] Chimpanzee Sequencing and Analysis Consortium, (2005). Initial sequence of the chimpanzee genome and comparison with the human genome. *Nature*, 437:69-87.
- [pba] Smith C., et al. (2010). Draft genome of the red harvester ant *Pogonomyrmex barbatus*. *Proc Natl Acad Sci U S A.*, 108: 5667-5672.
- [pbe] Hall N., et al. (2005). A comprehensive survey of the Plasmodium life cycle by genomic, transcriptomic and proteomic analyses. *Science*, 307:82-6.
- [pbl] Chaudhary S., et al. (2013). A New Genetic Linkage Map of the Zygomycete Fungus *Phycomyces blakesleeanus*. *PLoS ONE*, 8(3): e58931.
- [pbr] Binder M., et al. (2013). Phylogenetic and phylogenomic overview of the Polyporales. *Mycologia*, 105(6):1350-73.
- [pca] Suzuki H., et al. (2012). Comparative genomics of the white-rot fungi, *Phanerochaete carnosa* and *P. chrysosporium*, to elucidate the genetic basis of the distinct wood types they colonize. *BMC Genomics*, 13:444.
- [pcr] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nat Genet.*, 47(4):410-5.
- [pda] Al-Dous E.K., et al. (2011). De novo genome sequencing and comparative genomics of date palm (*Phoenix dactylifera*). *Nature Biotechnology*, 29: 521–527.
- [pec] an den Berg M.A., et al. (2008). Genome sequencing and analysis of the filamentous fungus *Penicillium chrysogenum*. *Nat Biotechnol.*, 26:1161-8.
- [peq] Cai J., et al. (2015). The genome sequence of the orchid *Phalaenopsis equestris*. *Nature Genetics*, 47: 65–72.
- [pfa] Gardner M.J., et al. (2002). Genome sequence of the human malaria parasite *Plasmodium falciparum*. *Nature*, 419:498-511.
- [pfl] Simakov O., et al. (2015). Hemichordate genomes and deuterostome origins. *Nature*, 527(7579):459-65.
- [pfu] Takeuchi T., et al. (2016). Bivalve-specific gene expansion in the pearl oyster genome: implications of adaptation to a sessile lifestyle. *Zoological Letters*, 2:3. Takeuchi T., et al. (2012). Draft Genome of the Pearl Oyster *Pinctada fucata*: A Platform for Understanding Bivalve Biology. *DNA Res*, 19: 117-130.
- [pgi] Hori C., et al. (2014). Analysis of the *Phlebiopsis gigantea* Genome, Transcriptome and Secretome Provides Insight into Its Pioneer Colonization Strategies of Wood. *PLoS Genet*, 10(12): e1004759.
- [pgl] Cong Q., et al. (2015). Tiger Swallowtail Genome Reveals Mechanisms for Speciation and Caterpillar Chemical Defense. *Cell Rep*, 10(6):910-919.
- [pgr] Duplesses S., et al. (2011). Obligate biotrophy features unraveled by the genomic analysis of rust fungi. *Proc Natl Acad Sci.*, 108(22):9166–9171.
- [phe] Peng Z., et al. (2013). The draft genome of the fast-growing non-timber forest species moso bamboo (*Phyllostachys heterocycla*). *Nature Genetics*, 45: 456–461.
- [phm] Cai Q., et al. (2013). Genome sequence of ground tit *Pseudopodoces humilis* and its adaptation to high altitude. *Genome Biology*, 14:R29.
- [phs] Cong Q., et al. (2016). Speciation in Cloudless Sulphurs Gleaned from Complete Genomes. *Genome Biol Evol*, 8: 915-931.
- [phu] Kirkness E., et al. (2010). Genome sequences of the human body louse and its primary endosymbiont provide insights into the permanent parasitic lifestyle. *Proc Natl Acad Sci U S A.*, 107: 12168-12173.
- [pic] Jeffries T.W., et al. (2007). Genome sequence of the lignocellulose-bioconverting and xylose- fermenting yeast *Pichia stipitis*. *Nat Biotechnol.*, 25:319-326.
- [pif] Haas B.J., et al. (2009). Genome sequence and analysis of the Irish potato famine pathogen *Phytophthora infestans*. *Nature*, 461:393-8.

- [pin] Zuccaro A., et al. (2011). Endophytic life strategies decoded by genome and transcriptome analyses of the mutualistic root symbiont *Piriformospora indica*. *PLoS Pathog.*, 7(10):e1002290.
- [pip] De Schutter K., et al. (2009). Genome sequence of the recombinant protein production host *Pichia pastoris*. *Nat Biotechnol.*, 27(6):561-6.
- [pit] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nature Genetics*, 47: 410–415.
- [pkm] The Institute for Genomic Research (TIGR) and the Center for Marine Biotechnology (COMB): El-Sayed N., et al. (2007). *Perkinsus marinus* ATCC 50983 strain:PmCV4CB52B3D4. BioProject PRJNA12737.
- [plb] Schwelm A., et al. (2015). The *Plasmodiophora brassicae* genome reveals insights in its life cycle and ancestry of chitin synthases. *Scientific Reports* 5, Article number: 11153.
- [plc] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nat Genet.*, 47(4):410-5.
- [plp] Heidel A.J., et al. (2011). Phylogeny-wide analysis of social amoeba genomes highlights ancient origins for complex intercellular communication. *Genome Res.*, 21(11):1882-91.
- [pma] Smith J., et al. (2012). Sequencing of the sea lamprey (*Petromyzon marinus*) genome provides insights into vertebrate evolution. *Nature Genetics*, 45: 415–421.
- [pmi] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nature Genetics*, 47: 410–415.
- [pmo] Castoe T., et al. (2011). Sequencing the genome of the Burmese python (*Python molurus bivittatus*) as a model for studying extreme adaptations in snakes. *Genome Biology*, 12:406.
- [pmu] Zhang Q., et al. (2012). The genome of *Prunus mume*. *Nature Communications* 3, Article number: 1318.
- [pno] Hane JK, et al. (2007). Dothideomycete plant interactions illuminated by genome sequencing and EST analysis of the wheat pathogen *Stagonospora nodorum*. *Plant Cell*, 19:3347-68.
- [pnt] Neale D.B., et al. (2014). Decoding the massive genome of loblolly pine using haploid DNA and novel assembly strategies. *Genome Biology* 15, Article number: R59.
- [pny] Brawand D., et al. (2014). The genomic substrate for adaptive radiation in African cichlid fish. *Nature*, 513: 375–381.
- [pon] Locke D.P., et al. (2011). Comparative and demographic analysis of orangutan genomes. *Nature*, 469:529-533.
- [pos] Riley R., et al. (2014). Extensive sampling of basidiomycete genomes demonstrates inadequacy of the white-rot/brown-rot paradigm for wood decay fungi. *Proc Natl Acad Sci U S A*, 111(27):9923-8.
- [pov] Georges A., et al. (2015). High-coverage sequencing and annotated assembly of the genome of the Australian dragon lizard *Pogona vitticeps*. *GigaScience*, 4:45.
- [ppa] Rensing SA., et al (2008). The *Physcomitrella* genome reveals evolutionary insights into the conquest of land by plants. *Science*, 319(5859):64-9.
- [ppe] The International Peach Genome Initiative, Verde I., et al. (2013). The high-quality draft genome of peach (*Prunus persica*) identifies unique patterns of genetic diversity, domestication and genome evolution. *Nature Genetics*, 45:487-494. Ahmad R. et al., (2011). Whole genome sequencing of peach (*Prunus persica* L.) for SNP identification and selection. *BMC Genomics* 2011, 12:569.
- [ppl] Martinez D., et al. (2009). Genome, transcriptome, and secretome analysis of wood decay fungus *Postia placenta* supports unique mechanisms of lignocellulose conversion. *Proc. Natl. Acad. Sci.*, 106(6):1954-1959.
- [ppol] Nishikawa H., et al. (2015). A genetic mechanism for female-limited Batesian mimicry in *Papilio* butterfly. *Nature Genetics*, 47:405–409.
- [ppt] Jan Ševčík J., et al. (2016). Molecular phylogeny of the megadiverse insect infraorder *Bibionomorpha* sensu lato (Diptera). *PeerJ*, 4:e2563. <https://doi.org/10.7717/peerj.2563>
- [ppu] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [pra] Tyler B.M., et al. (2006). Phytophthora Genome Sequences Uncover Evolutionary Origins and Mechanisms of Pathogenesis. *Science*, 313(5791): 1261-1266.
- [prp] Dieterich C., et al. (2008). The *Pristionchus pacificus* genome provides a unique perspective on nematode lifestyle and parasitism. *Nat Genet.*, 40: 1193-8.
- [pru] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nature Genetics*, 47: 410–415.
- [psi] Wang X., et al. (2013). The draft genomes of soft-shell turtle and green sea turtle yield insights into the development and evolution of the turtle-specific body plan. *Nature Genetics* 45, 701–706.

- [psm] Lundholm N., et al. (2002). Phylogeny of the Bacillariaceae with emphasis on the genus Pseudo-nitzschia (Bacillariophyceae) based on partial LSU rDNA. *Eur. J. Phycol.*, 37: 115–134.
- [psl] Tyler B.M., et al. (2006). Phytophthora Genome Sequences Uncover Evolutionary Origins and Mechanisms of Pathogenesis. *Science*, 313(5791): 1261-1266.
- [pst] Floudas D., et al. (2012). The Paleozoic Origin of Enzymatic Lignin Decomposition Reconstructed from 31 Fungal Genomes. *Science*, 336(6089):1715-1719.
- [pta] Liu X., et al. (2012). Draft Genome Sequence of the Yeast *Pachysolen tannophilus* CBS 4044/NRRL Y-2460. *Eukaryotic Cell.*, 11(6):827.
- [pte] Ellwood S.R., et al. (2010). A first genome assembly of the barley fungal pathogen *Pyrenophora teres* f. *teres*. *Genome Biol.*, 11:R109.
- [ptg] Cho Y., et al. (2013). The tiger genome and comparative analysis with lion and snow leopard genomes. *Nature Communications* 4, Article number: 2433
- [pti] Bowler C., et al. (2008). The *Phaeodactylum* genome reveals the evolutionary history of diatom genomes. *Nature*, 456(7219):239-44.
- [ptm] Jean-Marc A., et al. (2006). Global trends of whole-genome duplications revealed by the ciliate *Paramecium tetraurelia*. *Nature*, 444: 171-178.
- [ptr] Tuskan G.A., et al. (2006). The Genome of Black Cottonwood, *Populus trichocarpa* (Torr. & Gray). *Science*, 313 (5793) :1596-1604.
- [pul] Lévesque C.A., et al. (2010). Genome sequence of the necrotrophic plant pathogen, *Pythium ultimum*, reveals original pathogenicity mechanisms and effector repertoire. *Genome Biology*, 11(7):R73.
- [pvi] Sharma M.K., et al. (2012). A Genome-Wide Survey of Switchgrass Genome Structure and Organization. *PLoS ONE*, 7(4): e33892.
- [pvu] Schmutz J., et al. (2014). A reference genome for common bean and genome-wide analysis of dual domestications. *Nature Genetics*, 46: 707–713.
- [pvx] Carlton J.M., et al. (2008). Comparative genomics of the neglected human malaria parasite *Plasmodium vivax*. *Nature*, 455:757-63.
- [pxy] You M., et al. (2013). A heterozygous moth genome provides insights into herbivory and detoxification. *Nature Genetics*, 45: 220–225.
- [pya] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [pyb] Wu J., et al. (2013). The genome of the pear (*Pyrus bretschneideri* Rehd.). *Genome Res.*, 23: 396-408.
- [pye] Nakamura Y., et al. (2013). The First Symbiont-Free Genome Sequence of Marine Red Alga, *Susabi-nori* (*Pyropia yezoensis*). *PLoS ONE*, 8(3): e57122.
- [pyr] Haitjema C.H., et al. (2017). A parts list for fungal cellulosomes revealed by comparative genomics. *Nat Microbiol.*, 2:17087.
- [rcu] Chan A.P., et al. (2010). Title Draft genome sequence of the oilseed species *Ricinus communis*. *Nat Biotechnol*, 28:951-6.
- [ref] Glockner G., et al. (2014). The genome of the foraminiferan *Reticulomyxa filosa*. *Curr Biol*, 24(1):11-8.
- [rfu] Ohm R.A., et al. (2012). Diverse lifestyles and strategies of plant pathogenesis encoded in the genomes of eighteen Dothideomycetes fungi. *PLoS Pathog.*, 8(12):e1003037.
- [rgr] Firrincieli A., et al. (2015). Genome sequence of the plant growth promoting endophytic yeast *Rhodotorula graminis* WP1. *Front Microbiol*, 6: 978.
- [rno] Gibbs R.A., et al. (2004). Genome sequence of the Brown Norway rat yields insights into mammalian evolution. *Nature*, 428:493-521.
- [ror] Ma L.J., et al. (2009). Genomic analysis of the basal lineage fungus *Rhizopus oryzae* reveals a whole-genome duplication. *PLoS Genet.*, 5(7):e1000549.
- [rpr] Mesquita R.D., et al. (2015). Genome of *Rhodnius prolixus*, an insect vector of Chagas disease, reveals unique adaptations to hematophagy and parasite infection. *Proc Natl Acad Sci U S A*, 112: 14936-41.
- [sal] Xu F, et al. (2014). The Genome of *Spironucleus salmonicida* Highlights a Fish Pathogen Adapted to Fluctuating Environments. The Genome of *Spironucleus salmonicida* Highlights a Fish Pathogen Adapted to Fluctuating Environments. *PLoS Genet* 10(2): e1004053
- [sap] Jiang R., et al. (2013) Distinctive Expansion of Potential Virulence Genes in the Genome of the Oomycete Fish Pathogen *Saprolegnia parasitica*. *PLoS Genet*, 9(6): e1003272
- [sar] Dudin O., et al. (2019). A unicellular relative of animals generates a layer of polarized cells by actomyosin-dependent cellularization. *eLife* 8:e49801.
- [sas] Rider Jr S., et al. (2015). Draft genome of the scabies mite. *Parasites & Vectors*, 20158:585.
- [sbi] Paterson A.H., et al. (2009). The *Sorghum bicolor* genome and the diversification of grasses. *Nature*, 457(7229):551-6.
- [sca] Frankl-Vilches C., et al. (2015). Using the canary genome to decipher the evolution of hormone-sensitive gene regulation in seasonal singing birds. *Genome Biology*, 16:19.
- [sce] Goffeau A., et al., (1996). Life with 6000 genes. *Science*, 274(5287):546, 563-567. Engel S.R., et al. (2014). The Reference Genome Sequence of *Saccharomyces cerevisiae*: Then and Now. *G3 (Bethesda)*, 4(3): 389–398.
- [sci] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nature Genetics*, 47: 410–415.

- [scl] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26.
- [scm] Ohm R.A., et al. (2010). Genome sequence of the model mushroom *Schizophyllum commune*. *Nat Biotechnol.*, 28(9):957-63.
- [sco] Nishida H., et al. (2011). Draft genome sequencing of the enigmatic yeast *Saitoella complicata*. *J Gen Appl Microbiol.*, 57(4):243-6.
- [scs] Amselem J., et al. (2011). Genomic analysis of the necrotrophic fungal pathogens *Sclerotinia sclerotiorum* and *Botrytis cinerea*. *PLoS Genet.*, 7(8):e1002230.
- [set] Ohm R.A., et al. (2012). Diverse lifestyles and strategies of plant pathogenesis encoded in the genomes of eighteen Dothideomycetes fungi. *PLoS Pathog.*, 8(12):e1003037.
- Condon B.J., et al. (2013). Comparative genome structure, secondary metabolite, and effector coding capacity across *Cochliobolus* pathogens. *PLoS Genet.*, 9(1):e1003233.
- [sha] Murchison E.P., et al. (2012). Genome Sequencing and Analysis of the Tasmanian Devil and Its Transmissible Cancer. *Cell*, 148(4):780-91.
- [shi] Floudas D., et al. (2012). The Paleozoic Origin of Enzymatic Lignin Decomposition Reconstructed from 31 Fungal Genomes. *Science*, 336(6089):1715-1719.
- [sin] Wurn Y., et al. (2011). The genome of the fire ant *Solenopsis invicta*. *Proc Natl Acad Sci U S A.*, 108: 5679-5684.
- [sir] Haudry A., et al. (2013). An atlas of over 90,000 conserved noncoding sequences provides insight into crucifer regulatory regions. *Nature Genetics*, 45: 891–898.
- [sit] Zhang G., et al. (2012). Genome sequence of foxtail millet (*Setaria italica*) provides insights into grass evolution and biofuel potential. *Nature Biotechnology*, 30: 549–554.
- [sko] Simakov O., et al. (2015). Hemichordate genomes and deutrostome origins. *Nature*, 527(7579):459-65.
- [sla] Eastwood D.C., et al. (2011). The plant cell wall-decomposing machinery underlies the functional diversity of forest fungi. *Science*, 333(6043):762-765.
- [sle] Aeshlimann S., et al. (2014). The Draft Assembly of the Radically Organized *Styloynchia lemnae* Macronuclear Genome. *Genome Biol Evol*, 6(7): 1707-1723.
- [sly] The Tomato Genome Consortium (2012). The tomato genome sequence provides insights into fleshy fruit evolution. *Nature*, 485: 635-641.
- [sma] Berriman M., et al. (2009). The genome of the blood fluke *Schistosoma mansoni*. *Nature*, 460: 352-8.
- [sme] Hirakawa H., et al. (2014). Draft Genome Sequence of Eggplant (*Solanum melongena* L.): the Representative Solanum Species Indigenous to the Old World. *DNA Res*, 21(6): 649-660.
- [smm] Sangaard K., et al. (2014). Spider genomes provide insight into composition and evolution of venom and silk. *Nature Communications* 5, Article number: 3765.
- [smo] Banks JA, et al. (2011). The *Selaginella* genome identifies genetic changes associated with the evolution of vascular plants. *Science* 332:960-3.
- [smu] Ohm R.A., et al. (2012). Diverse lifestyles and strategies of plant pathogenesis encoded in the genomes of eighteen Dothideomycetes fungi. *PLoS Pathog.*, 8(12):e1003037.
- [spa] Wohlbach D.J., et al. (2011). Comparative genomics of xylose-fermenting fungi for enhanced biofuel production. *Proc Natl Acad Sci.*, 108(32):13212-13217.
- [spi] Wang W., et al. (2014). The *Spirodela polyrhiza* genome reveals insights into its neotenous reduction fast growth and aquatic lifestyle. *Nature Communications* 5, Article number: 3311
- [spo] Wood V., et al. (2002). The genome sequence of *Schizosaccharomyces pombe*. *Nature*, 415(6874):871-80.
- [spr] Li C., et al., (2021). High-Quality Genome Assembly of Oleaginous Red Yeast *Sporobolomyces roseus* CGMCC 2.4355. *Genome Biology and Evolution*, 13(12): evab258.
- [spt] Russ C., et al. (2016). Genome Sequence of *Spizellomyces punctatus*. *Genome Announc*. 4(4). James et al., 2006. *Mycologia*, 98:860-871. James et al., 2006. *Nature*, 443:818-822. Hibbett et al., 2007. *Mycological Research*, 111:509-547.
- [spu] Sea Urchin Genome Sequencing Consortium, et al. (2006). The genome of the sea urchin *Strongylocentrotus purpuratus*. *Science*, 314(5801):941-52.
- [sre] Schirawski J., et al. (2010). Pathogenicity determinants in Smut fungi revealed by genome comparison. *Science*, 330(6010):1546-1548.
- [sro] Fairclough S.R., et al. (2013). Pemetazoan genome evolution and the regulation of cell differentiation in the choanoflagellate *Salpingoeca rosetta*. *Genome Biology*, 14:R15.
- [srt] Hunt V., et al. (2016). The genomic basis of parasitism in the *Strongyloides* clade of nematodes. *Nature Genetics*, 48: 299–307.
- [ssc] Groenen M.A., et al. (2012). Analyses of pig genomes provide insight into porcine demography and evolution. *Nature*, 491:393-8.
- [ssi] Zhang H., et al. (2013). Genome sequencing of the important oilseed crop *Sesamum indicum*L. *Genome Biology*, 14:401.
- [sst] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nature Genetics* 47, 410–415
- [stm] Chipman A., et al. (2014). The First Myriapod Genome Sequence Reveals Conservative Arthropod Gene Content and Genome Organisation in the Centipede *Strigamia maritima*. *PLoS Biol*, 12(11): e1002005.
- [stu] Xu X., et al. (2011). Genome sequence and analysis of the tuber crop potato. *Nature*, 475(7355):189-95.

- [sve] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nat Genet.*, 47(4):410-5.
- [sym] Shoguchi E., et al. (2013). Draft Assembly of the *Symbiodinium minutum* Nuclear Genome Reveals Dinoflagellate Gene Structure. *Curr Biol.*, 23(15):1399–1408.
- [tad] Srivastava M., et al. (2010). The Trichoplax genome and the nature of placozoans. *Nature* 454: 955-960.
- [tah] Cheng S., et al. (2013). The *Tarenaya hassleriana* genome provides insight into reproductive trait and genome evolution of crucifers. *Plant Cell*, 25(8):2813-30.
- [tan] Pain A., et al. (2005). Title Genome of the host-cell transforming parasite *Theileria annulata* compared with *T. parva*. *Science*, 309:131-3.
- [tbr] Berriman M., et al. (2005). The genome of the African trypanosome *Trypanosoma brucei*. *Science*, 309:416-22.
- [tca] Argout X., et al. (2011). The genome of *Theobroma cacao*. *Nature Genetics*, 43: 101–108.
- [tch] Fan Y., et al. (2012). Genome of the Chinese tree shrew. *Nature Communications* 4, Article number: 1426
- [tci] Druzhinina I.S., et al. (2018). Massive lateral transfer of genes encoding plant cell wall-degrading enzymes to the mycoparasitic fungus *Trichoderma* from its plant-associated hosts. *PLoS Genet.*, 14(4):e1007322.
- [tct] Richards S., et al. (2008). The genome of the model beetle and pest *Tribolium castaneum*. *Nature*, 452: 949-55.
- [tet] Eisen J.A., et al. (2006). Macronuclear genome sequence of the ciliate *Tetrahymena thermophila*, a model eukaryote. *Journal PLoS Biol.*, 4:e286.
- [tgo] Reid A.J., et al. (2012). Comparative Genomics of the Apicomplexan Parasites *Toxoplasma gondii* and *Neospora caninum*: Coccidia Differing in Host Range and Transmission Strategy. *PLoS Pathog.*, 8(3): e1002567. Bontell I.L., et al. (2009). Whole genome sequencing of a natural recombinant *Toxoplasma gondii* strain reveals chromosome sorting and local allelic variants. *Genome Biol.*, 10:R53.
- [tgt] Zhang G., et al. (2014). Comparative genomic data of the Avian Phylogenomics Project. *Gigascience*, 3:26. Phillips M.J., et al. (2010). Tinamous and moa flock together: mitochondrial genome sequence analysis reveals independent losses of flight among ratites. *Syst Biol*, 59: 90–107.
- [tgu] Warren W.C., et al. (2010). The genome of a songbird. *Nature*, 463:536–539.
- [tha] Yang R., et al. (2013). The Reference Genome of the Halophytic Plant *Eutrema salsugineum*. *Front Plant Sci.*, 4:46.
- [tht] Cavalier-Smith T. and Chao E.E. (2010). Phylogeny and Evolution of *Apusomonadida* (Protozoa: Apusozoa): New Genera and Species. *Protist*, 161(4): 549-576.
- [tki] Yang Y., et al. (2014). The genome of the myxosporean *Thelohanellus kitaeui* shows adaptations to nutrient acquisition within its fish host. *Genome Biol Evol*. 6: 3182-98.
- [tme] Martin F., et al. (2010). Perigord black truffle genome uncovers evolutionary origins and mechanisms of symbiosis. *Nature*, 464:1033-8.
- [tni] Jaillon O., et al. (2004). Genome duplication in the teleost fish *Tetraodon nigroviridis* reveals the early vertebrate proto-karyotype. *Nature*, 431:946-57.
- [toc] Lommer M., et al. (2012). Genome and low-iron response of an oceanic diatom adapted to chronic iron limitation. *Genome Biology*, 13:R66.
- [tps] Armbrust E.V., et al. (2004). The Genome of the Diatom *Thalassiosira Pseudonana*: Ecology, Evolution, and Metabolism. *Science*, 306(5693):79-86.
- [tpv] Gardner M.J., et al. (2005). Genome sequence of *Theileria parva*, a bovine pathogen that transforms lymphocytes. *Science*, 309:134-7.
- [tru] Aparicio S., et al. (2002). Whole-Genome Shotgun Assembly and Analysis of the Genome of *Fugu rubripes*. *Science*, 297(5585):1301-1310.
- [tsp] Mitreva M., et al. (2011). The draft genome of the parasitic nematode *Trichinella spiralis*. *Nature Genetics*, 43: 228–235.
- [tte] Berka R.M., et al (2011). Comparative genomic analysis of the thermophilic biomass-degrading fungi *Myceliophthora thermophila* and *Thielavia terrestris*. *Nat Biotechnol.*, 29(10):922-7.
- [tuc] Kohler A., et al. (2015). Convergent losses of decay mechanisms and rapid turnover of symbiosis genes in mycorrhizal mutualists. *Nature Genetics* 47, 410–415
- [tur] Grbic M., et al. (2011). The genome of *Tetranychus urticae* reveals herbivorous pest adaptations. *Nature*, 479: 487–492.
- [tut] Ling H.Q., et al. (2013). Draft genome of the wheat A-genome progenitor *Triticum urartu*. *Nature*, 496: 87–90.
- [tva] Carlton J.M., et al. (2007). Draft genome sequence of the sexually transmitted pathogen *Trichomonas vaginalis*. *Science*, 315:207-12.
- [tve] Floudas D., et al. (2012). The Paleozoic Origin of Enzymatic Lignin Decomposition Reconstructed from 31 Fungal Genomes. *Science*, 336(6089):1715-1719.
- [tvi] Jackson A.P., et al. (2012). Antigenic diversity is generated by distinct evolutionary mechanisms in African trypanosome species. *Proc Natl Acad Sci U S A* , 109:3416-3421.
- [ugi] Ibarra-Laclette E., et al. (2013). Architecture and evolution of a minute plant genome. *Nature*, 498: 94–98.
- [uma] Kamper J., et al. (2006). Insights from the genome of the biotrophic fungal plant pathogen *Ustilago maydis*. *Nature*, 444: 97-101.

- [vbr] Woo Y., et al. (2015). Chromerid genomes reveal the evolutionary path from photosynthetic algae to obligate intracellular parasites. *Elife*, 4:e06974.
- [vcn] Prochnik S.E., et al. (2010). Genomic Analysis of Organismal Complexity in the Multicellular Green Alga *Volvox carteri*. *Science*, 329(5988):223-6.
- [vda] Klosterman S.J., et al. (2011). Comparative genomics yields insights into niche adaptation of plant vascular wilt pathogens. *PLoS Pathog.*, 7(7):e1002137.
- [vem] Smith C.R., et al., (2015). How Do Genomes Create Novel Phenotypes? Insights from the Loss of the Worker Caste in Ant Social Parasites. *Mol Biol Evol.*, 32(11):2919-31.
- [vvi] Jaillon O., et al. (2007). The grapevine genome sequence suggests ancestral hexaploidization in major angiosperm phyla. *Nature*, 449: 463-467.
- [wan] Schneider J., et al. (2012). Genome sequence of *Wickerhamomyces anomalus* DSM 6766 reveals genetic basis of biotechnologically important antimicrobial activities. *FEMS Yeast Res.*, 12(3):382-6.
- [wau] Ward P.S., et al. (2015). The evolution of myrmicine ants: phylogeny and biogeography of a hyperdiverse ant clade (Hymenoptera: Formicidae). *Systematic Entomology*, 40: 61–81. Borowiec M.L., et al. (2020). Ants: Phylogeny and Classification. In: Starr, C. (eds) *Encyclopedia of Social Insects*. Springer, Cham. [https://doi.org/10.1007/978-3-319-90306-4\\_155-1](https://doi.org/10.1007/978-3-319-90306-4_155-1)
- [wco] Floudas D., et al. (2012). The Paleozoic Origin of Enzymatic Lignin Decomposition Reconstructed from 31 Fungal Genomes. *Science*, 336(6089):1715-1719. Luo H., et al. (2020). The Wolfiporia cocos Genome and Transcriptome Shed Light on the Formation of Its Edible and Medicinal Sclerotium. *Genomics, Proteomics & Bioinformatics*, 18(4): 455-467.
- [xla] Session A.M., et al. (2016). Genome evolution in the allotetraploid frog *Xenopus laevis*. *Nature*, 538:336–343.
- [xma] Schartl M., et al. (2013). The genome of the platyfish, *Xiphophorus maculatus*, provides insights into evolutionary adaptation and several complex traits. *Nature Genetics*, 45: 567–572.
- [xpa] Eichenberger, C. (2007). Molecular phylogenies of representatives of Xanthoria and Xanthomendoza (lichen-forming Ascomycetes). PhD diss., University of Zurich, 2007. [https://www.zora.uzh.ch/id/eprint/163781/1/20090462\\_002167051.pdf](https://www.zora.uzh.ch/id/eprint/163781/1/20090462_002167051.pdf)
- [xtr] Hellsten U., (2010). The Genome of the Western Clawed Frog *Xenopus tropicalis*. *Science*, 328(5978):633-636.
- [yli] Dujon B., et al. (2004). Genome evolution in yeasts. *Nature*, 430(6995):35-44.
- [zal] Huynh L., et al. (2010). Contrasting population genetic patterns within the white-throated sparrow genome (*Zonotrichia albicollis*). *BMC Genetics*, 11:96.
- [zce] Haridas S., et al. (2020). 101 Dothideomycetes genomes: A test case for predicting lifestyles and emergence of pathogens. *Stud Mycol.*, 96:141-153.
- [zma] Schnable P.S., et al. (2009). The B73 maize genome: complexity, diversity, and dynamics. *Science*, 326:1112-5.
- [zoo] Terrapon N., et al. (2013). Molecular traces of alternative social organization in a termite genome. *Nature Communications* 5, Article number: 3636.
- [zro] Souciet J.L., et al. (2009). Comparative genomics of protoploid *Saccharomycetaceae*. *Genome Res.*, 19:1696-709.