

Labs, estrategia y simulacro

La sesión de cierre: cómo atacar el examen, los 10 días en imágenes y un simulacro de 30.



HOY, EN 45 MINUTOS

Última sesión: de estudiar a aprobar

8'

Estrategia

Datos duros, cómo lee el examen y cómo atacar cada tipo de pregunta.

22'

Labs

Los 10 labs oficiales en imágenes: ruta, pasos, estado final y trampas.

10'

Simulacro y debrief

Cómo correr el simulacro de 30 y el ritual para el día del examen.

5'

Cierre

Qué sigue: agenda tu examen y los links que vas a necesitar.

Lo que sí sabemos del examen

700

de 1000 para aprobar.

El score report te da el resultado por dominio.

20 a 25%

M1 · Implement and manage user identities

25 a 30%

M2 · Implement authentication and access management

20 a 25%

M3 · Plan and implement workload identities

20 a 25%

M4 · Plan and automate identity governance



Practice assessment gratis

Practice Assessment SC-300 en Learn



Exam sandbox: prueba la interfaz

aka.ms/examdemo

Si el examen no está en tu idioma, puedes pedir 30 minutos extra. La renovación es gratis, anual y en Learn.

Seis reglas para leer cada pregunta

"El examen mide lectura de escenario, no memoria."

Pistas, no contexto

Te da tres datos y pregunta por el cuarto. Los datos son pistas, no contexto.

Minimize effort

Gana lo más automático: dynamic group, group licensing, access package.

Least privilege

El rol más chico que alcance para la tarea. **Nunca Global Administrator.**

Lee el verbo

"Users must" o "must be prompted": CA. "Users at risk": ID Protection.

GA es la regla

Preview casi no sale; solo si ya es de uso común.

Learn, no tu trabajo

No respondas con lo que harías en tu tenant, sino con lo que dice Learn.

Cada formato se ataca distinto

"Las preguntas antes que el caso, y ninguna vale más de 2 minutos."

Formato	Cómo atacarlo
Case studies	Primero las preguntas, luego el caso. Marca requisitos técnicos y de negocio.
Yes/No en serie	Son independientes y no puedes regresar. Evalúa cada frase sola.
Drag and drop	El orden importa: sigue la secuencia lógica del portal.
Hot area	Piensa en la pantalla: el campo exacto y su valor. Para eso son los labs.
Labs	Lo que sabes primero, lo largo al final. Se califica el estado final.
Tiempo	Máximo 2 minutos por opción múltiple. Marca para revisar y sigue.

Los labs se califican por estado final, no por pasos

01	Manage user roles	Free	03	Group-based licensing	P1
04+05	Guests y collaboration	Free	08+09	MFA y SSPR	P1
13	Conditional Access policy	P1	14	User y sign-in risk	P2
19+21	App registration y consent	Free	22	Entitlement catalog	Governance
25	Access reviews	Governance	26	PIM para Entra roles	P2

Chip = licencia que pide Learn hoy. En 19+21, el custom role pide P1; en 26 también sirve Governance.



Roles, bulk create y usuarios borrados

 Ruta: Entra ID > Users > All users · Entra ID > Roles & admins

1. + **New user** > Create new user: Chris Green
2. Add assignments > **Application administrator**, Active
3. InPrivate: ya ve **Create your own application**
4. Roles & admins > el rol > Chris > **Remove**
5. **Bulk create**: baja el CSV, llénalo y súbelo
6. **Delete** y luego Deleted users > **Restore user**

TRAMPAS DEL LAB

- ⚠ Prueba en InPrivate: la sesión de admin engaña.
- ⚠ Sin **Usage location** no hay licencia. Borrado: 30 días.



La licencia llega sola por el grupo





Ruta: Entra ID > Groups > All groups > New group · M365 admin > Billing > Licenses

- 1. New group **Security** sg-SC300-O365 con Delia Dennis
- 2. Billing > Licenses > Office 365 E3 > **Assign** al grupo
- 3. Grupo > **Licenses**: E3 aparece y Delia ya ve las apps
- 4. New group **Microsoft 365**: Northwest Sales
- 5. **Dynamic User** > Edit: user.objectId -ne null
- 6. Espera hasta 15 min y revisa Members: más de 30

TRAMPAS DEL LAB

⚠ Group-based licensing no llega a **nested groups**.

⚠ Group type no cambia después; dynamic pide P1.



Guests con el acceso más restringido

 Ruta: Entra ID > External Identities > External collaboration settings > Users > All users

- 1. **Guest self-service sign up** via user flows: Yes
- 2. All identity providers > **Email one-time passcode**: Yes
- 3. Guest user access: **most restrictive**
- 4. Invite settings: members y admin roles invitan
- 5. New user > **Invite external user**, User type Guest
- 6. **Bulk invite** con el CSV, o New-MgInvitation

TRAMPAS DEL LAB

⚠ Los settings viven en **External Identities**, no en Users.

⚠ Solo admin roles: invitan User Admin y **Guest Inviter**.

Guest user access

Guest user access restrictions ⓘ

[Learn more](#)

☒ Guest users have the same access as members (most inclusive)

☐ Guest users have limited access to properties and memberships of directory objects

☐ Guest user access is restricted to properties and memberships of their own directory objects (most restrictive)

Home > Users >

Invite external user ...

Invite an external user to collaborate with your organization

Basics Properties Assignments Review + invite

Invite a new guest user to collaborate with your organization. The user will be emailed an invitation they can accept in order to begin collaborating. [Learn more](#)

Identity

Email ⓘ *

Display name

Invitation message

Send invite message

☐

[Review + invite](#) < Previous Next: Properties >

[Give feedback](#)

MFA por CA y SSPR para un piloto





Ruta: Entra ID > Conditional Access · Users > Per-user MFA · Password reset

- 1. CA > New policy MFA_for_Delia: Delia, Office 365
- 2. Grant: **Require multifactor authentication**, On
- 3. Per-user MFA > Adele Vance > **Enable MFA**
- 4. Grupo Security **SSPRTesters** con tres usuarios
- 5. Password reset > Properties: **Selected**, SSPRTesters
- 6. Allan registra en aka.ms/ssprsetup y prueba el reset

TRAMPAS DEL LAB

⚠ Security defaults activos: no hay CA. Apágalos antes.

⚠ Selected: un solo grupo. Prueba con usuario sin rol.



Bloquear Sway y probarlo con What If

 Ruta: Entra ID > Conditional Access > Policies, y What If en la barra

- 1. **New policy** Block Sway for DebraB: DebraB, Sway
- 2. Grant: **Block access**, On. DebraB ya no entra
- 3. Pon la política en **Off** y guarda
- 4. **What If**: DebraB, Sway, Windows, Browser
- 5. Lee Policies that will apply y will not apply
- 6. Sign in frequency: Grady, **30 Days**, Report-only

TRAMPAS DEL LAB

 What If solo evalúa políticas **On** o **Report-only**.

 La sesión abierta no se re-evalúa: sal y vuelve.

Policies that will apply			
Policies that will not apply			
Search			
Policy Name ↑↓	Grant controls ↑↓	Session controls ↑↓	State ↑↓
CA003: Block legacy authentication	Block access		On
CA004: Require multi-factor authentication for all users	Require multifactor authentication		Report-only
CA006: Require multi-factor authentication for Azure	Require multifactor authentication		On
CA007: Require multi-factor authentication for risky sign-in	Require multifactor authentication		On
CA008: Require password change for high-risk users	Require multifactor authentication AND Require password change		Report-only
CA011: No persistent browser session		Sign-in frequency - 1 hour AND P...	Report-only

Home > Contoso > Security > Security > Conditional Access > Conditional Access > Policies >

New

Conditional Access policy

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies.
[Learn more](#)

Name *

Sign-in frequency ✓

Assignments

Users or workload identities

Specific users included

Cloud apps or actions

1 app included

Conditions

0 conditions selected

Access controls

Grant

0 controls selected

Session

0 controls selected

Enable policy

Report-only On Off

Create

Session

Control access based on session controls to enable limited experiences within specific cloud applications.
[Learn more](#)

☐ Use app enforced restrictions

☐ Use Conditional Access App Control

☒ Sign-in frequency

Periodic reauthentication

0

Select units

☐ Every time

Some of the applications currently selected are not compatible with the "Sign-in frequency" option of "Every time"

☐ Persistent browser session

☐ Customize continuous access evaluation

☐ Disable resilience defaults

Select

Dos políticas de riesgo, nunca una



 Ruta: Entra ID > Conditional Access > New policy > Conditions

- 1. User Risk Remediation: All users menos MOD Admin
- 2. Target: **All resources**. User risk: **High**
- 3. Grant: **Require risk remediation**, On
- 4. Sign-in Risk Policy: mismo alcance, sign-in risk **High**
- 5. Grant: **Require multifactor authentication**, On

TRAMPAS DEL LAB

 Pide P2. User y sign-in risk van separados.

 1 oct 2026: se retiran las legacy; todo va por CA.



Registrar, exponer una API, consentir



Ruta: Entra ID > App registrations · Enterprise apps > Security > Permissions

- 1. New registration: Demo app, Web https://localhost
- 2. Certificates & secrets: copia el Value ya
- 3. Expose an API: api://DemoAppAPI y dos scopes
- 4. Write.All: Who can consent Admins only
- 5. Custom role con permisos de credentials (pide P1)
- 6. Enterprise apps > Permissions > Grant admin consent



TRAMPAS DEL LAB



El Value del secret se ve una sola vez.



Grant desde App registrations puede revocar lo previo.





Un catalog con dueño y recursos

 Ruta: ID Governance > Entitlement management > Catalogs · Access reviews

1. **New catalog** Marketing: Enabled Yes, external No
2. Resources: grupo Retail, Box, Salesforce, sitio Brand
3. Roles and administrators > **Add catalog owner**: Adele
4. Access reviews > New: **Teams + Groups** con guests
5. Reviewers **Group owner(s)**, Auto apply, Remove access

TRAMPAS DEL LAB

- ⚠ Pide **Governance**; lo crea Identity Governance Admin.
- ⚠ Solo grupos cloud; no borras un catalog con packages.




Un access review anual con revisor

 Ruta: ID Governance > Access reviews > + New access review


1. **New access review** > template de recursos
2. **Teams + Groups:** Sales and Marketing, All users
3. Reviewers: **Selected user(s)**, Alex Wilber
4. Recurrence: **Annually**, duración por defecto
5. Settings por defecto > Review + Create
6. Name **SC300 Access Review Test** > Create

TRAMPAS DEL LAB

- ⚠ Varios grupos seleccionados: **un review por grupo.**
- ⚠ Group owner(s) solo existe en reviews de grupos.



The screenshot shows the 'New access review' page in the Microsoft Azure portal. The 'Specify reviewers' section is active, and a dropdown menu is open, showing options: 'Group owner(s)', 'Selected user(s) or group(s)', 'Users review their own access', and 'Managers of users'. The 'Duration (in days)' is set to 10, and the 'Start date' is 10/04/2021.



The screenshot shows the 'New access review' page in the Microsoft Azure portal, specifically the 'Settings' section. The 'Upon completion settings' section includes options for 'Auto apply results to resource' (unchecked), 'If reviewers don't respond' (set to 'Take recommendations'), and 'At end of review, send notification to' (set to 'Select User(s) or Group(s)'). The 'Enable reviewer decision helpers' section includes options for 'No sign-in within 30 days' (checked) and '(Previous) User-to-Group Affiliation' (checked). The 'Advanced settings' section includes options for 'Justification required' (checked), 'Email notifications' (checked), and 'Reminders' (checked). There is a text box for 'Additional content for reviewer email'.



Eligible, con approval y activación

 Ruta: ID Governance > Privileged Identity Management > Microsoft Entra roles

- 1. Settings > Compliance Administrator > **Edit**
- 2. **Require approval to activate** y elige al aprobador
- 3. Add assignments: Miriam Graham como **Eligible**
- 4. Miriam: My roles > **Activate**, MFA y justificación
- 5. Revisa Scope type: Directory o Administrative unit
- 6. Assignments > **Update** y luego **Remove**

TRAMPAS DEL LAB

- ⚠ Con approval, la activación queda **pending**: no es error.
- ⚠ **Eligible** se activa; **Active** ya da el permiso.



BLOQUE 3 · SIMULACRO

30 preguntas

45 minutos, por tu cuenta y sin apuntes. Se revisa en el debrief.

8 · M1

8 · M2

7 · M3

7 · M4

Cómo calificarte: 21 de 30 es la meta



Un punto por pregunta completa: en Yes/No, select two y drag and drop, todo o nada. Anota los fallos por dominio.

El debrief reemplaza a los dumps

"Se llena el mismo día. Temas sí, preguntas no."

Campo	Qué anotar
Resultado	Pass o no pass, y el score por dominio del score report.
Dominios que más pesaron	Por sensación: cuál dominó tu examen.
Escenarios que costaron	Por tema, por ejemplo "PIM for Groups vs role-assignable".
Labs que salieron	Por tarea: "crear access package con aprobación". Nunca los pasos exactos.
Qué hubiera estudiado más	Libre.

Por qué funciona: señal legítima para ajustar el siguiente cohort, sin guardar preguntas.

Gracias. Ahora, a agendar



Agenda tu examen

Pon fecha esta semana, con los labs frescos. Si no es en tu idioma, pide los 30 minutos extra.



Practice assessment

Una vez más, después del simulacro. Lo que falles, repásalo en la guía y en el banco.



El repositorio del curso

Avisa cuando presentes y comparte tu debrief el mismo día. Temas sí, preguntas no.



Study guide

Study guide SC-300



Practice assessment

Practice Assessment SC-300



Labs oficiales

SC-300 Labs index