

매출 데이터 분석 에이전트 개발

에이전트의 개발 목적

당신은 AI 에이전트 개발자입니다.


에이전트를 통해서 임직원들이 회사의 매출 데이터를 분석합니다. 특히 매출에 영향을 주는 요소와 데이터를 구글 검색을 통해서 찾고 매출데이터 분석에 반영하여 좀 더 다양한 분석을 할 수 있도록 ...

에이전트 개발 환경

- Agent Framework: ADK 2.0
- agents-cli의 Skills를 사용
- 개발언어: Python 3.14
- Deployment: Google Cloud Agent Runtime
- Session: InMemorySessionService
- Memory: InMemoryMemoryService
- Gemini Enterprise App에서 사용
- Gemini 모델: gemini-3.5-flash

에이전트 구조

멀티에이전트 구조를 구현합니다.



* Root Agent: 사용자 입력을 받습니다. 사용자의 질문에 필요하면 Sub Agent를 호출하

여 결과를 받습니다. 모든 결과를 종합하여 최종 답변을 생성합니다.

* 납(Pb)시세 검색 에이전트: 런던금속거래소(LME)의 데이터를 Google Search 도구를 사용합니다.

* 매출 분석 에이전트: A2A 에이전트를 호출합니다.

* A2A Agent를 호출할 때는 httpx client를 사용하고 Authorizaton Bearer 토큰을 주입하여 호출한다.

A2A Agent 정보

```
{
  "protocolVersion": "1.0",
  "name": "매출분석 에이전트",
  "description": "2021년 부터 2025년까지의 매출에 대한 분석을 위한 에이전트",
  "url": "https://geminidataanalytics.googleapis.com/v1beta/a2a/projects/kevin-ai-playground/locations/us/dataAgents/agent_3f693ca8-766c-456c-97d3-3b443193d24a",
  "preferredTransport": "INTERNAL_HTTP+JSON",
  "defaultInputModes": [
    "text/plain",
    "application/json"
  ],
  "defaultOutputModes": [
    "text/plain",
    "application/json"
  ],
  "skills": [
    {
      "id": "data-analysis",
      "name": "Data Analysis",
      "description": "Provides data analysis assistance",
      "tags": [
        "data analysis",
        "data analytics",
        "data science"
      ],
      "examples": [
```

```
    "What is the total sales for the last 3 months?"
  ],
  "inputModes": [
    "text/plain",
    "application/json"
  ],
  "outputModes": [
    "text/plain",
    "application/json"
  ]
}
],
"additionalInterfaces": [
  {
    "url": "https://geminidataanalytics.googleapis.com/v1beta/a2a/projects/kevin-ai-playground/locations/us/dataAgents/agent_3f693ca8-766c-456c-97d3-3b443193d24a",
    "transport": "HTTP+JSON",
    "tenant": "projects/kevin-ai-playground/locations/us/dataAgents/agent_3f693ca8-766c-456c-97d3-3b443193d24a"
  },
  {
    "url": "https://geminidataanalytics.googleapis.com/v1beta/a2a/projects/kevin-ai-playground/locations/us/dataAgents/agent_3f693ca8-766c-456c-97d3-3b443193d24a",
    "transport": "GRPC",
    "tenant": "projects/kevin-ai-playground/locations/us/dataAgents/agent_3f693ca8-766c-456c-97d3-3b443193d24a"
  }
],
"provider": {
  "url": "",
  "organization": ""
},
"version": "1.0",
"documentationUrl": "",
"capabilities": {
```

```
"streaming": true,
"pushNotifications": false,
"extensions": [
  {
    "uri": "https://a2ui.org/a2a-extension/a2ui/v0.8",
    "description": "Ability to render A2UI",
    "required": false,
    "params": {
      "acceptsInlineCatalogs": false
    }
  },
  {
    "uri": "https://a2ui.org/a2a-extension/a2ui/v0.9",
    "description": "Ability to render A2UI",
    "required": false,
    "params": {
      "acceptsInlineCatalogs": false
    }
  },
  {
    "uri": "https://docs.cloud.google.com/gemini/docs/conversational-analytics-api/reference/a2a/extensions/client-id/v1",
    "description": "Google Data Analytics Client ID extension",
    "required": false,
    "params": {}
  },
  {
    "uri": "https://www.googleapis.com/gemini-enterprise/a2a/extensions/authorizations/v1",
    "description": "Google Gemini Enterprise authorization extension",
    "required": false,
    "params": {}
  },
  {
    "uri": "https://www.googleapis.com/gemini-
```

```
enterprise/a2a/extensions/full_history_when_stateless/v1",
  "description": "Google Gemini Enterprise stateless extension",
  "required": false,
  "params": {}
},
{
  "uri": "https://docs.cloud.google.com/gemini/docs/conversational-analytics-
api/reference/a2a/extensions/datasource-references/v1",
  "description": "Datasource references extension",
  "required": false,
  "params": {
    "bq": {
      "searchScope": {
        "includeProjectIds": [],
        "includeDatasetReferences": [
          {
            "projectId": "",
            "datasetId": ""
          }
        ]
      }
    }
  }
},
{
  "uri": "https://cloud.google.com/bigquery/agent/extensions/sdai-chart/v1",
  "description": "Ability to render SDUI charts",
  "required": false,
  "params": {}
},
{
  "uri": "https://docs.cloud.google.com/gemini/docs/conversational-analytics-
api/reference/a2a/extensions/bq-dataset/v1",
  "description": "BQ Dataset Information",
  "required": false,
```

```

"params": {
  "system_instructions": "* Revenue의 단위는 USD 입니다. ₩₩n* partner는 판매 총판을 의미합니다. ₩₩n* count는 판매 수량의 의미합니다. ₩₩n* 제품은 납(Pb)의 주요 재료로 사용되며 납의 가격 변동은 매출과 이익에 큰 영향을 줍니다. ",
  "glossary_terms": [
    "연중량: 제품 생산에 사용한 납(Pb)의 중량"
  ],
  "example_queries": {
    "This query detects unusual spikes or drops in `net_revenue_usd` for each `region` and `product_category` by comparing the current month's revenue to the average of the previous three months, flagging deviations greater than 50%": [
      "SELECT₩n  year,₩n  month,₩n  region,₩n  product_category,₩n  net_revenue_usd,₩n  avg_net_revenue_usd_prev_3_months,₩n  (net_revenue_usd - avg_net_revenue_usd_prev_3_months) / avg_net_revenue_usd_prev_3_months AS percentage_change₩nFROM (₩n  SELECT₩n    year,₩n    month,₩n    region,₩n    product_category,₩n    net_revenue_usd,₩n    AVG(net_revenue_usd) OVER (₩n  PARTITION BY region, product_category₩n    ORDER BY year, month₩n  ROWS BETWEEN 3 PRECEDING AND 1 PRECEDING₩n    ) AS avg_net_revenue_usd_prev_3_months₩n  FROM `kevin-ai-playground.company_ds.revenue_3892123`₩n)₩nWHERE₩n  ABS((net_revenue_usd - avg_net_revenue_usd_prev_3_months) / avg_net_revenue_usd_prev_3_months) > 0.5₩nORDER BY₩n  year, month, region, product_category;"
    ],
    "This query identifies months and regions where the `net_revenue_usd` for a specific `product_category` deviates significantly (more than 2 standard deviations) from the average `net_revenue_usd` for that `product_category` across all regions and months.": [
      "SELECT₩n  t1.year,₩n  t1.month,₩n  t1.region,₩n  t1.product_category,₩n  t1.net_revenue_usd,₩n  t2.avg_net_revenue_usd,₩n  t2.stddev_net_revenue_usd₩nFROM `kevin-ai-playground.company_ds.revenue_3892123` AS t1₩nJOIN (₩n  SELECT₩n    product_category,₩n    AVG(net_revenue_usd) AS avg_net_revenue_usd,₩n  STDDEV(net_revenue_usd) AS stddev_net_revenue_usd₩n  FROM `kevin-ai-playground.company_ds.revenue_3892123`₩n  GROUP BY₩n    product_category₩n) AS t2₩nON₩n  t1.product_category = t2.product_category₩nWHERE₩n

```

```

ABS(t1.net_revenue_usd - t2.avg_net_revenue_usd) > 2 *
t2.stddev_net_revenue_usd
ORDER BY t1.year, t1.month, t1.region,
t1.product_category;
],
"Identify regions where the population variance of net revenue is
significantly higher than the average population variance across all regions, indicating
unstable revenue performance.": [
    "SELECT
        region,
        VAR_POP(net_revenue_usd) AS
region_revenue_variance
FROM
    `kevin-ai-
playground.company_ds.revenue_3892123`
WHERE
    year = 2023
GROUP BY
region
HAVING
    VAR_POP(net_revenue_usd) > (
        SELECT
            AVG(region_variance)
        FROM (
            SELECT
                VAR_POP(net_revenue_usd)
            AS region_variance
            FROM
                `kevin-ai-
playground.company_ds.revenue_3892123`
            WHERE
                year = 2023
            GROUP BY
                region
        )
    )
ORDER BY
    region_revenue_variance DESC;
],
"Find the top 5 product categories that consistently appear in the top
10% of net revenue earners each year for the last three years.": [
    "WITH RankedRevenue AS (
        SELECT year, product_category,
        SUM(net_revenue_usd) AS total_revenue, NTILE(10) OVER (PARTITION BY year ORDER
        BY SUM(net_revenue_usd) DESC) AS revenue_percentile
        FROM `kevin-ai-
playground.company_ds.revenue_3892123`
        WHERE year >= (SELECT MAX(year) - 2
        FROM `kevin-ai-playground.company_ds.revenue_3892123`)
        GROUP BY year,
        product_category
    )
    SELECT product_category
    FROM RankedRevenue
    WHERE revenue_percentile = 1
    GROUP BY product_category
    HAVING COUNT(DISTINCT year) = 3
    ORDER BY COUNT(DISTINCT year) DESC
    LIMIT 5;
],
"Identify the top 3 product groups with the highest year-over-year
growth in net revenue for the most recent two years available in the dataset.": [
    "WITH YearlyRevenue AS (
        SELECT year, product_group,
        SUM(net_revenue_usd) AS total_revenue
        FROM `kevin-ai-
playground.company_ds.revenue_3892123`
        GROUP BY year, product_group
    ),
    RankedRevenue AS (
        SELECT year, product_group, total_revenue,
        LAG(total_revenue, 1) OVER (PARTITION BY product_group ORDER BY year) AS previous_year_revenue
        FROM YearlyRevenue
    ),
    Growth AS (
        SELECT year, product_group, (total_revenue -

```

previous_year_revenue) * 100.0 / previous_year_revenue AS growth_percentage FROM RankedRevenue WHERE previous_year_revenue IS NOT NULL) SELECT product_group, growth_percentage FROM Growth WHERE year = (SELECT MAX(year) FROM `kevin-ai-playground.company\_ds.revenue\_3892123`) ORDER BY growth_percentage DESC LIMIT 3;"

],

"Identify regions where the total net revenue from partners is less than 50% of the total net revenue from non-partners for the most recent year.": [

"WITH PartnerRevenue AS (SELECT region, SUM(CASE WHEN partner IS NOT NULL AND partner != '' THEN net_revenue_usd ELSE 0 END) AS partner_total_revenue, SUM(CASE WHEN partner IS NULL OR partner = '' THEN net_revenue_usd ELSE 0 END) AS non_partner_total_revenue FROM `kevin-ai-playground.company\_ds.revenue\_3892123` WHERE year = (SELECT MAX(year) FROM `kevin-ai-playground.company\_ds.revenue\_3892123`) GROUP BY region) SELECT region FROM PartnerRevenue WHERE partner_total_revenue < 0.5 * non_partner_total_revenue ORDER BY region ASC;"

],

"For each month, what is the maximum net revenue achieved by any product category in the 'North' region, and what was the corresponding product category?": [

"SELECT month, product_category, net_revenue_usd FROM (SELECT month, product_category, net_revenue_usd, ROW_NUMBER() OVER (PARTITION BY month ORDER BY net_revenue_usd DESC) AS rn FROM `kevin-ai-playground.company\_ds.revenue\_3892123` WHERE region = 'North') WHERE rn = 1 ORDER BY month ASC;"

],

"Analyze the correlation between lead weight and net revenue for each product category to understand which categories have a stronger relationship between lead quality and sales.": [

"SELECT product_category, CORR(lead_weight, net_revenue_usd) AS lead_revenue_correlation FROM `kevin-ai-playground.company\_ds.revenue\_3892123` WHERE year = 2023 GROUP BY product_category ORDER BY lead_revenue_correlation DESC;"

],

"What is the correlation between `lead\_weight` and `net\_revenue\_usd` for

each product group, considering only data from the last two years?": [

```
"SELECT product_group, CORR(lead_weigh, net_revenue_usd) AS  
correlation_lead_revenue FROM `kevin-ai-playground.company_ds.revenue_3892123`  
WHERE year >= (SELECT MAX(year) - 1 FROM `kevin-ai-  
playground.company_ds.revenue_3892123`) GROUP BY product_group ORDER BY  
product_group ASC;"
```

],

"Calculate the month-over-month percentage change in total net revenue for each region, identifying periods of significant growth or decline.": [

```
"SELECTWn year,Wn month,Wn region,Wn SUM(net_revenue_usd)  
AS total_net_revenue,Wn LAG(SUM(net_revenue_usd), 1, 0) OVER (PARTITION BY  
region ORDER BY year, month) AS previous_month_revenue,Wn  
(SUM(net_revenue_usd) - LAG(SUM(net_revenue_usd), 1, 0) OVER (PARTITION BY region  
ORDER BY year, month)) * 100.0 / LAG(SUM(net_revenue_usd), 1, 1) OVER (PARTITION  
BY region ORDER BY year, month) AS  
month_over_month_revenue_change_percentWnFROMWn `kevin-ai-  
playground.company_ds.revenue_3892123`WnWHEREWn year = 2023WnGROUP BYWn  
year,Wn month,Wn regionWnORDER BYWn region,Wn year,Wn month;"
```

],

"Identify partners whose average net revenue per transaction (net_revenue_usd / count) is in the top 10th percentile across all partners for the most recent year.": [

```
"WITH PartnerAvgRevenue AS ( SELECT partner, AVG(net_revenue_usd /  
count) AS avg_revenue_per_transaction FROM `kevin-ai-  
playground.company_ds.revenue_3892123` WHERE year = (SELECT MAX(year) FROM  
`kevin-ai-playground.company_ds.revenue_3892123`) AND count > 0 GROUP BY  
partner ) SELECT partner, avg_revenue_per_transaction FROM PartnerAvgRevenue  
WHERE avg_revenue_per_transaction >= (SELECT  
PERCENTILE_CONT(avg_revenue_per_transaction, 0.9) OVER () FROM  
PartnerAvgRevenue) ORDER BY avg_revenue_per_transaction DESC;"
```

],

"Identify the top 3 product categories by cumulative net revenue within each region for a specific year, showing their contribution to the region's total revenue over time.": [

```
"WITH RegionalCategoryRevenue AS (Wn SELECTWn DATE(year,
```

```

month, 1) AS revenue_date, \n      region, \n      product_category, \n
SUM(net_revenue_usd) AS monthly_net_revenue \n FROM `kevin-ai-
playground.company_ds.revenue_3892123` \n WHERE year = 2023 -- Assuming a
partition on year \n GROUP BY 1, 2, 3 \n), \n CumulativeRevenue AS ( \n SELECT \n
revenue_date, \n      region, \n      product_category, \n      monthly_net_revenue, \n
SUM(monthly_net_revenue) OVER (PARTITION BY region, product_category ORDER BY
revenue_date) AS cumulative_category_revenue, \n      SUM(monthly_net_revenue)
OVER (PARTITION BY region ORDER BY revenue_date) AS
cumulative_region_total_revenue \n FROM
RegionalCategoryRevenue \n), \n RankedCumulativeRevenue AS ( \n SELECT \n
revenue_date, \n      region, \n      product_category, \n
cumulative_category_revenue, \n      cumulative_region_total_revenue, \n
cumulative_category_revenue * 100.0 / cumulative_region_total_revenue AS
percentage_of_region_total, \n      RANK() OVER (PARTITION BY region, revenue_date
ORDER BY cumulative_category_revenue DESC) AS category_rank \n FROM
CumulativeRevenue \n) \n SELECT \n FORMAT_DATE('%Y-%m', revenue_date) AS
year_month, \n      region, \n      product_category, \n      cumulative_category_revenue, \n
percentage_of_region_total \n FROM RankedCumulativeRevenue \n WHERE
category_rank <= 3 \n ORDER BY region, revenue_date, category_rank;"

```

],

"Calculate the percentage contribution of each product category's net revenue to the total net revenue within its respective product group for each year.": [

```

"SELECT year, product_group, product_category, SUM(net_revenue_usd)
AS category_revenue, SUM(SUM(net_revenue_usd)) OVER (PARTITION BY year,
product_group) AS group_total_revenue, (SUM(net_revenue_usd) * 100.0 /
SUM(SUM(net_revenue_usd)) OVER (PARTITION BY year, product_group)) AS
percentage_contribution FROM `kevin-ai-playground.company_ds.revenue_3892123`
GROUP BY year, product_group, product_category ORDER BY year, product_group,
percentage_contribution DESC;"

```

],

"Calculate the moving average of net revenue for each product category over a 3-month window, considering data from the last two years.": [

```

"SELECT year, month, product_category, AVG(net_revenue_usd) OVER
(PARTITION BY product_category ORDER BY year, month ROWS BETWEEN 2
PRECEDING AND CURRENT ROW) AS moving_avg_revenue FROM `kevin-ai-

```

```
playground.company_ds.revenue_3892123` WHERE year >= (SELECT MAX(year) - 1
FROM `kevin-ai-playground.company_ds.revenue_3892123`) ORDER BY
product_category, year, month ASC;"
```

```
],
```

"Find the month with the highest average net revenue per transaction (net_revenue_usd / count) for each region, considering only transactions with more than 10 counts.": [

```
"SELECT region, month, avg_revenue_per_transaction FROM ( SELECT
region, month, AVG(CAST(net_revenue_usd AS BIGNUMERIC) / count) AS
avg_revenue_per_transaction, ROW_NUMBER() OVER (PARTITION BY region ORDER BY
AVG(CAST(net_revenue_usd AS BIGNUMERIC) / count) DESC) AS rn FROM `kevin-ai-
playground.company_ds.revenue_3892123` WHERE count > 10 GROUP BY region,
month ) WHERE rn = 1 ORDER BY region ASC;"
```

```
],
```

"Analyze the month-over-month percentage change in net revenue for each product category within each region.": [

```
"WITH MonthlyRevenue AS (Wn SELECTWn DATE(year, month, 1)
AS revenue_date,Wn region,Wn product_category,Wn SUM(net_revenue_usd)
AS total_net_revenueWn FROM `kevin-ai-playground.company_ds.revenue_3892123`Wn
WHERE year = 2023 -- Assuming a partition on yearWn GROUP BY 1, 2,
3Wn),WnLaggedRevenue AS (Wn SELECTWn revenue_date,Wn region,Wn
product_category,Wn total_net_revenue,Wn LAG(total_net_revenue, 1, 0) OVER
(PARTITION BY region, product_category ORDER BY revenue_date) AS
previous_month_revenueWn FROM MonthlyRevenueWn)WnSELECTWn
FORMAT_DATE('%Y-%m', revenue_date) AS year_month,Wn region,Wn
product_category,Wn total_net_revenue,Wn previous_month_revenue,Wn CASEWn
WHEN previous_month_revenue = 0 THEN NULLWn ELSE (total_net_revenue -
previous_month_revenue) * 100.0 / previous_month_revenueWn END AS
mo_mo_revenue_growth_percentageWnFROM LaggedRevenueWnORDER BY region,
product_category, revenue_date;"
```

```
],
```

"What is the average net revenue per lead weight, grouped by product category and region, for the year 2022?": [

```
"SELECT product_category, region, AVG(net_revenue_usd / lead_weigh)
AS avg_revenue_per_lead_weight FROM `kevin-ai-
```

```
playground.company_ds.revenue_3892123` WHERE year = 2022 GROUP BY  
product_category, region ORDER BY product_category, region ASC;"
```

```
],
```

"Calculate the standard deviation of net revenue for each region, but only for product categories that have generated more than 1,000,000 USD in total revenue across all years.": [

```
"SELECT region, STDDEV(net_revenue_usd) AS stddev_net_revenue  
FROM `kevin-ai-playground.company_ds.revenue_3892123` WHERE product_category  
IN (SELECT product_category FROM `kevin-ai-  
playground.company_ds.revenue_3892123` GROUP BY product_category HAVING  
SUM(net_revenue_usd) > 1000000) GROUP BY region ORDER BY region ASC;"
```

```
],
```

"Determine the median net revenue per lead weight for each region and product group combination, for the year 2023.": [

```
"SELECT region, product_group,  
APPROX_QUANTILES(CAST(net_revenue_usd AS BIGNUMERIC) / lead_weigh,  
2)[OFFSET(1)] AS median_revenue_per_lead FROM `kevin-ai-  
playground.company_ds.revenue_3892123` WHERE year = 2023 AND lead_weigh > 0  
GROUP BY region, product_group ORDER BY region, product_group ASC;"
```

```
],
```

"Determine the coefficient of variation (standard deviation divided by the mean) of net revenue for each region and product group combination to identify which combinations have the most volatile revenue streams.": [

```
"SELECT`n  region`,`n  product_group`,`n  
(STDDEV_SAMP(net_revenue_usd) / AVG(net_revenue_usd)) AS  
revenue_coefficient_of_variation`nFROM`n  `kevin-ai-  
playground.company_ds.revenue_3892123``nWHERE`n  year = 2023`nGROUP BY`n  
region`,`n  product_group`nHAVING`n  AVG(net_revenue_usd) > 0`nORDER BY`n  
revenue_coefficient_of_variation DESC;"
```

```
],
```

"Find the top 5 partners with the highest average net revenue per lead weight, considering only product categories that generated more than 1,000,000 USD in total revenue.": [

```
"SELECT`n  t1.partner`,`n  AVG(t1.net_revenue_usd / t1.lead_weigh) AS  
avg_revenue_per_lead_weight`nFROM`n  `kevin-ai-
```

```

        playground.company_ds.revenue_3892123` AS t1`nJOIN (`n  SELECT`n
product_category`n  FROM`n  `kevin-ai-
playground.company_ds.revenue_3892123`n  WHERE`n  year = 2023`n  GROUP
BY`n  product_category`n  HAVING`n  SUM(net_revenue_usd) > 1000000`n)
AS t2`nON`n  t1.product_category = t2.product_category`nWHERE`n  t1.year =
2023 AND t1.lead_weigh > 0`nGROUP BY`n  t1.partner`nORDER BY`n
avg_revenue_per_lead_weight DESC`nLIMIT 5;"
    ]
  },
  "table_info": [
    "kevin-ai-playground.company_ds.revenue_3892123"
  ]
}
}
]
},
"iconUrl":
"data:image/svg+xml;base64,PHN2ZyB4bWxucz0iaHR0cDovL3d3dy53My5vcmcvMjAwM
C9zdmcilGhlaWdodD0iMTAwliB2aWV3Qm94PSlwlDAgMjQgMjQilHdpZHRoPSlzMdAiPjx
wYXRoIGQ9Ik02LjczLDEwLjgzdjluNjNBNC45MSw0LjKxLDAsMCwwLDguNDQsMTUuMIYx
MC44M1oiLz48cGF0aCBkPSJNOS44OSw4LjQxdjcuNTNBNTY4Miw3LjYyLDAsMCwwLDEw
LDE2LDgsOCwwLDAsMCwwMiwxNiY4LjQxWiVpPjxwYXRoIGQ9Ik0xMy42NCwwMS44NnYzLjI
5YTUsNSwwLDAsMCwwLjctMS44MIYxMS44Ni0iLz48cGF0aCBkPSJNMTcuNzQsMTYuMzJs
LTEuNDIsMS40MmEuNDluNDIsMCwwLDAsMCwuNmwwLjU0LDMuNTRhLjQyLjQyLDAsM
CwwLC41OSwwbDEuNDMtMS40M2EuNDluNDIsMCwwLDAsMC0uNTIsLTMuNTQtMy41
NGEuNDluNDIsMCwwLDAtLjYsMCivPjxwYXRoIGQ9Ik0xMSwYTKsOSwwLDEsMCw5LDks
OSw5LDAsMCwwLTktOW0wLDE1LjY5QTYuNjgsNi42OCwwLDEsMSwwNy42OSwwMSw2Lj
Y4LDYuNjgsMCwwLDEsMTesMTcuNjkiLz48L3N2Zz4="
}

```

에이전트 작동 설명

1. 사용자의 입력은 Root Agent가 받습니다.
2. Root Agent 는 사용자의 질문을 분석하여 “매출 분석 에이전트” 또는 “납시세 검색 에이전트”를 호출해야 하는지 판단합니다. 만약 다른 에이전트의 도움이 필요없다면 바로 답변을 생성하여 응답합니다.

- A. "매출 분석 에이전트"의 호출이 필요하면 호출하여 결과를 받아옵니다.
- B. "납시세 검색 에이전트"의 호출이 필요하면 호출하여 결과를 받아옵니다.
- 3. Root Agent 는 다른 에이전트로부터 받아온 결과를 바탕으로 최종 답변을 생성하여 사용자에게 응답합니다.