

XRPL Validator — Daily Engineering Report • 2026-09-18

Compiled retrospectively on 2026-09-23 from the git history. Scope: XRPL work only — the git history of [xrpl-validator](#) and the XRPL Rust SDK, the XRP Ledger itself (amendments) and XRPL research.

Summary

- **57 commits** (xrpl-validator 57)
- 1 test / vector commit
- Amendment **BatchV1_1** held majority (since 2026-09-15 14:06 UTC); activation due ~2026-09-29 14:06 UTC

Engineering changes

- **fix(node): Batch inner pairing is mode-aware for discarded all-or-nothing batches; unencodable inner ids keep their slot and trip a wire** (d4b2420 , xrpl-validator) Two rulings parked at the end of Batch leg B, pulled forward now that BatchV1_1 has majority on mainnet.
- **feat(node): differential transaction fuzzer — unsigned mutants of real transactions, libxrpl vs our engine on the same pre-state** (fda4f5f , xrpl-validator) `differential_probe --fuzz K [--seed S] [--fuzz-out DIR]` : for every transaction of a fixture ledger, before the real one is applied, K mutants (fuzz_mutants: amount ulp/ppm/halve/double nudges on the type's amount fields, Payment and OfferCreate flag toggles, DeliverMin set/drop, Paths drop, self-destination, Expiration past/future, OfferSequence drop, Fee double) are applied by libxrpl through the shim and by our ...
- **feat(node): fuzzer — NOOP class for threading-only set differences, party roots in preflight bundles, mutation-diff readout** (7ee6c4d , xrpl-validator) Three lessons from the first 4,000 mutants. A preflight rejection reads nothing, so its bundle replayed natively as tefNO_ACCOUNT: bundles now seed `pre` with the sender's, destination's, owner's and issuer's roots as they stand. A set difference made only of Modified entries whose content equals the pre-image once PreviousTxnID/PreviousTxnLgrSeq are set aside is a threading-only write — rippled files a ModifiedNode ...
- **fix(ledger): the fuzzer's first five findings — Payment shape rules, DeliverMin rules, IoC+FoK, sixteen-digit amounts (findings 299–303)** (a11f54c , xrpl-validator) From `differential_probe --fuzz` over #107052630, #107060755, #107009438 (4,204 unsigned mutants of real transactions, libxrpl 3.4.0 as the oracle): 310 of the 311 TER disagreements fall in five rules a validated ledger can never show the shadow, because a tem never reaches one.
- **feat(node): fuzzer — objects only our leg wrote become untouched pins in the bundle** (78f33d9 , xrpl-validator) The probe then names the object when a replay repeats the divergence.
- **feat(node): fuzzer — bundles carry our leg's bytes for every disputed key** (01b5db2 , xrpl-validator)
- **fix(node): fuzzer — the no-op test takes a pre-image from the native state when libxrpl never read the object** (728f406 , xrpl-validator) A path's intermediate line written back byte-identical (park and take-back) is a NOOP, not a MUT.

- **fix(node): fuzzer — the mutant carries its own transaction id before our leg applies it** (fdd63d7 , xrpl-validator) stamp_account_txn_id reads the id from the JSON hash; without it an armed AccountTxnID kept its old value while libxrpl stamped the mutant's.
- **fix(ledger): temRIPPLE_EMPTY ahead of every payment branch, the plain IOU send included (finding 300, placement)** (d8c566a , xrpl-validator) Batch 7 still showed four pathless tfNoRippleDirect sends answering tesSUCCESS: the check sat inside the path-payment branch, which a pathless IOU send never enters.
- **fix(ledger): a limit quality below the STAmount floor is rate 0 — the best quality, every strand rejected (finding 304)** (5872bed , xrpl-validator) From the differential fuzzer: tfLimitQuality on a deliver-max partial payment (Amount 9999999999999990e79 RLUSD for 200000 drops). rippled's limit is Quality{Amounts{maxSourceAmount, dstAmount}} = getRate(Amount, SendMax); the quotient's exponent sits far below STAmount's floor of -96, divide canonicalizes it to zero, getRate files rate 0, and Quality(0) is the best quality there is — every strand's realised ...
- **fix(ledger): the post-crossing residual rests only while the account is still funded — read the account, not the clamped remainder (finding 305)** (a816572 , xrpl-validator) rippled re-reads accountFunds AFTER crossing (flowCross :438-446) and clears both sides of the residual when it is <= 0; the clamped remainder is not consulted. Fuzz #54 off 107060755 (B90D5364B3D9, TakerGets doubled) folded 25 fills one ulp short of the entry and rested an unfundable Offer plus its book page; fuzz #43 (5DA2F55D5276) spent its budget to exactly zero while the line kept 1e-17 and we rested nothing ...
- **fix(ledger): a bridge round's direct strand whose pool is refused by its own tip is dead, not spared (finding 306)** (3d54768 , xrpl-validator) rippled pushes only a strand that flowed back into the next iteration's active set (StrandFlow.h); a strand that ran and produced nothing is gone. Finding 215 modelled that but finding 211 spared the direct strand when its pool looked refused only by the rival bridge's bound. Fuzz #20 off 107009438 (7665065807E8, TakerGets doubled — r3rhWeE3's FLR → BTC offer over a direct pool and an XRP bridge): at iteration 8 the ...
- **fix(ledger): limitOut hands the remainder back untrimmed within 1e-9 — no trim, no forgiveness (finding 307)** (9220f94 , xrpl-validator) rippled's limitOut (StrandFlow.h:415-418): "A tiny difference could be due to the round off" — when the solved out is within 1e-9 relative of remainingOut (withinRelativeDistance on amounts, (max – min)/max < dist), remainingOut is returned unchanged, adjustedRemOut stays false, and the 1e-7 judge forgiveness at :731-733 never applies. Fuzz #121 off 107009438 (2249B3B51059 with tfLimitQuality added, rogue5Hn ...
- **feat(fuzz): bundles carry every base object our own walk read (sandbox read log)** (1061855 , xrpl-validator) A fuzz bundle's pre-state was libxrpl's reads plus the party roots. Our walk can consult objects libxrpl never read — book pages it steps, lines it prices — and a bundle lacking them replays a narrower walk that happens to agree: fuzz #85 off 107009438 disagreed live (64 mutations vs 4) and passed from its bundle. The sandbox now keeps a thread-local read log (off by default; armed by the fuzzer around our leg) of ...
- **fix(ledger): a created PermissionedDomain files Flags 0 (finding 308)** (8f9636c , xrpl-validator) #107074173 06F51E33BB43 (soak #18): rippled's PermissionedDomainSet::doApply sets sfFlags to 0 on create, so the filed object is five bytes longer than ours — the Oracle lesson of finding 293 again. Vector from the receipt.
- **fix(ledger): accepting an IOU-priced NFT buy offer needs the buyer funded (finding 309)** (67b0d6d , xrpl-validator) #107063938 EBF238024D19 (soak #17): NFTTokenAcceptOffer::preclaim reads the buyer's funds through accountFunds(view, owner, needed, fhZERO_IF_FROZEN) for every currency (NFTTokenAcceptOffer.cpp:212-218). rDnNmaX1 held 0.3373 of the 337.002 xSPECTAR it offered: mainnet

tecINSUFFICIENT_FUNDS, we accepted — nft_funds_short judged XRP prices only, its note that IOU prices are not settled being stale ...

- **fix(node): reset every per-transaction thread-local at the apply entry** (057bcd1 , xrpl-validator) rippled carries nothing from one transaction into the next. The offer walk's remembered owner counts, soft-stale and dead-reap marks, passthrough and self-maker credits, the pool walk's cells and context and Batch's inner collection are thread-locals that the PREVIOUS application leaves behind — and a discarded application (a differential-fuzz mutant, a dry run) leaves the most. Fuzz #85 off 107009438 reaped 21 ...
- **fix(ledger): the carry overshoot flushes only through a pool the hop actually took (finding 311)** (12933ea , xrpl-validator) #107064266 12C8A416327C (soak-17 receipt): rogue5Hn's PLX → LHT → CSC payment met hop 1 with one book offer; the CSC/LHT pool merely existed, yet the 5.3e-11 LHT carry overshoot (finding for #106455266: a pool hop's excess rides through the pool) was flushed into it and its LHT line rounded up one ulp — a ninth mutation mainnet never wrote. rippled's fwd step feeds the excess through the stream it consumed, where an ...
- **fix(ledger): a buy's residual folds the iterations' outs in multiset order (finding 310)** (624168c , xrpl-validator) rippled: afterCross.out -= result.actualAmountOut, and actualAmountOut is flow()'s sum(savedOuts) — the iterations' outs accumulated in the multiset's sorted order (StrandFlow.h). Finding 202 already kept that list in the bridged walker (saved_outs); the finding 144/160 tail then replaced it with the per-fill chain out_sum in consumption order. Fuzz #6 off 107009438 (24038BE2F358, TakerGets doubled — r3rhWeE3 buying ...
- **fix(probe): hydrate every party's owner-directory root and tail, whatever the type** (e963a02 , xrpl-validator) The per-type hydration blocks grew one specimen at a time; a transactor filing an owned object for a type without a block found no root in the state and native "created" a root that exists — #107074173 06F51E33BB43 (PermissionedDomainSet, 29-page dir), testnet 20863507 D958776AB6D7 (MPTokenIssuanceCreate) and 20863509 0AEE09161265 (MPTokenAuthorize) in one afternoon, each reported as a false DIVERGE-MUT. Every ...
- **feat(fuzz): structural mutation kinds — sequence gates, flags, modes, expirations** (35f4975 , xrpl-validator) Beyond amount nudges and a few flag toggles, the generator now emits: for every type, Sequence ±1 (terPRE_SEQ / tefPAST_SEQ), LastLedgerSequence behind the ledger (tefMAX_LEDGER) and a zero fee; TrustSet's fAuth, NoRipple, Freeze and DeepFreeze set/clear toggles, a zero limit (Nudge::Zero) and QualityIn/Out; AccountSet's asf set/clear values, TransferRate and TickSize edges; AMMDeposit/AMMWithdraw's exclusive mode ...
- **fix(probe): hydrate every 32-byte hex field of a transaction as a ledger key** (7e34f5f , xrpl-validator) A modification that leaves an object byte-identical never reaches the meta, and a state without it reads tecNO_ENTRY: testnet 20863999 0DF65AD75341, a PermissionedDomainSet re-filing the same credential list, reported as a false DIVERGE. DomainID, CheckID, Channel, offer ids and credential ids now hydrate for every type.
- **fix(ledger): preflight and preclaim shape rules from the structural fuzzer and the testnet campaign (findings 314-329)** (405b3f0 , xrpl-validator) F314 AccountSet: asfAuthorizedNFTokenMinter ⇌ NFTTokenMinter (temMALFORMED); asfDisableMaster / asfNoFreeze need the master signature (tecNEED_MASTER_KEY, sigWithMaster = SigningPubKey deriving to the account); DisableMaster without RegularKey or SignerList is tecNO_ALTERNATIVE_KEY. F315 OfferCancel: account Sequence <= OfferSequence is temBAD_SEQUENCE. F316 TrustSet: tfSetfAuth without lsfRequireAuth is ...
- **fix(ledger): the sequence, ticket, prior-transaction and last-ledger gates, and a zero fee is valid (findings 312, 313)** (f8341d6 , xrpl-validator) rippled's Transactor::preclaim runs checkSeqProxy and

checkPriorTxAndLastLedger before any transactor's own preclaim: a future Sequence is `terPRE_SEQ`, a used one `tefPAST_SEQ`, a TicketSequence not yet created `terPRE_TICKET` and one already consumed `tefNO_TICKET`, a mismatched AccountTxnID `tefWRONG_PRIOR`, a LastLedgerSequence behind the ledger being built `tefMAX_LEDGER`. We incremented the account's Sequence without ever ...

- **feat(ledger): DepositPreauth by credentials — the credential-keyed entry (finding 319)** (`a3c9afc` , `xrpl-validator`) XLS-70: DepositPreauth with AuthorizeCredentials files a DepositPreauth entry keyed by `keylet::depositPreauth(owner, sorted credentials)` — `sha512Half('P' namespace, owner, [sha512Half(issuer, type)...], count)`, the count appended big-endian by `beast::hash_append` (verified against testnet 20864003's entry `61EEB051...` by brute force over the variants). Preflight: exactly one of Authorize / Unauthorize / ...
- **fix(ledger): the write-back test compares as rippled does — hex case-blind, nested, threading fields included (finding 330)** (`feb7c23` , `xrpl-validator`) ApplyStateTable skips a modified node only when `curNode == origNode` (ApplyStateTable.cpp:155), STObject equality over every field. Two ways our test disagreed with it: it compared hex strings case-sensitively and only at the top level (the transaction's lowercase hex against the decoder's uppercase — testnet 20863999 `0DF65AD75341` re-filing the same credential list read as material and was threaded where rippled ...
- **fix(ledger): a Batch's outer fee level is not a preflight matter (finding 331)** (`de000dd` , `xrpl-validator`) Batch::preflight checks that every inner fee is zero and nothing about the outer fee (Batch.cpp:326-334); the outer's LEVEL is Transactor::checkFee's, judged only while the ledger is open — finding 313's rule again. Devnet 5419046 `1455FD412810` and 5419049 `6A4D25E0FD9B`, Fee 4 drops on a one-drop network, applied where we said `temBAD_FEE`. Verified by the full-ledger differential probe (a transaction bundle carries ...
- **fix(probe): hydrate every party's root, nested credential issuers and subjects, and the sender's signer list** (`74f9591` , `xrpl-validator`) Three false DIVERGE-TERs from the testnet verification: CredentialCreate read `tecNO_TARGET` on a Subject root the state never held (20863992), DepositPreauth read `tecNO_ISSUER` on an issuer nested in AuthorizeCredentials (20864003), and an AccountSet `asfDisableMaster` read `tecNO_ALTERNATIVE_KEY` on a signer list that was never hydrated (20864007). `native_read_keys` now pushes each party field's account root, the roots ...
- **feat(ledger): hybrid domain offers rest in both books and leave both on deletion (finding 334)** (`b29a764` , `xrpl-validator`) PermissionedDEX (live on mainnet): a `tfHybrid` domain offer is appended to the OPEN book at the same rate as well as the domain book — the open page carries no DomainID — records that entry in AdditionalBooks, and gains `lsfHybrid` (CreateOffer.cpp `applyHybrid` :536-580, :923-928); `tfHybrid` without a DomainID is `temINVALID_FLAG` (:76-77). Deleting the offer, by cancel or by crossing, unlinks every AdditionalBooks entry ...
- **fix(ledger): a write-back equal to the base object is not a modification (finding 335)** (`546e3d8` , `xrpl-validator`) rippled's ApplyStateTable emits a modified node only when the working copy differs from the original (ApplyStateTable.cpp:155); a transactor that writes an object back unchanged has changed nothing. Testnet 20863999 `0DF65AD75341` re-filed the same credential list on its domain: libxrpl's mutation set held the root alone, ours the root and the domain, a DIVERGE-MUT the threading fix of finding 330 could not close. ...

Tests and campaigns

- **test(ledger): a self-payment in one asset is temREDUNDANT, not a fee burn (finding 299)** (`9ca58f4` , `xrpl-validator`)

Docs and operations

- **Merge branch 'tx-fuzz'** (1581d6f , xrpl-validator)
- **Merge branch 'tx-fuzz'** (312f235 , xrpl-validator)
- **Merge branch 'tx-fuzz'** (8c7e0a1 , xrpl-validator)
- **Merge f305: post-crossing residual rests only while the account is still funded (finding 305)** (4eba9b8 , xrpl-validator)
- **Merge f306-dead-strand: a direct strand refused by its own tip is dead, not spared (finding 306)** (b8a1e20 , xrpl-validator)
- **Merge f307-limitout-tiny: limitOut within 1e-9 is not a trim (finding 307)** (85f37f9 , xrpl-validator)
- **Merge f308-domain-flags-nft-funds: domain Flags (F308), NFT buyer funds (F309), per-tx thread-state reset** (d4f329a , xrpl-validator)
- **Merge fuzz-native-reads: fuzz bundles carry every base object our own walk read** (6fedc1c , xrpl-validator)
- **Merge f310-buy-out-fold: buy residual multiset fold (F310), pool-only overshoot flush (F311)** (354efcd , xrpl-validator)
- **Merge dp-party-roots: the probe hydrates every party's owner-directory root and tail** (7896337 , xrpl-validator)
- **Merge fuzz-structural-mutants: structural mutation kinds for the differential fuzzer** (4cb253a , xrpl-validator)
- **Merge f312-sequence-gates: sequence/fee gates (F312-F313), preflight shape rules (F314-F329), probe key hydration** (fa8e282 , xrpl-validator)
- **Merge f319-preauth-credentials: DepositPreauth by credentials (finding 319)** (da94ae3 , xrpl-validator)
- **Merge f330-writeback-hex-case: the write-back test compares as rippled does (finding 330)** (c17d1db , xrpl-validator)
- **Merge f331-batch-fee-level: a Batch's outer fee level is not a preflight matter (finding 331)** (a295b93 , xrpl-validator)
- **Merge dp-party-roots-2: probe hydrates party roots, nested credential parties and the signer list** (c2377fe , xrpl-validator)
- **Merge f334-hybrid-offers: hybrid domain offers in both books (finding 334)** (192ec17 , xrpl-validator)
- **Merge f335-unchanged-writes: an unchanged write-back is not a modification (finding 335)** (b83239b , xrpl-validator)
- **Finding 336: FillOrKill sell fills only when the gross in-fold equals the budget exactly** (949ed82 , xrpl-validator)
- **fetch_tx_bundle: tolerate MPT amounts in the line, pair and pool sweeps** (4671ddb , xrpl-validator)
- **Finding 332: MPT token escrow — create locks the holder's token, finish/cancel unlock it** (0c589d7 , xrpl-validator)
- **Finding 333: DomainID payments and offers — accountInDomain gates and domain-book routing** (3f67fa0 , xrpl-validator)
- **Finding 337: a domain offer whose owner left the domain is removed, not crossed** (be0da22 , xrpl-validator)
- **Finding 338: MPT escrow fee floors the delivery under fixCleanup3_4_0** (c646018 , xrpl-validator)

- **harness: hydrate an MPT escrow's issuance and party tokens for Finish/Cancel** (81c890a , xrpl-validator)
- **Finding 339: a pool turn rejected by limitQuality ends the crossing** (cf2daea , xrpl-validator)

Amendment watch

Read from the XRP Ledger: the Amendments object as of the last ledger of the day, and the day's EnableAmendment pseudo-transactions.

Amendment	Majority since	Activation due
BatchV1_1	2026-09-15 14:06 UTC	2026-09-29 14:06 UTC

Amendments enabled on mainnet: 94.

XRPL research

Automated research — candidate amendment ideas

Ideas generated and prior-art-checked by the XRPL Amendment Board, an automated research tool (read-only board: iceland.halcyon-names.io). They are exploration leads, not proposals.

- **Validator Reputation Score Ledger Entry** (consensus) Add a new pseudo-transaction ttVALIDATOR_REPUTATION, applied only when included by a UNL supermajority at flag ledgers exactly like NegativeUNLModify,
- **Issuer Transfer Fee for MPT Securities** (rwa) Add sfTransferFee (uint16 basis points, 0-50000 matching the existing NFToken transfer-fee bound) and an lsfMPTCanTransferFee flag to MPTokenIssuance.
- **Expiring NFToken Usage Leases** (gaming) Add a new transaction NFTokenLease creating an owner-reserved ltNFTOKEN_LEASE object (keylet::nftLease(nftokenID)) carrying sfOwner, sfLesseeAccount,

Appendix — commits

Time	Repo	Commit	Subject
09:23	xrpl-validator	d4b2420	fix(node): Batch inner pairing is mode-aware for discarded all-or-nothing batches; unencodable inner ids keep their slot and trip a wire
10:06	xrpl-validator	fda4f5f	feat(node): differential transaction fuzzer — unsigned mutants of real transactions, libxrpl vs our engine on the same pre-state
10:33	xrpl-validator	7ee6c4d	feat(node): fuzzer — NOOP class for threading-only set differences, party roots in preflight bundles, mutation-diff readout
10:35	xrpl-validator	a11f54c	fix(ledger): the fuzzer's first five findings — Payment shape rules, DeliverMin rules, IoC+FoK, sixteen-digit amounts (findings 299–303)
10:35	xrpl-validator	1581d6f	Merge branch 'tx-fuzz'
10:48	xrpl-validator	78f33d9	feat(node): fuzzer — objects only our leg wrote become untouched pins in the bundle
10:58	xrpl-validator	9ca58f4	test(ledger): a self-payment in one asset is temREDUNDANT, not a fee burn (finding 299)

Time	Repo	Commit	Subject
11:12	xrpl-validator	01b5db2	feat(node): fuzzer — bundles carry our leg's bytes for every disputed key
11:45	xrpl-validator	728f406	fix(node): fuzzer — the no-op test takes a pre-image from the native state when libxrpl never read the object
11:56	xrpl-validator	312f235	Merge branch 'tx-fuzz'
12:12	xrpl-validator	fdd63d7	fix(node): fuzzer — the mutant carries its own transaction id before our leg applies it
12:12	xrpl-validator	8c7e0a1	Merge branch 'tx-fuzz'
12:15	xrpl-validator	d8c566a	fix(ledger): temRIPPLE_EMPTY ahead of every payment branch, the plain IOU send included (finding 300, placement)
12:24	xrpl-validator	5872bed	fix(ledger): a limit quality below the STAmount floor is rate 0 — the best quality, every strand rejected (finding 304)
12:52	xrpl-validator	a816572	fix(ledger): the post-crossing residual rests only while the account is still funded — read the account, not the clamped remainder (finding 305)
12:56	xrpl-validator	4eba9b8	Merge f305: post-crossing residual rests only while the account is still funded (finding 305)
13:28	xrpl-validator	3d54768	fix(ledger): a bridge round's direct strand whose pool is refused by its own tip is dead, not spared (finding 306)
13:31	xrpl-validator	b8a1e20	Merge f306-dead-strand: a direct strand refused by its own tip is dead, not spared (finding 306)
13:48	xrpl-validator	85f37f9	Merge f307-limitout-tiny: limitOut within 1e-9 is not a trim (finding 307)
13:48	xrpl-validator	9220f94	fix(ledger): limitOut hands the remainder back untrimmed within 1e-9 — no trim, no forgiveness (finding 307)
13:50	xrpl-validator	1061855	feat(fuzz): bundles carry every base object our own walk read (sandbox read log)
14:16	xrpl-validator	8f9636c	fix(ledger): a created PermissionedDomain files Flags 0 (finding 308)
14:16	xrpl-validator	67b0d6d	fix(ledger): accepting an IOU-priced NFT buy offer needs the buyer funded (finding 309)
14:16	xrpl-validator	057bcd1	fix(node): reset every per-transaction thread-local at the apply entry
14:16	xrpl-validator	d4f329a	Merge f308-domain-flags-nft-funds: domain Flags (F308), NFT buyer funds (F309), per-tx thread-state reset
14:16	xrpl-validator	6fedc1c	Merge fuzz-native-reads: fuzz bundles carry every base object our own walk read
14:53	xrpl-validator	354efcd	Merge f310-buy-out-fold: buy residual multiset fold (F310), pool-only overshoot flush (F311)
14:53	xrpl-validator	12933ea	fix(ledger): the carry overshoot flushes only through a pool the hop actually took (finding 311)
14:53	xrpl-validator	624168c	fix(ledger): a buy's residual folds the iterations' outs in multiset order (finding 310)
15:10	xrpl-validator	e963a02	fix(probe): hydrate every party's owner-directory root and tail, whatever the type
15:15	xrpl-validator	7896337	Merge dp-party-roots: the probe hydrates every party's owner-directory root and tail
15:25	xrpl-validator	4cb253a	Merge fuzz-structural-mutants: structural mutation kinds for the differential fuzzer

Time	Repo	Commit	Subject
15:25	xrpl-validator	35f4975	feat(fuzz): structural mutation kinds — sequence gates, flags, modes, expirations
16:44	xrpl-validator	fa8e282	Merge f312-sequence-gates: sequence/fee gates (F312-F313), preflight shape rules (F314-F329), probe key hydration
16:44	xrpl-validator	7e34f5f	fix(probe): hydrate every 32-byte hex field of a transaction as a ledger key
16:44	xrpl-validator	405b3f0	fix(ledger): preflight and preclaim shape rules from the structural fuzzer and the testnet campaign (findings 314-329)
16:44	xrpl-validator	f8341d6	fix(ledger): the sequence, ticket, prior-transaction and last-ledger gates, and a zero fee is valid (findings 312, 313)
17:10	xrpl-validator	a3c9afc	feat(ledger): DepositPreauth by credentials — the credential-keyed entry (finding 319)
17:11	xrpl-validator	da94ae3	Merge f319-preauth-credentials: DepositPreauth by credentials (finding 319)
18:01	xrpl-validator	c17d1db	Merge f330-writeback-hex-case: the write-back test compares as rippled does (finding 330)
18:01	xrpl-validator	feb7c23	fix(ledger): the write-back test compares as rippled does — hex case-blind, nested, threading fields included (finding 330)
18:17	xrpl-validator	de000dd	fix(ledger): a Batch's outer fee level is not a preflight matter (finding 331)
18:17	xrpl-validator	a295b93	Merge f331-batch-fee-level: a Batch's outer fee level is not a preflight matter (finding 331)
18:19	xrpl-validator	c2377fe	Merge dp-party-roots-2: probe hydrates party roots, nested credential parties and the signer list
18:19	xrpl-validator	74f9591	fix(probe): hydrate every party's root, nested credential issuers and subjects, and the sender's signer list
18:34	xrpl-validator	b29a764	feat(ledger): hybrid domain offers rest in both books and leave both on deletion (finding 334)
18:34	xrpl-validator	192ec17	Merge f334-hybrid-offers: hybrid domain offers in both books (finding 334)
18:48	xrpl-validator	546e3d8	fix(ledger): a write-back equal to the base object is not a modification (finding 335)
18:48	xrpl-validator	b83239b	Merge f335-unchanged-writes: an unchanged write-back is not a modification (finding 335)
19:28	xrpl-validator	949ed82	Finding 336: FillOrKill sell fills only when the gross in-fold equals the budget exactly
19:28	xrpl-validator	4671ddb	fetch_tx_bundle: tolerate MPT amounts in the line, pair and pool sweeps
19:59	xrpl-validator	0c589d7	Finding 332: MPT token escrow — create locks the holder's token, finish/cancel unlock it
20:23	xrpl-validator	3f67fa0	Finding 333: DomainID payments and offers — accountInDomain gates and domain-book routing
20:57	xrpl-validator	be0da22	Finding 337: a domain offer whose owner left the domain is removed, not crossed
21:27	xrpl-validator	c646018	Finding 338: MPT escrow fee floors the delivery under fixCleanup3_4_0
21:39	xrpl-validator	81c890a	harness: hydrate an MPT escrow's issuance and party tokens for Finish/Cancel
22:11	xrpl-validator	cf2daea	Finding 339: a pool turn rejected by limitQuality ends the crossing