XRPL Validator — Daily Engineering Report · 2026-10-14

Generated 2026-10-15 00:20 EDT. Scope: XRPL work only — the git history of xrpl-validator and the XRPL Rust SDK, the live native-engine shadow, the reference rippled node, the XRP Ledger itself (amendments) and XRPL research.

Summary

- **13 commits** (xrpl-validator 13)
- 1 test / vector commit
- Live shadow: 913/913 ledgers fully matched, 91,880 transactions, 0 engine receipts in the current soak
- Amendment **fixCleanup3_4_0** held majority (since 2026-10-09 09:34 UTC); activation due ~2026-10-23 09:34 UTC

Live validator and native engine

Snapshot at generation time.

Measure	Value
Ledgers compared (current run)	913
Ledgers fully matched	913
Transactions applied natively	91,880
Result mismatches	0
Byte mismatches	0
Missing / extra keys	0 / 0
Batch inner-result mismatches	0
Engine receipts (current soak)	0
Live engine build running since	2026-10-14 23:16 EDT
Reference rippled	3.4.1, full, validated #107,665,091

Engineering changes

- **fix(meta): UInt64 fields compare by value; AccountDelete and the LP-token line delete the zeroed SLE (Step 2 record receipts, soak #47)** (`9bd3693`, xrpl-validator)
- **fix(meta): a Batch inner's record carries the earlier inners' threading for objects they created or it deletes (Step 2 receipts, soak #47)** (`c15899a`, xrpl-validator)
- **fix(meta): a Batch inner deleting what an earlier inner created keeps its final content; a deleted root page drops its links first (Step 2 receipts, soak #47)** (`850aec2`, xrpl-validator)
- **fix(order): salt our canonical order with the set a quorum of trusted validations accepted (sfConsensusHash), as rippled does; the ledger's own root only without one (3.3 shadow receipts #107652744/745/752)** (`01d5da5`, xrpl-validator)

- **fix(ffi): a Batch's expected mutation set folds in ledger order: a key one inner deleted and a later inner created again is a Modified, as libxrpl reports it (mutation_divergences #107636230 ×129, #107654753)** (`8cbf17f`, xrpl-validator)
- **fix(payment): an existing destination is written back as rippled's update(sleDst) marks it, so a threadOwners stamp before it gives its FinalFields (Step 2 receipt #107655399 3B2D251B5861)** (`de5fd94`, xrpl-validator)
- **fix(escrow): only EscrowFinish marks the destination's root written (rippled's update(sled)); a cancel leaves it threading-only (Step 2 receipt #107656021 1458D55C06B4)** (`dfda531`, xrpl-validator)
- **fix(account): AccountDelete lowers the deleted account's OwnerCount (and TicketCount) per removed object, as each nonObligationDeleter does, and no longer writes an NFT offer's Destination root back (update() audit)** (`eb0c569`, xrpl-validator)
- **fix(offer): line_adjust's default-state test reads only the sender's QualityIn/QualityOut, as rippleCreditIOU does (update() audit, outside the class)** (`56f2653`, xrpl-validator)
- **fix(amm): a withdrawal or clawback that empties the pool erases the AMM with the balance it had: deleteAMMAccountIfEmpty writes the new LPTokenBalance only when the AMM survives (Step 2 receipt #107662483 88C9F7289CD1)** (`a366749`, xrpl-validator)
- **fix(peers): a peer that hides its version is "hidden", not its first peer's version; the node names itself xrpl-rust-validator/0.4.0+** (`7a4bd78`, xrpl-validator) The peer page's crawler fell back to overlay.active[0].version when a node's /crawl had no server section. The three XRP Kuwait hubs (hubs.xrpkuwait.com) hide theirs and list us first, so they showed as "xrpl-rust-validator/0.1.0", our own name. version::crawl_label now keeps rippled numbers ("rippled-3.4.1"), keeps named builds as they are, and says "hidden" otherwise.

Tests and campaigns

- **test(order): the own-root salt computed before the sort borrows the set** (`534971d`, xrpl-validator)

Docs and operations

- **Merge peer-version (a team session, James's ask): hidden peer versions; the node's version xrpl-rust-validator/0.4.0+** (`7684b00`, xrpl-validator)

Amendment watch

Read from the XRP Ledger: the Amendments object as of the last ledger of the day, and the day's EnableAmendment pseudo-transactions.

Amendment	Majority since	Activation due
fixCleanup3_4_0	2026-10-09 09:34 UTC	2026-10-23 09:34 UTC

Amendments enabled on mainnet: 97.

Re-read on 2026-10-15 at 13:45 EDT: the read at generation time failed (the section had said no amendment held a majority). The rest of this report is unchanged.

Appendix — commits

Time	Repo	Commit	Subject
07:26	xrpl-validator	`9bd3693`	fix(meta): UInt64 fields compare by value; AccountDelete and the LP-token line delete the zeroed SLE (Step 2 record receipts, soak #47)
07:43	xrpl-validator	`c15899a`	fix(meta): a Batch inner's record carries the earlier inners' threading for objects they created or it deletes (Step 2 receipts, soak #47)
08:59	xrpl-validator	`850aec2`	fix(meta): a Batch inner deleting what an earlier inner created keeps its final content; a deleted root page drops its links first (Step 2 receipts, soak #47)
11:14	xrpl-validator	`01d5da5`	fix(order): salt our canonical order with the set a quorum of trusted validations accepted (sfConsensusHash), as rippled does; the ledger's own root only without one (3.3 shadow receipts #107652744/745/752)
11:15	xrpl-validator	`534971d`	test(order): the own-root salt computed before the sort borrows the set
13:15	xrpl-validator	`8cbf17f`	fix(ffi): a Batch's expected mutation set folds in ledger order: a key one inner deleted and a later inner created again is a Modified, as libxrpl reports it (mutation_divergences #107636230 ×129, #107654753)
14:08	xrpl-validator	`de5fd94`	fix(payment): an existing destination is written back as rippled's update(sleDst) marks it, so a threadOwners stamp before it gives its FinalFields (Step 2 receipt #107655399 3B2D251B5861)
14:37	xrpl-validator	`dfda531`	fix(escrow): only EscrowFinish marks the destination's root written (rippled's update(sled)); a cancel leaves it threading-only (Step 2 receipt #107656021 1458D55C06B4)
14:52	xrpl-validator	`eb0c569`	fix(account): AccountDelete lowers the deleted account's OwnerCount (and TicketCount) per removed object, as each nonObligationDeleter does, and no longer writes an NFT offer's Destination root back (update() audit)
14:54	xrpl-validator	`56f2653`	fix(offer): line_adjust's default-state test reads only the sender's QualityIn/QualityOut, as rippleCreditIOU does (update() audit, outside the class)
21:54	xrpl-validator	`a366749`	fix(amm): a withdrawal or clawback that empties the pool erases the AMM with the balance it had: deleteAMMAccountIfEmpty writes the new LPTokenBalance only when the AMM survives (Step 2 receipt #107662483 88C9F7289CD1)
22:20	xrpl-validator	`7a4bd78`	fix(peers): a peer that hides its version is "hidden", not its first peer's version; the node names itself xrpl-rust-validator/0.4.0+
22:21	xrpl-validator	`7684b00`	Merge peer-version (a team session, James's ask): hidden peer versions; the node's version xrpl-rust-validator/0.4.0+