XRPL Validator — Daily Engineering Report · 2026-06-15

Period: 2026-06-15 00:00 to 24:00 US Eastern (2026-06-15 04:00 to 2026-06-16 04:00 UTC). Generated 2026-10-21 00:47 EDT by report generator v3.0. Sources: the XRP Ledger (ledger headers and amendments, read from a reference rippled node), the validator's signing log and receipt logs, the deployment pipeline's gate, soak and health records, the git history of xrpl-validator and the XRPL Rust SDK, and data.xrpl.org. Scope: XRPL work only.

Revised on 2026-10-21 in report format v3; the original is kept in this repository's history. Built only from records that exist for this day. Available: data.xrpl.org agreement scores. Not available: ledger headers (the reference node holds ledgers from 2026-10-04 22:52 UTC); signing records (they begin 2026-09-19); Step 1 receipt records (they begin 2026-08-29); Steps 2–5 receipt records (they begin 2026-10-09); deployment records (they begin 2026-09-11); xrpl-validator merge records (they begin 2026-07-04); amendment data.

Status

Not assessed — no signing records for this day.

Criteria. Normal: coverage outside planned maintenance at or above the 99.9% objective, every validation agreed with the network's validated ledger, and no engine receipt is open. Degraded: coverage below the objective, or an open engine receipt. Impaired: any validation that disagreed with the network, or coverage below 90%.

Executive summary

- **Validator:** no signing records for this day (they begin 2026-09-19).
- **Native engine:** no receipt records for this day (they begin 2026-08-29).
- **Changes:** 0 deployments, 13 commits (0 with a recorded merge into main; xrpl-validator merge records begin 2026-07-04).

Service levels

No signing records for this day (they begin 2026-09-19).

External agreement, data.xrpl.org (UTC day 2026-06-15): 0.12043 (18,952 missed of 21,547). *data.xrpl.org scores UTC days from the validations its crawlers received.*

Native engine conformance

No receipt records for this day (Step 1 records begin 2026-08-29, Steps 2–5 records 2026-10-09).

Live counters are kept only for the current run; none exist for a past day.

Receipt register

No receipt records for this day (Step 1 records begin 2026-08-29).

Incidents

Not assessed: no signing records for this day.

Change log

Deployments

No deployment records before 2026-09-11.

Merged into main

Merge records begin 2026-07-04; this day's commits are listed by commit date below.

Findings fixed

No engine findings merged into main this day.

Other engineering changes

- **feat(validator): regenerate amendment vote list for rippled 3.2.0** (`7f15b90`, xrpl-validator) Regenerated supported_amendments() from 3.2.0 features.macro (Supported::Yes, 46): drops the amendments 3.2.0 retired into baseline, adds the new supported 3.2.0 amendments (LendingProtocol/TokenEscrow/PermissionedDEX/SingleAssetVault/DynamicNFT/ MPTokensV1 + fixes), and excludes the 5 Supported::No placeholders (MPTokensV2/Batch/ PermissionDelegationV1_1/DynamicMPT/fixBatchInnerSigs) the binary can't yet apply. …
- **fix(ffi): port shim build to rippled 3.2.0 — ed25519/secp256k1 now conan pkgs** (`7238d72`, xrpl-validator) 3.2.0 moved ed25519/secp256k1 from external/ source builds to conan packages (targets ed25519::ed25519 / secp256k1::secp256k1, per rippled cmake/XrplCore.cmake). CMakeLists: drop dead external/-path IMPORTED targets -> find_package + conan targets. build.rs: drop manual ed25519/secp256k1 link lines (collect_conan_libs resolves them).
- **fix(ffi): migrate shim from namespace ripple to xrpl for rippled 3.2.0** (`6ef2393`, xrpl-validator) 3.2.0 completed the ripple->xrpl namespace rename across libxrpl/xrpld (no compat alias). Migrate the hand-written shim files (CallbackReadView/MinimalApp/ MutationCollector + xrpl_shim.cpp): namespace decls + all ripple:: qualifiers -> xrpl.
- **fix(ffi): adapt CallbackReadView to rippled 3.2.0 ReadView interface** (`c166a21`, xrpl-validator) info()->header() (LedgerInfo->LedgerHeader); sles_type/txs_type renamed SlesType/ TxsType; balanceHook split into balanceHookIOU/MPT/SelfIssueMPT (non-pure) + ownerCountHook non-pure -> drop no-op overrides; digest() now pure -> throw-stub.

- **fix(ffi): repath MinimalApp includes + digest type for 3.2.0 libxrpl/xrpld reorg** (`99c45d6` , xrpl-validator) 3.2.0 moved headers from xrpld/ into libxrpl: HashRouter.h xrpld/app/misc->xrpl/core; LoadFeeTrack.h xrpld/app/misc->xrpl/server; Ledger.h xrpld/app/ledger->xrpl/ledger. CallbackReadView::digest now returns std::optional (digest_type alias not member-accessible). Application/Config/OrderBookDB stayed in xrpld.
- **fix(ffi): rewrite MinimalApp for 3.2.0's 16-virtual Application + shim fixes** (`7e13344` , xrpl-validator) 3.2.0 slimmed Application to 16 pure virtuals (lifecycle + config/nodeIdentity/etc; heavy service accessors gone). Rewrote MinimalApp to implement exactly those 16 (config() real w/ networkId; rest stub-throw), dropping ~35 obsolete overrides + the hashRouter/loadFeeTrack/orderBookDB/logs members — which also clears the io_service, PathRequests, OrderBookDB-incomplete, setup_HashRouter, beast::severities, and …
- **fix(ffi): MinimalApp implements all 46 ServiceRegistry virtuals + xrpl_shim 3.2.0** (`6b77e3c` , xrpl-validator) 3.2.0 moved the service accessors into a ServiceRegistry base (46 pure virtuals). MinimalApp now implements all 62 (16 Application + 46 ServiceRegistry): config() real (networkId); isStopping/getApp/getJournal(null sink)/getTrapTxID kept safe so apply-path lifecycle/logging calls don't throw; the rest are throw-stubs (shadow window will reveal any apply actually needs — e.g. …
- **fix(ffi): beast::Severity enum values are Fatal/Error (not kFatal/kError)** (`1ecb3f5` , xrpl-validator)
- **feat(validator): API bind port is FFI_PORT-configurable (default 3777)** (`92ca532` , xrpl-validator) Lets a shadow/test instance run beside the live validator on a different port (FFI_PORT=3787); production unchanged (default 3777).
- **fix(ffi): MinimalApp::getNetworkIDService real (NetworkIDServiceImpl) for 3.2.0** (`15f602f` , xrpl-validator) The shadow showed every FFI apply throwing tefEXCEPTION 'MinimalApp::getNetworkIDService — not implemented'. 3.2.0 preflight routes the tx NetworkID check through getNetworkIDService(); implement it like the real Application: make_unique(config.networkId).
- **fix(ffi): make getHashRouter/getFeeTrack/getOrderBookDB/getLogs real for 3.2.0** (`db47945` , xrpl-validator) Port the <=3.1.x shim's real service impls to the 3.2.0 MinimalApp: HashRouter (setup_HashRouter + stopwatch), LoadFeeTrack (null journal), OrderBookDB(*this), and Logs(Fatal) that OrderBookDB needs. The apply()/preflight() chain reaches these for regular tx types; previously throw-stubbed -> every live-apply hit tefEXCEPTION (getHashRouter). Signing path is unaffected (independent of FFI).

Docs and operations

- **chore(3.2.0-prep): F8c shim version comments + port plan + release watch** (`c50394e` , xrpl-validator)
- **docs(amendments): read-only vote-board design spec (v1)** (`8bb6a6f` , xrpl-validator)

Independence program

No independence record for UTC day 2026-06-15; records begin 2026-10-20.

Network

No ledger records for this day: the reference node holds ledgers from 2026-10-04 22:52 UTC (#107,436,647).

Amendment watch

No amendment records for this day.

Open items

None.

Corrections to earlier reports

None.

Appendix — commits

Committed	Merged into main	Repo	Commit	Subject
06-15 12:09	—	xrpl-validator	`c50394e`	chore(3.2.0-prep): F8c shim version comments + port plan + release watch
06-15 13:41	—	xrpl-validator	`8bb6a6f`	docs(amendments): read-only vote-board design spec (v1)
06-16 01:28	—	xrpl-validator	`7f15b90`	feat(validator): regenerate amendment vote list for rippled 3.2.0
06-16 01:56	—	xrpl-validator	`7238d72`	fix(ffi): port shim build to rippled 3.2.0 — ed25519/secp256k1 now conan pkgs
06-16 02:02	—	xrpl-validator	`6ef2393`	fix(ffi): migrate shim from namespace ripple to xrpl for rippled 3.2.0
06-16 02:10	—	xrpl-validator	`c166a21`	fix(ffi): adapt CallbackReadView to rippled 3.2.0 ReadView interface
06-16 02:15	—	xrpl-validator	`99c45d6`	fix(ffi): repath MinimalApp includes + digest type for 3.2.0 libxrpl/xrpld reorg
06-16 02:26	—	xrpl-validator	`7e13344`	fix(ffi): rewrite MinimalApp for 3.2.0's 16-virtual Application + shim fixes
06-16 02:34	—	xrpl-validator	`6b77e3c`	fix(ffi): MinimalApp implements all 46 ServiceRegistry virtuals + xrpl_shim 3.2.0
06-16 02:36	—	xrpl-validator	`1ecb3f5`	fix(ffi): beast::Severity enum values are Fatal/Error (not kFatal/kError)
06-16 03:02	—	xrpl-validator	`92ca532`	feat(validator): API bind port is FFI_PORT-configurable (default 3777)
06-16 03:11	—	xrpl-validator	`15f602f`	fix(ffi): MinimalApp::getNetworkIDService real (NetworkIDServiceImpl) for 3.2.0
06-16 03:59	—	xrpl-validator	`db47945`	fix(ffi): make getHashRouter/getFeeTrack/getOrderBookDB/getLogs real for 3.2.0

Times in UTC. A commit appears on the day it was committed to main or merged into it.