XRPL Validator — Daily Engineering Report · 2026-09-20

Period: 2026-09-20 00:00 to 24:00 US Eastern (2026-09-20 04:00 to 2026-09-21 04:00 UTC); ledgers #107,106,172 to #107,128,671. Every count from the ledger and the validator's logs stops at #107,128,671. Generated 2026-10-21 00:47 EDT by report generator v3.0. Sources: the XRP Ledger (ledger headers and amendments, read from a reference rippled node), the validator's signing log and receipt logs, the deployment pipeline's gate, soak and health records, the git history of xrpl-validator and the XRPL Rust SDK, and data.xrpl.org. Scope: XRPL work only.

Revised on 2026-10-21 in report format v3; the original is kept in this repository's history. Built only from records that exist for this day. Available: the day's first and last ledger, from a public full-history server; signing records; Step 1 receipt records (they begin 2026-08-29); deployment records (they begin 2026-09-11); xrpl-validator merge records (they begin 2026-07-04); amendment data (carried from the original report). Not available: ledger headers (the reference node holds ledgers from 2026-10-04 22:52 UTC); Steps 2–5 receipt records (they begin 2026-10-09); data.xrpl.org agreement scores (scored days begin 2026-04-04; some days have none).

Status

Degraded — 1 engine receipt with no recorded fix.

Criteria. Normal: coverage outside planned maintenance at or above the 99.9% objective, every validation agreed with the network's validated ledger, and no engine receipt is open. Degraded: coverage below the objective, or an open engine receipt. Impaired: any validation that disagreed with the network, or coverage below 90%.

Executive summary

- **Validator:** signed 22,430 of the 22,500 ledgers the network closed (99.689%) (agreement not checked: the ledgers' hashes are no longer held). Unsigned: 70 during planned restarts.
- **Native engine:** 1 engine receipt recorded (0 fixed, 0 explained, 1 without a recorded fix).
- **Changes:** 1 deployment (cycle 146), 34 commits merged into main.

Service levels

Measure	Value
Ledgers closed by the network	22,500
Validations issued	22,430
Coverage (validations / ledgers closed)	99.689%
Validations matching the network's validated ledger hash	not checked: the reference node no longer holds these ledgers' hashes
Unsigned during planned restarts	70
Unsigned outside maintenance	0
Coverage outside planned maintenance (objective 99.9%)	100.000%
Restarts	1

Measure	Value
Basis: the hash the first peer announced as accepted (before cycle 183)	22,430

Restarts:

- 05:11:50 UTC: deployment of cycle 146; validations resumed at #107,107,369 (70 ledgers unsigned between the last validation before the restart and the first after it)

The basis rows sum to validations issued. Coverage counts the validations the validator issued for ledgers the network closed in the period. Agreement compares each validation's ledger hash with the network's validated hash for that ledger. data.xrpl.org scores UTC days from the validations its crawlers received, so it can differ.

Native engine conformance

Ledgers with a receipt in the period (#107,106,172–#107,128,671), by step:

Step	Ledgers with a receipt
Step 1 · native engine	1
Step 2 · records	0
Step 3 · order	0
Step 4 · peer data	0
Step 4 · validations	0
Step 5 · own hash	0
Writer	0

Live counters are kept only for the current run; none exist for a past day.

Receipt register

ID	Time	Ledger(s)	Step	Description	Disposition
R-01	—	#107,106,349	Step 1 · native engine	1 object(s) differed in content	no disposition recorded

A receipt is recorded whenever the validator's own work differs from the network's, or the network's trusted validations reached it short of quorum. One ledger flagged by several steps is one receipt. Dispositions: fixed (with the finding, commit and deployment), explained (not a defect, with the reason), or open. Receipt and incident IDs are numbered per report: R-01 here is R-2026-09-20-01, INC-01 is INC-2026-09-20-01. Times are not shown where the reference node no longer holds the ledger.

Incidents

No incidents.

Change log

Deployments

Cycle	Main	Deployed	Test suites	Replay windows	Post-deploy health	Soak
146	`daeb3a8`	05:11:50 UTC	n/a	n/a	422 matched, 0 mismatched	#21 from 05:39 UTC: ended early: superseded by the next deployment (2026-09-21 08:39 UTC)

Cycle 146 delivered: `1feacf6` feat(ledger): track 2 slice 1 — flow module: amounts, QualityFunction, PaymentSandbox, the Step trait; `c195d83` flow: slice 1b — STAmount rounding port, pinned by fuzz; slice 2 opens with view.rs; `a904cff` flow: slice 2 (part 1) — BookTip and FlowOfferStream, TOffer, Quality::ceil_in/out; `01aa737` flow: slice 2 (part 2) — BookStep: forEachOffer, revImp, fwdImp, limitStepIn/Out, consumeOffer; `a2d060a` flow: slice 3 — AMMContext, AMMLiquidity::getOffer, AMMOffer, wired into BookStep; `9743159` flow: slice 4 (part 1) — DirectStepI, XRPEndpointStep, rippleCredit/rippleSend/accountSend over the sandbox, XRP deferred credits; `e0fa870` flow: slice 4 (part 2) — StrandFlow (single- and multi-strand flow, ActiveStrands, limitOut) and PaySteps (toStrand / toStrands); `3f5a90e` flow: slice 4 (part 3) — Flow.cpp's flow(), rippleCalculate, and the Payment dispatch behind XRPL_FLOW_ENGINE=port; `16c228f` flow: first calibration of the port against the payment vectors — 20 → 42 of 65; `17b9728` flow: second calibration round — 42 → 60 of 65 payment vectors; `5f1570d` flow: third calibration round — 60 → 64 of 65 (xrpLiquid hooks the full balance before the reserve; in-flow offer deletions go through adjustOwnerCountHook); `ccc7b94` flow: 65/65 — the ported Payment flow matches every pinned payment vector; `7b73eaa` flow: OfferCreate crossing dispatch — CreateOffer::flowCross port behind XRPL_FLOW_ENGINE=port (first run: 79 of 106 offer vectors); `d9abcef` flow: crossing calibration — 79 → 95 of 106 offer vectors (maxOffer carries the spot quality; tip() applies the crossing's qualityThreshold); `986cbc3` Merge branch 'main' into t2-flow; `ea3516c` flow: merge main (F282–F342) into t2-flow; dedupe the RippleEmpty variant both sides added; `49c1195` flow: offerInDomain in the ported offer stream (finding 337); `d259751` flow: StAmount::iou canonicalises like rippled's constructor — 114 → 127 of 128 offer vectors; `5953ed7` flow: 128/128 offer vectors — rippled's fully-crossed rule on the port's afterCross pair; the afView's owner-count hook in xrpLiquid(cancelView); `36eea8d` flow: an unencodable limit quality is rate 0 — every strand rejected (finding 304 in the port); `e3581ed` flow: 86/86 payment vectors — IOU values parse as objects (finding 303's sixteen-digit cap); the port matches the whole pinned corpus; `9a95cca` Finding 343: tecLIMIT_EXCEEDED claims — plus harness hydration for escrow parties, domain offer owners, NFT offer lines; `f7f2104` harness: the escrow line loader takes a three-letter currency code too; `cfb03a3` Merge branch 'main' into t2-flow; `c937942` Finding 344: the crossing's gross budget is the legacy mulRound of the transfer rate; `daeb3a8` Merge branch 't2-flow'

Each deployment passes the unit and port test suites and replays mainnet history windows with zero mismatches before it ships, is health-checked after it starts, and then soaks for 24 hours.

Merged into main

Merged	Repo	Commit	Subject
04:04 UTC	xrpl-validator	`daeb3a8`	Merge branch 't2-flow'
04:04 UTC	xrpl-validator	`cfb03a3`	Merge branch 'main' into t2-flow
04:04 UTC	xrpl-validator	`e3581ed`	flow: 86/86 payment vectors — IOU values parse as objects (finding 303's sixteen-digit cap); the port matches the whole pinned corpus
04:04 UTC	xrpl-validator	`36eea8d`	flow: an unencodable limit quality is rate 0 — every strand rejected (finding 304 in the port)

Merged	Repo	Commit	Subject
04:04 UTC	xrpl-validator	`5953ed7`	flow: 128/128 offer vectors — rippled's fully-crossed rule on the port's afterCross pair; the afView's owner-count hook in xrpLiquid(cancelView)
04:04 UTC	xrpl-validator	`d259751`	flow: StAmount::iou canonicalises like rippled's constructor — 114 → 127 of 128 offer vectors
04:04 UTC	xrpl-validator	`49c1195`	flow: offerInDomain in the ported offer stream (finding 337)
04:04 UTC	xrpl-validator	`ea3516c`	flow: merge main (F282–F342) into t2-flow; dedupe the RippleEmpty variant both sides added
04:04 UTC	xrpl-validator	`986cbc3`	Merge branch 'main' into t2-flow
04:04 UTC	xrpl-validator	`d9abcef`	flow: crossing calibration — 79 → 95 of 106 offer vectors (maxOffer carries the spot quality; tip() applies the crossing's qualityThreshold)
04:04 UTC	xrpl-validator	`7b73eaa`	flow: OfferCreate crossing dispatch — CreateOffer::flowCross port behind XRPL_FLOW_ENGINE=port (first run: 79 of 106 offer vectors)
04:04 UTC	xrpl-validator	`ccc7b94`	flow: 65/65 — the ported Payment flow matches every pinned payment vector
04:04 UTC	xrpl-validator	`5f1570d`	flow: third calibration round — 60 → 64 of 65 (xrpLiquid hooks the full balance before the reserve; in-flow offer deletions go through adjustOwnerCountHook)
04:04 UTC	xrpl-validator	`17b9728`	flow: second calibration round — 42 → 60 of 65 payment vectors
04:04 UTC	xrpl-validator	`16c228f`	flow: first calibration of the port against the payment vectors — 20 → 42 of 65
04:04 UTC	xrpl-validator	`3f5a90e`	flow: slice 4 (part 3) — Flow.cpp's flow(), rippleCalculate, and the Payment dispatch behind XRPL_FLOW_ENGINE=port
04:04 UTC	xrpl-validator	`e0fa870`	flow: slice 4 (part 2) — StrandFlow (single- and multi-strand flow, ActiveStrands, limitOut) and PaySteps (toStrand / toStrands)
04:04 UTC	xrpl-validator	`9743159`	flow: slice 4 (part 1) — DirectStepI, XRPEndpointStep, rippleCredit/rippleSend/accountSend over the sandbox, XRP deferred credits
04:04 UTC	xrpl-validator	`a2d060a`	flow: slice 3 — AMMContext, AMMLiquidity::getOffer, AMMOffer, wired into BookStep
04:04 UTC	xrpl-validator	`01aa737`	flow: slice 2 (part 2) — BookStep: forEachOffer, revImp, fwdImp, limitStepIn/Out, consumeOffer
04:04 UTC	xrpl-validator	`a904cff`	flow: slice 2 (part 1) — BookTip and FlowOfferStream, TOffer, Quality::ceil_in/out
04:04 UTC	xrpl-validator	`c195d83`	flow: slice 1b — STAmount rounding port, pinned by fuzz; slice 2 opens with view.rs
04:04 UTC	xrpl-validator	`1feacf6`	feat(ledger): track 2 slice 1 — flow module: amounts, QualityFunction, PaymentSandbox, the Step trait
12:28 UTC	xrpl-validator	`63e2a78`	vectors: pin TicketCreate (28 tickets) and OfferCancel of a live offer — the two common mainnet types the gate had no byte-exact pin for
12:28 UTC	xrpl-validator	`840c268`	vectors: pin UNLModify disable + re-enable (with the flag-ledger NegativeUNL rotation applied first) — the pseudo-transactions had no byte-exact pin
12:28 UTC	xrpl-validator	`9b3a153`	vectors: pin EnableAmendment (fixCleanup3_3_0 activation, #106911489); pseudo drills move to pseudo_tx_vector.rs
12:28 UTC	xrpl-validator	`20bc9ec`	vectors: pin EnableAmendment tfGotMajority (#107003649) — the Majorities path of the pseudo-transaction
15:13 UTC	xrpl-validator	`df80bb7`	Finding 345: CredentialAccept judges the subject's reserve for the object it takes over (tecINSUFFICIENT_RESERVE)
15:13 UTC	xrpl-validator	`b3ccc4d`	Finding 346: a second CredentialAccept is tecDUPLICATE (lsfAccepted); harness: hydrate the DID object for DIDSet/DIDDelete

Merged	Repo	Commit	Subject
15:13 UTC	xrpl-validator	`64645e6`	vectors: port-only suite — four campaign-6 payments (limit quality, partial+DeliverMin over paths) the port gets byte-exact and the model does not
15:13 UTC	xrpl-validator	`df4b355`	Finding 347: AMMDelete is tecAMM_NOT_EMPTY while LP tokens are outstanding, terNO_AMM without a pool; the apply is deleteAMMAccount
15:13 UTC	xrpl-validator	`3a54c24`	vectors: two more port-only campaign-6 payments (partial over a fee issuer; default-path EUR→USD)
15:13 UTC	xrpl-validator	`fc54c49`	vectors: seventh port-only campaign-6 payment (partial+DeliverMin, default paths, fee issuer)
15:13 UTC	xrpl-validator	`0aab032`	harness: the probe hydrates the AMM pre-state for AMMDelete too (finding 347's tec reads the pool object)

Findings fixed

No engine findings merged into main this day.

Other engineering changes

- **feat(ledger): track 2 slice 1 — flow module: amounts, QualityFunction, PaymentSandbox, the Step trait** (`1feacf6`, xrpl-validator) The structural port of rippled 3.3.0's path engine begins, behind a module nothing dispatches to yet: - flow::amounts — IOUAmount (a signed 16-digit Number with STAmount's exponent clamp; add/sub are tx::number at ToNearest), XRPAmount, EitherAmount. - flow::quality_function — QualityFunction.h/.cpp: the CLOB-like constant function, the AMM line through the pool balances at the fee, combine, and outFromAvgQ under …

Docs and operations

- **Merge branch 't2-flow'** (`daeb3a8`, xrpl-validator)
- **Merge branch 'main' into t2-flow** (`cfb03a3`, xrpl-validator)
- **flow: 86/86 payment vectors — IOU values parse as objects (finding 303's sixteen-digit cap); the port matches the whole pinned corpus** (`e3581ed`, xrpl-validator)
- **flow: an unencodable limit quality is rate 0 — every strand rejected (finding 304 in the port)** (`36eea8d`, xrpl-validator)
- **flow: 128/128 offer vectors — rippled's fully-crossed rule on the port's afterCross pair; the afView's owner-count hook in xrpLiquid(cancelView)** (`5953ed7`, xrpl-validator)
- **flow: StAmount::iou canonicalises like rippled's constructor — 114 → 127 of 128 offer vectors** (`d259751`, xrpl-validator)
- **flow: offerInDomain in the ported offer stream (finding 337)** (`49c1195`, xrpl-validator)
- **flow: merge main (F282–F342) into t2-flow; dedupe the RippleEmpty variant both sides added** (`ea3516c`, xrpl-validator)
- **Merge branch 'main' into t2-flow** (`986cbc3`, xrpl-validator)
- **flow: crossing calibration — 79 → 95 of 106 offer vectors (maxOffer carries the spot quality; tip() applies the crossing's qualityThreshold)** (`d9abcef`, xrpl-validator)

- **flow: OfferCreate crossing dispatch — CreateOffer::flowCross port behind XRPL_FLOW_ENGINE=port (first run: 79 of 106 offer vectors)** (`7b73eaa`, xrpl-validator)
- **flow: 65/65 — the ported Payment flow matches every pinned payment vector** (`ccc7b94`, xrpl-validator)
- **flow: third calibration round — 60 → 64 of 65 (xrpLiquid hooks the full balance before the reserve; in-flow offer deletions go through adjustOwnerCountHook)** (`5f1570d`, xrpl-validator)
- **flow: second calibration round — 42 → 60 of 65 payment vectors** (`17b9728`, xrpl-validator)
- **flow: first calibration of the port against the payment vectors — 20 → 42 of 65** (`16c228f`, xrpl-validator)
- **flow: slice 4 (part 3) — Flow.cpp's flow(), rippleCalculate, and the Payment dispatch behind XRPL_FLOW_ENGINE=port** (`3f5a90e`, xrpl-validator)
- **flow: slice 4 (part 2) — StrandFlow (single- and multi-strand flow, ActiveStrands, limitOut) and PaySteps (toStrand / toStrands)** (`e0fa870`, xrpl-validator)
- **flow: slice 4 (part 1) — DirectStepI, XRPEndpointStep, rippleCredit/rippleSend/accountSend over the sandbox, XRP deferred credits** (`9743159`, xrpl-validator)
- **flow: slice 3 — AMMContext, AMMLiquidity::getOffer, AMMOffer, wired into BookStep** (`a2d060a`, xrpl-validator)
- **flow: slice 2 (part 2) — BookStep: forEachOffer, revImp, fwdImp, limitStepIn/Out, consumeOffer** (`01aa737`, xrpl-validator)
- **flow: slice 2 (part 1) — BookTip and FlowOfferStream, TOffer, Quality::ceil_in/out** (`a904cff`, xrpl-validator)
- **flow: slice 1b — STAmount rounding port, pinned by fuzz; slice 2 opens with view.rs** (`c195d83`, xrpl-validator)
- **vectors: pin TicketCreate (28 tickets) and OfferCancel of a live offer — the two common mainnet types the gate had no byte-exact pin for** (`63e2a78`, xrpl-validator)
- **vectors: pin UNLModify disable + re-enable (with the flag-ledger NegativeUNL rotation applied first) — the pseudo-transactions had no byte-exact pin** (`840c268`, xrpl-validator)
- **vectors: pin EnableAmendment (fixCleanup3_3_0 activation, #106911489); pseudo drills move to pseudo_tx_vector.rs** (`9b3a153`, xrpl-validator)
- **vectors: pin EnableAmendment tfGotMajority (#107003649) — the Majorities path of the pseudo-transaction** (`20bc9ec`, xrpl-validator)
- **Finding 345: CredentialAccept judges the subject's reserve for the object it takes over (tecINSUFFICIENT_RESERVE)** (`df80bb7`, xrpl-validator)
- **Finding 346: a second CredentialAccept is tecDUPLICATE (lsfAccepted); harness: hydrate the DID object for DIDSet/DIDDelete** (`b3ccc4d`, xrpl-validator)
- **vectors: port-only suite — four campaign-6 payments (limit quality, partial+DeliverMin over paths) the port gets byte-exact and the model does not** (`64645e6`, xrpl-validator)
- **Finding 347: AMMDelete is tecAMM_NOT_EMPTY while LP tokens are outstanding, terNO_AMM without a pool; the apply is deleteAMMAccount** (`df4b355`, xrpl-validator)
- **vectors: two more port-only campaign-6 payments (partial over a fee issuer; default-path EUR→USD)** (`3a54c24`, xrpl-validator)
- **vectors: seventh port-only campaign-6 payment (partial+DeliverMin, default paths, fee issuer)** (`fc54c49`, xrpl-validator)

- **harness: the probe hydrates the AMM pre-state for AMMDelete too (finding 347's tec reads the pool object)** (`0aab032`, xrpl-validator)

Independence program

No independence record for UTC day 2026-09-20; records begin 2026-10-20.

Network

No ledger records for this day: the reference node holds ledgers from 2026-10-04 22:52 UTC (#107,436,647).

Amendment watch

Carried over unchanged from the original report, which read it from the XRP Ledger when it was generated; the reference node no longer holds this day's ledgers.

Read from the XRP Ledger: the Amendments object as of the last ledger of the day, and the day's EnableAmendment pseudo-transactions.

Amendment	Majority since	Activation due
BatchV1_1	2026-09-15 14:06 UTC	2026-09-29 14:06 UTC

Amendments enabled on mainnet: 94.

Open items

- Receipt R-01 (#107,106,349): open, under investigation.

Corrections to earlier reports

None.

XRPL research

Automated research — candidate amendment ideas

Ideas generated and prior-art-checked by the XRPL Amendment Board, an automated research tool (read-only board: iceland.halcyon-names.io). They are exploration leads, not proposals.

- **Atomic Vault Flash-Swap** (lending) New transaction ttVAULT_FLASH_SWAP carries sfVaultID, sfAmount (asset borrowed from the vault's pooled balance), sfSendMax, and an STPathSet like Paym
- **State-Conditioned Escrow Finish** (hooks) Add an EscrowCreate flag tfStateCondition plus sfConditionKeylet (a target ledger object) and sfConditionPredicate (enum: Deleted, FieldGTE, FieldLTE)

- **Vault Manager Attestation Registry** (audit) Extend the in-flight XLS-98 Vault metadata standard with an optional sfAttestationID on VaultSet, referencing a new ltATTESTATION object (owner-reserv

Appendix — commits

Committed	Merged into main	Repo	Commit	Subject
09-20 04:04	09-20 04:04	xrpl-validator	`daeb3a8`	Merge branch 't2-flow'
09-20 02:59	09-20 04:04	xrpl-validator	`cfb03a3`	Merge branch 'main' into t2-flow
09-20 01:58	09-20 04:04	xrpl-validator	`e3581ed`	flow: 86/86 payment vectors — IOU values parse as objects (finding 303's sixteen-digit cap); the port matches the whole pinned corpus
09-20 01:55	09-20 04:04	xrpl-validator	`36eea8d`	flow: an unencodable limit quality is rate 0 — every strand rejected (finding 304 in the port)
09-20 01:53	09-20 04:04	xrpl-validator	`5953ed7`	flow: 128/128 offer vectors — rippled's fully-crossed rule on the port's afterCross pair; the afView's owner-count hook in xrpLiquid(cancelView)
09-20 01:45	09-20 04:04	xrpl-validator	`d259751`	flow: StAmount::iou canonicalises like rippled's constructor — 114 → 127 of 128 offer vectors
09-20 01:37	09-20 04:04	xrpl-validator	`49c1195`	flow: offerInDomain in the ported offer stream (finding 337)
09-20 01:32	09-20 04:04	xrpl-validator	`ea3516c`	flow: merge main (F282–F342) into t2-flow; dedupe the RippleEmpty variant both sides added
09-20 01:23	09-20 04:04	xrpl-validator	`986cbc3`	Merge branch 'main' into t2-flow
09-15 05:20	09-20 04:04	xrpl-validator	`d9abcef`	flow: crossing calibration — 79 → 95 of 106 offer vectors (maxOffer carries the spot quality; tip() applies the crossing's qualityThreshold)
09-15 05:18	09-20 04:04	xrpl-validator	`7b73eaa`	flow: OfferCreate crossing dispatch — CreateOffer::flowCross port behind XRPL_FLOW_ENGINE=port (first run: 79 of 106 offer vectors)
09-15 05:14	09-20 04:04	xrpl-validator	`ccc7b94`	flow: 65/65 — the ported Payment flow matches every pinned payment vector
09-15 05:11	09-20 04:04	xrpl-validator	`5f1570d`	flow: third calibration round — 60 → 64 of 65 (xrpLiquid hooks the full balance before the reserve; in-flow offer deletions go through adjustOwnerCountHook)
09-15 05:09	09-20 04:04	xrpl-validator	`17b9728`	flow: second calibration round — 42 → 60 of 65 payment vectors
09-15 04:25	09-20 04:04	xrpl-validator	`16c228f`	flow: first calibration of the port against the payment vectors — 20 → 42 of 65
09-15 02:26	09-20 04:04	xrpl-validator	`3f5a90e`	flow: slice 4 (part 3) — Flow.cpp's flow(), rippleCalculate, and the Payment dispatch behind XRPL_FLOW_ENGINE=port
09-15 02:19	09-20 04:04	xrpl-validator	`e0fa870`	flow: slice 4 (part 2) — StrandFlow (single- and multi-strand flow, ActiveStrands, limitOut) and PaySteps (toStrand / toStrands)
09-15 02:15	09-20 04:04	xrpl-validator	`9743159`	flow: slice 4 (part 1) — DirectStepI, XRPEndpointStep, rippleCredit/rippleSend/accountSend over the sandbox, XRP deferred credits
09-15 02:05	09-20 04:04	xrpl-validator	`a2d060a`	flow: slice 3 — AMMContext, AMMLiquidity::getOffer, AMMOffer, wired into BookStep
09-15 02:05	09-20 04:04	xrpl-validator	`01aa737`	flow: slice 2 (part 2) — BookStep: forEachOffer, revImp, fwdImp, limitStepIn/Out, consumeOffer
09-15 02:05	09-20 04:04	xrpl-validator	`a904cff`	flow: slice 2 (part 1) — BookTip and FlowOfferStream, TOffer, Quality::ceil_in/out
09-15 02:05	09-20 04:04	xrpl-validator	`c195d83`	flow: slice 1b — STAmount rounding port, pinned by fuzz; slice 2 opens with view.rs

Committed	Merged into main	Repo	Commit	Subject
09-15 02:05	09-20 04:04	xrpl-validator	`1feacf6`	feat(ledger): track 2 slice 1 — flow module: amounts, QualityFunction, PaymentSandbox, the Step trait
09-20 12:19	09-20 12:28	xrpl-validator	`63e2a78`	vectors: pin TicketCreate (28 tickets) and OfferCancel of a live offer — the two common mainnet types the gate had no byte-exact pin for
09-20 12:22	09-20 12:28	xrpl-validator	`840c268`	vectors: pin UNLModify disable + re-enable (with the flag-ledger NegativeUNL rotation applied first) — the pseudo-transactions had no byte-exact pin
09-20 12:23	09-20 12:28	xrpl-validator	`9b3a153`	vectors: pin EnableAmendment (fixCleanup3_3_0 activation, #106911489); pseudo drills move to pseudo_tx_vector.rs
09-20 12:23	09-20 12:28	xrpl-validator	`20bc9ec`	vectors: pin EnableAmendment tfGotMajority (#107003649) — the Majorities path of the pseudo-transaction
09-20 13:51	09-20 15:13	xrpl-validator	`df80bb7`	Finding 345: CredentialAccept judges the subject's reserve for the object it takes over (tecINSUFFICIENT_RESERVE)
09-20 13:57	09-20 15:13	xrpl-validator	`b3ccc4d`	Finding 346: a second CredentialAccept is tecDUPLICATE (lsfAccepted); harness: hydrate the DID object for DIDSet/DIDDelete
09-20 14:31	09-20 15:13	xrpl-validator	`64645e6`	vectors: port-only suite — four campaign-6 payments (limit quality, partial+DeliverMin over paths) the port gets byte-exact and the model does not
09-20 14:50	09-20 15:13	xrpl-validator	`df4b355`	Finding 347: AMMDelete is tecAMM_NOT_EMPTY while LP tokens are outstanding, terNO_AMM without a pool; the apply is deleteAMMAccount
09-20 14:50	09-20 15:13	xrpl-validator	`3a54c24`	vectors: two more port-only campaign-6 payments (partial over a fee issuer; default-path EUR→USD)
09-20 15:06	09-20 15:13	xrpl-validator	`fc54c49`	vectors: seventh port-only campaign-6 payment (partial+DeliverMin, default paths, fee issuer)
09-20 15:13	09-20 15:13	xrpl-validator	`0aab032`	harness: the probe hydrates the AMM pre-state for AMMDelete too (finding 347's tec reads the pool object)

Times in UTC. A commit appears on the day it was committed to main or merged into it.