XRPL Validator — Daily Engineering Report · 2026-10-14

Generated 2026-10-15 00:20 EDT. Scope: XRPL work only — the git history of xrpl-validator and the XRPL Rust SDK, the live native-engine shadow, the reference rippled node, the XRP Ledger itself (amendments) and XRPL research.

Summary

- **13 commits** (xrpl-validator 13)
- 1 test / vector commit
- Live shadow: 913/913 ledgers fully matched, 91,880 transactions, 0 engine receipts in the current soak

Live validator and native engine

Snapshot at generation time.

Measure	Value
Ledgers compared (current run)	913
Ledgers fully matched	913
Transactions applied natively	91,880
Result mismatches	0
Byte mismatches	0
Missing / extra keys	0 / 0
Batch inner-result mismatches	0
Engine receipts (current soak)	0
Live engine build running since	2026-10-14 23:16 EDT
Reference rippled	3.4.1, full, validated #107,665,091

Engineering changes

- **fix(meta): UInt64 fields compare by value; AccountDelete and the LP-token line delete the zeroed SLE (Step 2 record receipts, soak #47)** (`9bd3693`, xrpl-validator)
- **fix(meta): a Batch inner's record carries the earlier inners' threading for objects they created or it deletes (Step 2 receipts, soak #47)** (`c15899a`, xrpl-validator)
- **fix(meta): a Batch inner deleting what an earlier inner created keeps its final content; a deleted root page drops its links first (Step 2 receipts, soak #47)** (`850aec2`, xrpl-validator)
- **fix(order): salt our canonical order with the set a quorum of trusted validations accepted (sfConsensusHash), as rippled does; the ledger's own root only without one (3.3 shadow receipts #107652744/745/752)** (`01d5da5`, xrpl-validator)
- **fix(ffi): a Batch's expected mutation set folds in ledger order: a key one inner deleted and a later inner created again is a Modified, as libxrpl reports it (mutation_divergences #107636230 ×129, #107654753)**

(`8cbf17f` , xrpl-validator)

- **fix(payment): an existing destination is written back as rippled's update(sleDst) marks it, so a threadOwners stamp before it gives its FinalFields (Step 2 receipt #107655399 3B2D251B5861)** (`de5fd94` , xrpl-validator)
- **fix(escrow): only EscrowFinish marks the destination's root written (rippled's update(sled)); a cancel leaves it threading-only (Step 2 receipt #107656021 1458D55C06B4)** (`dfda531` , xrpl-validator)
- **fix(account): AccountDelete lowers the deleted account's OwnerCount (and TicketCount) per removed object, as each nonObligationDeleter does, and no longer writes an NFT offer's Destination root back (update() audit)** (`eb0c569` , xrpl-validator)
- **fix(offer): line_adjust's default-state test reads only the sender's QualityIn/QualityOut, as rippleCreditIOU does (update() audit, outside the class)** (`56f2653` , xrpl-validator)
- **fix(amm): a withdrawal or clawback that empties the pool erases the AMM with the balance it had: deleteAMMAccountIfEmpty writes the new LPTokenBalance only when the AMM survives (Step 2 receipt #107662483 88C9F7289CD1)** (`a366749` , xrpl-validator)
- **fix(peers): a peer that hides its version is "hidden", not its first peer's version; the node names itself xrpl-rust-validator/0.4.0+** (`7a4bd78` , xrpl-validator) The peer page's crawler fell back to overlay.active[0].version when a node's /crawl had no server section. The three XRP Kuwait hubs (hubs.xrpkuwait.com) hide theirs and list us first, so they showed as "xrpl-rust-validator/0.1.0", our own name. version::crawl_label now keeps rippled numbers ("rippled-3.4.1"), keeps named builds as they are, and says "hidden" otherwise.

Tests and campaigns

- **test(order): the own-root salt computed before the sort borrows the set** (`534971d` , xrpl-validator)

Docs and operations

- **Merge peer-version (the reference node-32, James's ask): hidden peer versions; the node's version xrpl-rust-validator/0.4.0+** (`7684b00` , xrpl-validator)

Amendment watch

Read from the XRP Ledger: the Amendments object as of the last ledger of the day, and the day's EnableAmendment pseudo-transactions.

No amendment held a majority.

Amendment data could not be read for this date (KeyError).

Appendix — commits

Time	Repo	Commit	Subject
07:26	xrpl-validator	`9bd3693`	fix(meta): UInt64 fields compare by value; AccountDelete and the LP-token line delete the zeroed SLE (Step 2 record receipts, soak #47)
07:43	xrpl-validator	`c15899a`	fix(meta): a Batch inner's record carries the earlier inners' threading for objects they created or it deletes (Step 2 receipts, soak #47)
08:59	xrpl-validator	`850aec2`	fix(meta): a Batch inner deleting what an earlier inner created keeps its final content; a deleted root page drops its links first (Step 2 receipts, soak #47)
11:14	xrpl-validator	`01d5da5`	fix(order): salt our canonical order with the set a quorum of trusted validations accepted (sfConsensusHash), as rippled does; the ledger's own root only without one (3.3 shadow receipts #107652744/745/752)
11:15	xrpl-validator	`534971d`	test(order): the own-root salt computed before the sort borrows the set
13:15	xrpl-validator	`8cbf17f`	fix(ffi): a Batch's expected mutation set folds in ledger order: a key one inner deleted and a later inner created again is a Modified, as libxrpl reports it (mutation_divergences #107636230 ×129, #107654753)
14:08	xrpl-validator	`de5fd94`	fix(payment): an existing destination is written back as rippled's update(sleDst) marks it, so a threadOwners stamp before it gives its FinalFields (Step 2 receipt #107655399 3B2D251B5861)
14:37	xrpl-validator	`dfda531`	fix(escrow): only EscrowFinish marks the destination's root written (rippled's update(sled)); a cancel leaves it threading-only (Step 2 receipt #107656021 1458D55C06B4)
14:52	xrpl-validator	`eb0c569`	fix(account): AccountDelete lowers the deleted account's OwnerCount (and TicketCount) per removed object, as each nonObligationDeleter does, and no longer writes an NFT offer's Destination root back (update() audit)
14:54	xrpl-validator	`56f2653`	fix(offer): line_adjust's default-state test reads only the sender's QualityIn/QualityOut, as rippleCreditIOU does (update() audit, outside the class)
21:54	xrpl-validator	`a366749`	fix(amm): a withdrawal or clawback that empties the pool erases the AMM with the balance it had: deleteAMMAccountIfEmpty writes the new LPTokenBalance only when the AMM survives (Step 2 receipt #107662483 88C9F7289CD1)
22:20	xrpl-validator	`7a4bd78`	fix(peers): a peer that hides its version is "hidden", not its first peer's version; the node names itself xrpl-rust-validator/0.4.0+
22:21	xrpl-validator	`7684b00`	Merge peer-version (the reference node-32, James's ask): hidden peer versions; the node's version xrpl-rust-validator/0.4.0+