

```
TRUNCATE TABLE player_prize, team_prize, match_team, match, roster_player,  
roster, player, team, tournament  
RESTART IDENTITY CASCADE;
```

```
INSERT INTO tournament (name, start_date, prize)  
VALUES  
( 'Major Kyiv', '2026-03-10', 500000),  
( 'Summer Cup', '2026-07-15', 150000),  
( 'Winter Clash', '2026-12-01', 200000);
```

```
INSERT INTO team (name)  
VALUES  
( 'NAVI'),  
( 'G2'),  
( 'Liquid');
```

```
INSERT INTO player (nick, age)  
VALUES  
( 's1mple', 27),  
( 'b1t', 21),  
( 'NiKo', 28),  
( 'm0NESY', 19),  
( 'YEKINDAR', 23);
```

```
INSERT INTO roster (team_id, start_date)  
VALUES  
(1, '2026-01-01'),  
(2, '2026-01-01'),  
(3, '2026-01-01');
```

```
INSERT INTO roster_player (roster_id, player_id)  
VALUES  
(1, 1), (1, 2),  
(2, 3), (2, 4),  
(3, 5);
```

```
INSERT INTO match (tournament_id, score)  
VALUES  
(1, '2:1'),  
(1, '0:2');
```

```
INSERT INTO match_team (match_id, team_id)
```

VALUES

(1, 1), (1, 2),
(2, 2), (2, 3);

UPDATE tournament
SET prize = 550000
WHERE name = 'Major Kyiv';

UPDATE team
SET active_roster_id = 1
WHERE name = 'NAVI';

UPDATE player
SET age = 28
WHERE nick = 's1mple';

DELETE FROM roster_player
WHERE roster_id = 1 AND player_id = 2;

DELETE FROM match
WHERE id = 2;

DELETE FROM team
WHERE name = 'Liquid';

SELECT * FROM tournament;

	match_id [PK] integer 	team_id [PK] integer 
1	1	1
2	1	2

SELECT * FROM team;

id [PK] integer	name character varying (100)	logo bytea	active_roster_id integer
2	G2	[null]	[null]
1	NAVI	[null]	1

SELECT * FROM player;

	id [PK] integer	nick character varying (50)	age integer
1	2	b1t	21
2	3	NiKo	28
3	4	m0NESY	19
4	5	YEKINDAR	23
5	1	s1mple	28

SELECT * FROM roster;

	id [PK] integer	team_id integer	start_date date	end_date date
1	1	1	2026-01-01	[null]
2	2	2	2026-01-01	[null]

SELECT * FROM roster_player;

	id [PK] integer	team_id integer	start_date date	end_date date
1	1	1	2026-01-01	[null]
2	2	2	2026-01-01	[null]

SELECT * FROM match;

	id [PK] integer	tournament_id integer	score character varying (20)
1	1	1	2:1

SELECT * FROM match_team;

	match_id [PK] integer 	team_id [PK] integer 
1	1	1
2	1	2