| Category | Capability | AOD |
|---|---|---|
| **A2A Protocol** | Agent discovery | |
| A2A Protocol | Context sharing | |
| A2A Protocol | Task delegation | |
| **AAM Handoff** | ConnectionCandidate export | A/R |
| **Action** | Fabric Action Routing | |
| Action | Transaction Execution | |
| **Adapters** | API Gateway Adapter (Kong, Apigee) | |
| Adapters | API Gateway Connection (Kong, Apigee) | |
| Adapters | Adapter Factory Resolution | |
| Adapters | Data Warehouse Connection (Snowflake, BigQuery) | |
| Adapters | Event Bus Adapter (Kafka, EventBridge) | |
| Adapters | Event Bus Connection (Kafka, EventBridge) | |
| Adapters | IPAAS Connection (Workato, MuleSoft) | |
| Adapters | Pipe Discovery from Plane | |
| Adapters | Plane Health Check | |
| Adapters | Warehouse Adapter (Snowflake, BigQuery) | |
| Adapters | iPaaS Adapter (Workato, MuleSoft) | |
| **Agent Lifecycle** | Agent health monitoring | |
| Agent Lifecycle | Agent registration & configuration | |
| Agent Lifecycle | Agent version management | |
| **Agent Registry** | Agent discovery & inventory | C |
| Agent Registry | Agent metadata & ownership | I |
| **Approval Workflows** | Approval request generation | |
| Approval Workflows | Human-in-the-loop routing | |
| Approval Workflows | Override tracking | |
| **Asset Scan** | Asset Discovery (Legacy Endpoints) | A/R |
| Asset Scan | Policy Manifest Export (Governance Rules) | A/R |
| **Candidate Intake** | Candidate Defer | |
| Candidate Intake | Candidate Ingestion | R |
| Candidate Intake | Candidate Match to Pipe | |
| Candidate Intake | Candidate Triage | |
| **Capabilities** | Capability contract registration | I |
| Capabilities | Capability drift detection | C |
| **Classification & Governance** | Governance status determination | A/R |
| Classification & Governance | IdP governance policy enforcement | A/R |
| Classification & Governance | Shadow IT classification | A/R |
| Classification & Governance | Vendor governance propagation | A/R |
| Classification & Governance | Zombie asset detection | A/R |
| **Collector Operations** | Collector Registration | |
| Collector Operations | Collector Run Execution | |
| Collector Operations | Generate Observations | |
| Collector Operations | Observation Storage | |
| Collector Operations | Register Collectors | |

| | | |
|---|---|---|
| Collector Operations | Run Collectors | |
| Collector Operations | Track Collector Runs | |
| **Connector Provisioning** | Config Storage | |
| Connector Provisioning | Dynamic Reconnection | |
| **Contract** | Downstream Consumer Protocol (NLQ Interface) | |
| **Coordination** | Arbitration & conflict resolution | I |
| Coordination | Multi-agent workflow orchestration | I |
| **Data Mode** | Demo Mode (Farm-sourced synthetic data) | |
| Data Mode | Mode Switching & Fallback | |
| Data Mode | Production Mode (Enterprise-sourced live data) | |
| **Data Query** | Fact Base Execution | |
| Data Query | Quality Score Metadata | |
| Data Query | Query Endpoint (POST /api/dcl/query) | |
| Data Query | Ranking/Superlative Support | |
| **Discovery & Cataloging** | Asset discovery (find data sources) | A/R |
| Discovery & Cataloging | Domain canonicalization (alias collapsing) | A/R |
| Discovery & Cataloging | Source catalog management | A/R |
| **Drift Detection** | Acknowledge Drift | |
| Drift Detection | Detect Contract Drift | |
| Drift Detection | Detect Freshness Drift | |
| Drift Detection | Detect Schema Drift | |
| Drift Detection | Drift Acknowledgement | |
| Drift Detection | Fabric Drift Detection | |
| Drift Detection | Schema Drift Detection | |
| Drift Detection | Schema Hash Computation | |
| Drift Detection | Suppress Drift | |
| **Economics** | Budget enforcement | I |
| Economics | Cost attribution per agent | I |
| **Execution** | Fabric action routing | I |
| Execution | Transaction execution | I |
| **Export** | DCL Pipe Export | |
| Export | Pipe Snapshot Export | |
| **Fabric Detection** | Connection Routing Logic | A/R |
| Fabric Detection | Evidence Lead Export to AAM | A/R |
| Fabric Detection | Evidence Lead Generation (Connection Hints) | A/R |
| Fabric Detection | Fabric Plane Identification | A/R |
| **Fabric Mgmt** | Fabric Plane Connection (The Backbone) | |
| Fabric Mgmt | Routing Policy Enforcement | |
| **Findings & Issues** | CMDB gap detection | A/R |
| Findings & Issues | Data conflict detection | A/R |
| Findings & Issues | Finance gap detection | A/R |

| | | |
|---|---|---|
| Findings & Issues | Identity gap detection | A/R |
| **Governance** | Auth Policy Enforcement | |
| Governance | PII Redaction (Edge) | |
| Governance | Rate Limit Enforcement | |
| **Identity & Trust** | Agent identity issuance | I |
| Identity & Trust | Trust tier enforcement | I |
| **Ingest Pipeline** | Drift Detection | |
| Ingest Pipeline | Record Buffering | |
| Ingest Pipeline | Self-Healing Repair | |
| Ingest Pipeline | Stream Consumption (Sidecar) | |
| Ingest Pipeline | Verification with Farm | |
| **Ingestion** | Fabric Pointer Buffering (Zero-Trust) | |
| Ingestion | Ingest Rejection Feedback | |
| Ingestion | Just-in-Time Payload Fetching | |
| Ingestion | Schema Drift Detection | |
| Ingestion | Schema-on-Write Validation (Ingest Guard) | |
| **Inter-Service Contracts** | AAM → DCL Pipe Export Contract | |
| Inter-Service Contracts | AAM → Farm Dispatch Contract | |
| Inter-Service Contracts | AOD → AAM Handoff Protocol | A/R |
| Inter-Service Contracts | DCL → NLQ Query Contract | |
| Inter-Service Contracts | Farm → DCL Ingest Contract | |
| **Lifecycle** | Agent onboarding & versioning | I |
| Lifecycle | Zombie agent detection | C |
| **Observability** | Cost tracking | |
| Observability | Deterministic replay | I |
| Observability | Execution trace & audit | I |
| Observability | Performance metrics | |
| Observability | Vitals aggregation | |
| **Operator UI** | Display Candidates | |
| Operator UI | Display Drift Events | |
| Operator UI | Display Pipe Inventory | |
| **Pipe Inference** | Create DeclaredPipe | |
| Pipe Inference | DeclaredPipe Creation | |
| Pipe Inference | Fabric Plane Inference | |
| Pipe Inference | Infer Change Semantics | |
| Pipe Inference | Infer Entity Scope | |
| Pipe Inference | Infer Fabric Plane | |
| Pipe Inference | Infer Identity Keys | |
| Pipe Inference | Infer Modality | |
| Pipe Inference | Infer Transport Kind | |
| Pipe Inference | Modality Inference | |
| Pipe Inference | Transport Kind Inference | |
| **Pipe Registry** | Compute Schema Hash | |

| | | |
|---|---|---|
| Pipe Registry | Serve Pipe Queries | |
| Pipe Registry | Store Declared Pipes | |
| Pipe Registry | Version Pipe Changes | |
| **Pipeline Execution** | Graph Building | |
| Pipeline Execution | Narration Broadcasting | |
| Pipeline Execution | Persona Filtering | |
| Pipeline Execution | Run Metrics Collection | |
| **Policy & Governance** | Agent-level policy evaluation | I |
| Policy & Governance | Autonomy bounds enforcement | I |
| Policy & Governance | HITL escalation | I |
| **Query Cache** | Cache Learning (AI Mode) | |
| Query Cache | LLM Call Tracking | |
| Query Cache | Query Cache Lookup | |
| Query Cache | Query Learning Log | |
| Query Cache | Semantic Query Cache (Pinecone) | |
| Query Cache | Static/AI Mode Routing | |
| **Query Engine** | Answer Assembly & Formatting | |
| Query Engine | Confidence Scoring | |
| Query Engine | Grounding & Citation | |
| Query Engine | Intent Classification (POINT, COMPARISON, TREND, AGGREGATION, BREAKDOWN) | |
| Query Engine | LLM-Based Query Parsing | |
| Query Engine | Metric/Dimension Extraction | |
| Query Engine | Pattern-Based Pre-parsing | |
| Query Engine | Query Execution (Aggregation, Filtering) | |
| Query Engine | Query Planning & Decomposition | |
| Query Engine | Temporal Resolution (last year, Q3, etc.) | |
| **Reconciliation** | Pipeline execution | C |
| **Response Generation** | Ambiguity Detection | |
| Response Generation | Graceful Fallbacks | |
| Response Generation | Off-Topic Handling | |
| Response Generation | Synonym Normalization | |
| Response Generation | Text Response Formatting | |
| **Runner Dispatch** | Content Push to DCL | |
| Runner Dispatch | Manifest Dispatch to Farm | |
| Runner Dispatch | Runner Execution (Data Extraction) | |
| **Runtime** | Task Queue Management | |
| Runtime | Worker pool management | I |
| **SOR Identification** | Data domain classification | A/R |
| SOR Identification | System of Record scoring | A/R |
| **Scaling Infrastructure** | Auto-recovery | |
| Scaling Infrastructure | Load balancing | |

| | | |
|---|---|---|
| Scaling Infrastructure | Task queue management | |
| Scaling Infrastructure | Worker pool orchestration | |
| **Scheduling** | Cron-based scheduling | |
| Scheduling | Event-driven triggers | |
| Scheduling | Webhook triggers | |
| **Schema Ingestion** | Demo Schema Loading | |
| Schema Ingestion | Farm Schema Fetching | |
| Schema Ingestion | Stream Source Loading | |
| **Security** | Context Sanitization | |
| **Self-Healing** | Connection/Fabric Drift Detection | |
| Self-Healing | Consumer Lag Detection | |
| Self-Healing | Execute Self-Heal (Restart Consumers) | |
| Self-Healing | Heal History Logging | |
| Self-Healing | Warehouse Suspend Detection | |
| **Semantic Catalog** | Alias Resolution | |
| Semantic Catalog | Dimension Definitions | |
| Semantic Catalog | Metric Definitions | |
| Semantic Catalog | Metric-Dimension Validation | |
| Semantic Catalog | Semantic Export API | |
| **Semantic Intelligence** | Concept Registry Management | |
| Semantic Intelligence | Concept-Dimension Pairing Validation | |
| Semantic Intelligence | Confidence Scoring | |
| Semantic Intelligence | Inference Layer (Graph-based Discovery) | |
| Semantic Intelligence | Ontology Versioning | |
| Semantic Intelligence | Runtime Resolution (LLM Pathfinding) | |
| Semantic Intelligence | Semantic Graph Build & Rebuild | |
| Semantic Intelligence | Skeleton Layer (Curated Ontology) | |
| **Semantic Mapping** | Batch Mapping API | |
| Semantic Mapping | Heuristic Mapping (Dev Mode) | |
| Semantic Mapping | LLM Refinement (Prod Mode) | |
| Semantic Mapping | Mapping Persistence | |
| **Session Management** | Row-Level Security | |
| Session Management | Session State (In-Memory) | |
| Session Management | Session Stats Persistence | |
| Session Management | Tenant Isolation | |
| **Source Normalization** | Alias Resolution | |
| Source Normalization | Discovery Mode (New Sources) | |
| Source Normalization | Pattern Matching | |
| Source Normalization | Registry Loading | |
| **Tee Request Management** | Approve/Reject Tee | |

| | | |
|---|---|---|
| Tee Request Management | Create Tee Request | |
| Tee Request Management | Track Tee Status | |
| **Telemetry** | Metrics Collection | |
| Telemetry | TPS/Quality Calculation | |
| Telemetry | Telemetry Broadcasting | |
| **Triage & Prioritization** | Asset prioritization scoring | A/R |
| Triage & Prioritization | Provisioning status assignment | A/R |
| **Trust & Security** | Injection defense | |
| Trust & Security | PII detection & redaction | |
| Trust & Security | Policy enforcement | |
| **Verification** | Accuracy Measurement | C |
| Verification | End-to-End Injection Tests | |
| Verification | Generate Test Data | |
| Verification | Ground Truth Validation | C |
| Verification | Provide Source of Truth | |
| Verification | Verify Against Truth | |
| **Visualization** | 4-Layer Sankey Graph | |
| Visualization | Chart Generation | |
| Visualization | Dashboard Generation | |
| Visualization | Dashboard Refinement Actions | |
| Visualization | Galaxy Visualization | |
| Visualization | Monitor Dashboard | |
| Visualization | Persona-Based Filtering | |
| Visualization | Telemetry Ribbon | |
| Visualization | Terminal Narration | |
| Visualization | Topology API Exposure | |
| **Workflow Orchestration** | Run cancellation | |
| Workflow Orchestration | Run creation & tracking | |
| Workflow Orchestration | Step sequencing | |

| AAM | DCL | NLQ | AOA | FARM | Platform | Status |
|---|---|---|---|---|---|---|
| | | | A/R | I | | Aspirational |
| | | | A/R | I | | Aspirational |
| | | | A/R | C | | Aspirational |
| | | | | | | Live |
| C | | | A/R | I | | Live |
| R | | | A/R | I | | Live |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| | | | A/R | C | | On Docket |
| | | | A/R | I | | On Docket |
| | | | A/R | I | | On Docket |
| C | I | | A/R | I | | On Docket |
| I | C | | A/R | I | | On Docket |
| | | | A/R | I | | On Docket |
| | | | A/R | I | | On Docket |
| | | | A/R | I | | On Docket |
| | | | | | | Live |
| C | | | | | | Live |
| A/R | | | | I | | Live |
| A | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| I | C | | A/R | I | | Live |
| C | C | | A/R | I | | Live |
| | | | | C | | Live |
| | | | | C | | Live |
| | | | | C | | Live |
| | | | | | | Live |
| | | | | C | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | C | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |

| | | | | | | |
|---|---|---|---|---|---|---|
| A/R | | | | C | | Live |
| A/R | | | | I | | Live |
| | A/R | | | I | | Aspirational |
| | A/R | | | C | | Aspirational |
| | A/R | C | | C | | Live |
| I | C | | A/R | I | | On Docket |
| C | C | | A/R | I | | On Docket |
| C | R | I | | A/R | | Live |
| | A/R | I | | | | On Docket |
| R | A/R | I | | | | On Docket |
| | A/R | | | I | | Live |
| | A/R | | | I | | Live |
| | A/R | C | | I | | Live |
| | A/R | C | | I | | Live |
| | | | | | | Live |
| | | | | C | | Live |
| | | | | | | Live |
| A/R | | I | | I | | Live |
| A/R | | I | | C | | Live |
| A/R | | I | | C | | Live |
| A/R | | I | | C | | Live |
| A/R | | I | | I | | Live |
| A/R | | I | | I | | Live |
| A/R | | I | | C | | Live |
| A/R | | I | | C | | Live |
| A/R | | I | | I | | Live |
| C | I | | A/R | I | | On Docket |
| C | C | | A/R | I | | On Docket |
| C | I | | A/R | I | | Live |
| R | I | | A/R | I | | Live |
| A/R | R | | | I | | Live |
| A/R | | | | I | | Live |
| I | | | | | | Live |
| I | | | | I | | Live |
| C | | | | C | | Live |
| C | | | | | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| | | | | C | | Live |
| | | | | C | | Live |
| | | | | C | | Live |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | | | C | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| C | I | | A/R | I | | Live |
| C | I | | A/R | I | | Live |
| | A/R | I | | C | | Live |
| | A/R | I | | I | | Live |
| | A/R | I | | C | | Live |
| | A/R | I | | C | | Aspirational |
| | C | I | | A/R | | Live |
| | A/R | I | | I | | Live |
| I | A/R | I | | R | | Live |
| C | A/R | I | | | | Live |
| C | A/R | I | | C | | Live |
| | A/R | I | | I | | Live |
| A/R | R | | | | | Live |
| A/R | | | | R | | Live |
| R | | | | | | Live |
| | A/R | R | | | | Live |
| | A/R | | | R | | Live |
| I | I | | A/R | I | | Live |
| C | C | | A/R | I | | Live |
| | | | A/R | I | | Live |
| I | C | | A/R | C | | Live |
| I | C | | A/R | C | | Live |
| | | | A/R | C | | Live |
| | | | A/R | C | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | I | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |

| | | | | | | |
|---|---|---|---|---|---|---|
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| | A/R | I | | I | | Live |
| | A/R | I | | I | | Live |
| | A/R | I | | I | | Live |
| | A/R | I | | I | | Live |
| C | C | | A/R | I | | Live |
| C | I | | A/R | I | | Live |
| I | C | | A/R | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | C | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | R | A | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | | | A/R | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| I | R | I | | A/R | | Live |
| A/R | | I | | R | | Live |
| I | | I | | A/R | | Live |
| | | | A/R | I | | Live |
| I | I | | A/R | I | | Live |
| | | | | C | | Live |
| | | | | C | | Live |
| | | | I | A/R | | Live |
| | | | I | A/R | | Live |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | | C | A/R | | Live |
| | | | I | A/R | | Live |
| | | | A/R | I | | On Docket |
| | | | A/R | R | | On Docket |
| | | | A | R | | On Docket |
| | A/R | I | | I | | Live |
| | A/R | I | | C | | Live |
| | A/R | I | | C | | Live |
| | | | A/R | C | | Live |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| A/R | | | | I | | Stub |
| | A/R | C | | I | | Live |
| | A/R | C | | I | | Live |
| | A/R | C | | I | | Live |
| | A/R | C | | I | | Live |
| | A/R | C | | I | | Live |
| | A/R | I | | I | | Live |
| | A/R | I | | | | Live |
| | A/R | C | | | | Live |
| | A/R | C | | I | | Live |
| | A/R | I | | | | On Docket |
| | A/R | C | | I | | Live |
| | A/R | I | | I | | Live |
| | A/R | C | | I | | Live |
| | A/R | I | | I | | Live |
| | A/R | I | | I | | Live |
| | A/R | I | | I | | Live |
| | A/R | I | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | A/R | I | | C | | Live |
| | A/R | I | | C | | Live |
| | A/R | I | | I | | Live |
| | A/R | I | | C | | Live |
| A/R | | | | I | | Live |

| | | | | | | |
|---|---|---|---|---|---|---|
| A/R | | | | I | | Live |
| A/R | | | | I | | Live |
| | A/R | | | I | | Live |
| | A/R | | | C | | Live |
| | A/R | | | I | | Live |
| | | | | | | Live |
| | | | | | | Live |
| | | | A/R | I | | Live |
| | | | A/R | I | | Live |
| | | | A/R | C | | Live |
| C | | | | A/R | | Live |
| I | I | | | A/R | | Live |
| I | | | | A/R | | Live |
| C | C | | | A/R | | Live |
| C | | | | A/R | | Live |
| C | | | | A/R | | Live |
| | A/R | | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | | A/R | | I | | Live |
| | A/R | | | I | | Live |
| | A/R | | | I | | Live |
| | A/R | | | I | | Live |
| | A/R | | | I | | Live |
| I | A/R | | | | | Live |
| | | | A | R | | Live |
| | | | A/R | R | | Live |
| | | | A/R | C | | Live |

| Notes |
| --- |
| |
| |
| |
| |
| Routes 'Write' intent to Fabric Plane |
| Executes via AAM Adapters |
| Managed API Proxy |
| Proxy/REST modality |
| Instantiates Strategy (Gateway vs Bus) |
| JDBC/Bulk Read modality |
| Streaming Consumer |
| Streaming Consumer modality |
| Webhooks/Signals modality |
| Inventory reusable data pipes |
| Monitor adapter connectivity |
| JDBC Read |
| Webhooks/Signals |
| |
| |
| |
| Agents as first-class assets |
| Domain, owner, trust |
| |
| |
| |
| Legacy Fallback |
| Export rules for AAM to enforce |
| Defer with reason |
| Receives from AOD |
| Link candidate to existing pipe |
| Status management |
| Declared agent abilities |
| Observed vs declared behavior |
| |
| |
| |
| |
| |
| Register collection strategies |
| Execute with tracking |
| |
| Raw collector output |
| |

| |
|---|
| |
| |
| Aspirational — no code implementation |
| Aspirational — no code implementation |
| DCL provides semantic API for NLQ consumption |
| Deterministic outcomes |
| Fan-in / fan-out |
| Farm generates synthetic data for demos/pilots; Farm owns data generation |
| DCL decides data source per query; live data preferred, demo fallback if unavailable |
| Enterprise SORs push directly to DCL via AAM-provisioned pipes; Farm has no role |
| 51 data arrays, 1500+ records |
| freshness, quality_score, record_count |
| Metric + dimensions + filters |
| Top N, Bottom N, Best, Worst |
| |
| |
| |
| |
| |
| |
| |
| Operator action |
| Connectivity drift |
| Field changes (not connection) |
| Data structure drift |
| |
| Prevent runaway spend |
| Tokens & infra |
| Writes routed via AAM |
| Execution via adapters |
| DeclaredPipes for DCL consumption |
| Point-in-time export |
| Context for AAM Handoff |
| Passes connection hints in ConnectionCandidate handoff for AAM to validate against plane crawl |
| Observation plane signals hinting at asset-to-fabric connections (Network traffic, IdP OAuth, CMDB deps) |
| Detects the Backbone |
| Connects to Planes, not Apps |
| Enforces 'Block Direct Access' |
| |
| |
| |

| |
|---|
| |
| Plane-level auth validation |
| Redacts before data enters DCL |
| Plane-level rate limiting |
| Separate from service identity |
| Native vs customer vs third-party |
| |
| |
| |
| Aspirational — no code implementation |
| |
| Buffers Pointers, NOT Payloads |
| DCL produces structured rejection errors (NO_MATCHING_PIPE). Farm captures in push_results |
| Fetch only on Semantic Map request |
| Field changes (not connection) |
| DCL validates pipe schema exists before accepting ingest. Rejects with HTTP 422 if no matching pipe_id |
| Pipe definition schema, rejection handling, retry policy — needs formal spec |
| Manifest format, auth_token_ref requirement, timeout policy |
| Underspecified — handoff.py is large module; contract doc needed |
| Semantic catalog export, query endpoint, confidence propagation |
| Row format, pipe_id matching, rejection feedback (422 NO_MATCHING_PIPE) |
| Promotion & rollback |
| Sprawl control |
| |
| Debug & audit |
| Who did what, when |
| |
| |
| |
| |
| |
| |
| Publish to DCL |
| WHERE pipes live |
| |
| |
| |
| |
| |
| |
| HOW pipes are accessed |
| API, EVENT_STREAM, TABLE, FILE |
| |

| |
|---|
| |
| |
| |
| |
| |
| |
| |
| Autonomy, scope, cost |
| Guardrails |
| Confidence-based approval |
| Stores successful parses |
| Per-session counts with Supabase |
| EXACT/HIGH/MEDIUM thresholds |
| Logs all queries with success/failure |
| Vector similarity for query matching |
| Mode toggle for speed vs learning |
| Structures response for consumers |
| Bounded [0,1] with weighted factors |
| Attaches evidence to answers |
| 5 intent types from natural language |
| Claude API extracts structured JSON |
| LLM extracts + synonym normalization |
| Regex before LLM for dashboards/viz |
| NLQ orchestrates, DCL provides data |
| Breaks complex questions into steps |
| Interprets time references |
| |
| Pattern-based, returns prompts |
| Never show raw errors |
| Easter eggs, polite redirects |
| 100+ synonyms → canonical names |
| Value, unit, period, confidence |
| Farm pushes extracted data to DCL /ingest endpoint |
| AAM constructs and dispatches JobManifest to Farm |
| Farm receives manifest, connects to external APIs, extracts data |
| Moved from FARM (Ops) \| AOA owns orchestration logic; Farm owns infra — see Scaling Infrastructure for Farm boundary |
| Scalable execution \| AOA owns worker dispatch logic; Farm owns worker pool infra — see Scaling Infrastructure |
| |
| |
| |
| |

| |
|---|
| Farm owns infra; AOA owns orchestration logic — see Runtime for AOA-managed scheduling |
| Farm owns worker pool infra; AOA owns dispatch logic — see Runtime |
| |
| |
| |
| CSV files + fact_base.json |
| From FARM_API_URL |
| Real-time sources from DB |
| Security layer before Agent Logic |
| Detects lost connectivity to Plane |
| Event Bus specific drift |
| Restarts Consumers/Reconnects |
| Audit trail of repairs |
| Warehouse specific drift |
| 'AR' → 'ar', 'attainment' → 'quota_attainment' |
| 107 concepts across 9 enterprise domains (Business, Pipeline, Ops, Tech, HR, Finance, Sales, Product, Support) |
| 325 valid concept-dimension pairings across CFO/CRO/COO/CTO/CHRO persona packs |
| Validates which dimensions apply to which concepts — 325 valid pairings enforced |
| Full catalog for NLQ consumption |
| 107 concept nodes across 9 enterprise domains |
| 325 valid pairings — enforced at graph build and query time |
| 0.0-1.0 confidence on concept-dimension mappings; propagated to NLQ answers |
| Approach 5 Layer 2 — graph traversal discovers implicit relationships between concepts |
| Track ontology changes over time; not yet implemented |
| Approach 5 Layer 3 — LLM resolves ambiguous queries through semantic graph at query time |
| POST /api/dcl/run — auto-trigger on ingest is On Docket (currently manual) |
| Approach 5 Layer 1 — hand-curated concept-dimension pairings, authoritative |
| Bulk semantic mapping endpoint |
| Pattern matching ~1s |
| OpenAI + Pinecone RAG ~5s |
| PostgreSQL storage |
| Supabase RLS policies |
| Dashboard state, 2hr TTL |
| Supabase storage |
| tenant_id on all DB queries |
| |
| |
| |
| |
| |

| |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| Consolidated from Truth/Reconciliation per G2 |
| Farm pushes to DCL, verifies at DCL |
| |
| FARM is Test Oracle |
| |
| |
| Pipeline→Sources→Ontology→Personas |
| Line, bar, area, pie, stacked, waterfall |
| Dynamic widget schemas from intent |
| 'Add a chart', 'Show by region' |
| Node-based with related metrics |
| Collapsible right panel |
| CFO/CRO/COO/CTO buttons |
| |
| Real-time processing log |
| Backend for Graph UI |
| |
| |
| |