



При переходе по адресу localhost:3000 (Strider) нас встречает окно входа в аккаунт.

Вводим admin@admin.com с паролем admin и входим, появится следующая страница



The screenshot shows the Strider web interface. At the top is a dark navigation bar with 'Strider' on the left and 'Dashboard', 'Projects', and 'Admin' in the center. On the right of the bar is a user profile icon and the email 'admin@admin.com'. Below the navigation bar is a large light gray box with the text 'You don't have any projects configured.' and a section titled 'Link Accounts:'. This section contains four buttons: 'Bitbucket' (blue), 'Github' (blue), 'GitLab' (blue), and 'Add a project manually' (green). The 'Add a project manually' button is highlighted.


Выбираем Add a project manually




The screenshot shows the 'Add project manually' form in Strider. The form is titled 'Git' and has a subtitle 'Public projects are visible to unauthenticated users.' Below this is a 'Public' checkbox. A text input field is labeled 'Display Url' with a hint: 'Provides a link in the UI if you put a url there, so you can easily jump to viewing the repo on github or wherever'. Another text input field is labeled 'Name' with a hint: 'A github-style namespace/name combination for the project. e.g. Strider-CD/strider'. A third text input field is labeled 'Repository URL (required)' with a hint: '[sshuser@example.com/my/repo]'. Below these is a 'Caching' section with a checkbox labeled 'Cache the project data between runs'. Then there is a 'Repository Authentication' section with three buttons: 'SSH', 'HTTP', and 'HTTPS'. At the bottom of the form is a blue 'Create New' button.

Здесь вводим нужный URL гит-репозитория и даём проекту имя.

После создания можно посмотреть, что гит-репозиторий связан с данным проектом нажав на значок рядом с названием проекта, после чего будем перенаправлены на указанный гит-репозиторий



При запуске сервиса SCM-Manager требуется ввести логин scmadmin и пароль scmadmin, после чего нас встретит страница на которой можно создать репозиторий, создав репозиторий с именем test типа git появится страница. Перед запуском контейнера нужно ввести команду, находясь в корневой директории это будет chown 1000:1000 scm/data/



После выполнения команд в списке в репозитории появятся добавленные файлы.

Для входа в сервис Zentao нужно ввести логин admin и пароль 123456.

