



Startup Guide

OnDemand

AgilePoint NX v9.0, Software Update 1

Document Revision r9.1.1

January 2026

Contents

Legal Statements and Policies.....	3
Get Started with AgilePoint NX OnDemand.....	5
Create a Form-Based App with Data Entities.....	6
Create a Process-Based App with Data Entities.....	27
Create a Custom Page in Page Builder.....	28
Basic Administration.....	42
Add Users to AgilePoint NX.....	43
Add Administrators.....	44
Authentication and Security.....	50
Change Environments.....	51
Personalize AgilePoint NX.....	54
Customize and Extend AgilePoint NX.....	56

Legal Statements and Policies

This section provides legal statements and general policies for AgilePoint software and documentation.

Disclaimer of Warranty

AgilePoint, Inc. makes no representations or warranties, either express or implied, by or with respect to anything in this document, and shall not be liable for any implied warranties of merchantability or fitness for a particular purpose or for any indirect, special or consequential damages.

Copyright and Trademarks

© 2026 AgilePoint, Inc. All rights reserved.

AgilePoint is a registered trademark of AgilePoint, Inc. AgilePoint's products, including **NX**, are trademarks of AgilePoint, Inc. References to other companies and their products use trademarks owned by the respective companies and are for reference purpose only.

Government Rights Legend

Use, duplication or disclosure by the U.S. Government is subject to restrictions set forth in the applicable license agreement and as provided in DFARS 227.7202-1(a) and 227.7202-3(a) (1995), DFARS 252.227-7013(c)(1)(ii) (Oct 1988), FAR 12.212(a) (1995), FAR 52.227-19, or FAR 52.227-14, as applicable.

Virus-Free Software Policy

AgilePoint recognizes that viruses are a significant security consideration for our customers. AgilePoint takes the following measures to make sure our software is free of viruses upon delivery:

- AgilePoint is built on top of Microsoft .NET framework. The pre-compiled executable is a .NET Common Language Runtime (CLR) application, not a native machine binary. As far as is known at this time, there are no viruses that infect .NET CLR executables.
- The virtual environment for the product packaging process is fully isolated and protected, and anti-virus software is installed and running during packaging.
- The compiled and packaged software files are scanned by virus scanning software before they are released. An official disclosure document regarding the findings from our virus scanning activities is available upon request.

External Links in Documentation

AgilePoint, Inc. user resources, such as Product Documentation and community forums, sometimes include links or URLs that AgilePoint does not control. Third-party web sites are referenced for convenience only. AgilePoint has no control over these external web sites, so we cannot make any representations about their accuracy or guarantee their security, such as the potential presence of malware. You assume any and all risks associated with visiting non-AgilePoint URLs.

Get Started with AgilePoint NX OnDemand

This section gives procedures to sign up and get started with [AgilePoint NX OnDemand \(public cloud\)](#)..

Depending upon your needs, you may want to complete one of these steps.

If you are evaluating AgilePoint NX yourself...

- Create a Form-Based App with Data Entities
- Create a Process-Based App with Data Entities
- [Create a Custom Page in Page Builder](#)

If you are evaluating AgilePoint NX as part of a team...

- [Users](#)
- [Administrators](#)
- [Authentication](#)

Create a Form-Based App with Data Entities

This example shows how to create and run a [form-based app](#) that uses an [entity](#) in AgilePoint NX [Data Entities](#) as its [data source](#) in the [Modern Add an App Experience](#).

Background and Setup

Prerequisites

- [AgilePoint NX OnDemand \(public cloud\)](#), or [AgilePoint NX PrivateCloud](#) or [AgilePoint NX OnPremises v8.0](#) or higher.

Good to Know


- You can create other types of form-based apps that are not shown in this example. For more information, refer to:
 - [Form-Based App with an Existing AgilePoint Data Entity as the Data Source \(Modern\)](#)
 - [Form-Based App with a Database as the Data Source \(Modern\)](#)
 - [Form-Based App with Salesforce as the Data Source \(Modern\)](#)
 - [Form-Based App with SharePoint as the Data Source \(Modern\)](#)
 - [Form-Based App with Microsoft Excel as the Data Source \(Modern\)](#)
- This topic provides an example based on the **Customer Request** app, which you can download from the [App Store](#).
- By default, the [runtime app user](#) can change the form, but you can set the [app permissions](#) to configure which AgilePoint NX users can create or update form data.
- After you create a [form-based app](#), you cannot change the app to use a different [data source](#). For example, you can not change a form-based app to use a different [entity](#) or SharePoint list than the one specified when the app was created. This limitation also applies to cloned apps. That is, you cannot clone a form-based app, and then change the data source in the cloned app.

Step 1: Create a Form-Based App


The first step is to create a [form-based app](#) that uses an [entity](#) in AgilePoint NX [Data Entities](#) as its [data source](#).

How to Start

1. Click **App Builder**.




2. On the **App Builder Home** screen, click **Add App**.



Procedure

1. On the **What type of app would you like to build?** screen, click **Form-Based App**.



2. Click **Next**.
3. On the **How will people identify your app?** screen, in the **App Name** field, enter **Customer Request App**.

agilepoint

Home Work Center Manage App Builder Page Builder

App Type App Info Process Info Data Source Configurations Permissions

How will people identify your app?

App Name *
Customer Request App

Language *
Default

Category *
Select category

Description

Just need some basic info about your app

Cancel Back Next

4. In the **Category** field, select **Customer Service**.

agilepoint

Home Work Center Manage App Builder Page Builder

App Type App Info Process Info Data Source Configurations Permissions

How will people identify your app?

App Name *
Customer Request App

Language *
Default

Category *
Customer Service

Description

Just need some basic info about your app

Cancel Back Next

5. Click **Next**.
6. On the **Do you want to create widget form (not typical)?** screen, click **Not Required**.

The screenshot shows the AgilePoint NX interface. The top navigation bar includes Home, Work Center, Manage, App Builder, and Page Builder. The main content area has a progress bar with steps: App Type, App Info, Process Info, Data Source (selected), Configurations, and Permissions. Below the progress bar, there is a question: "Do you want to create widget form (not typical)". A text block explains that while most people build form-based apps for data input, widget forms can display information from external sources like announcements, reports, or logs, but they are view-only and can only be used in Page Builder. There are two radio button options: "Not Required" (which is selected and highlighted with a red box) and "Yes, Create Widget Form". At the bottom right, there are "Cancel", "Back", and "Next" buttons.

7. Click **Next**.
8. On the **Where do you want to store the data for your app?** screen, select **Data Entities**.

The screenshot shows the AgilePoint NX interface. The top navigation bar is the same as the previous screen. The main content area has a progress bar with steps: App Type, App Info, Process Info, Data Source (selected), Configurations, and Permissions. Below the progress bar, there is a question: "Where do you want to store the data for your app?". A text block explains that the app uses a data storage system called a "data source", and that Data Entities is included with AgilePoint NX, while other data sources require a separate account. There are four selectable options, each with an icon and a label: "Data Entities" (highlighted with a red box and a blue checkmark), "Database", "Salesforce", and "SharePoint". At the bottom right, there are "Cancel", "Back", and "Next" buttons.

9. Click **Next**.
10. On the **How do you want to set up your entity?** screen, in the **Data Source Name** field, enter **CustomerRequestEntity**.

agilepoint

Home Work Center Manage App Builder Page Builder

App Type App Info Process Info **Data Source** Configurations Permissions

How do you want to set up your entity? ⓘ

Configuration Fields Related Enti

Data Source Name *
CustomerRequestEntity

☐ Custom Entities Only

Primary Entity *
Select

Let's set up your entity

Cancel Back Next

11. In the **Primary Entity** list, select **Customer Request**.

agilepoint

Home Work Center Manage App Builder Page Builder

App Type App Info Process Info **Data Source** Configurations Permissions

How do you want to set up your entity? ⓘ

Configuration Fields Related Enti

Data Source Name *
CustomerRequestEntity

☐ Custom Entities Only

Primary Entity *
Customer Request

Let's set up your entity

Cancel Back Next

12. Click the **Fields** tab.

agilepoint

Home Work Center Manage App Builder Page Builder

App Type App Info Process Info **Data Source** Configurations Permissions

How do you want to set up your entity?

Configuration Fields Related Enti

Data Source Name *
CustomerRequestEntity

☐ Custom Entities Only

Primary Entity *
Customer Request

Let's set up your entity

Cancel Back Next

13. On the **Fields** tab, select these fields and deselect the other fields:

- Customer Id
- Date Of Birth
- EmailId
- First Name
- Gender
- Last Name

agilepoint

Home Work Center Manage App Builder Page Builder

App Type App Info Process Info **Data Source** Configurations Permissions

How do you want to set up your entity?

Configuration Fields Related Entities


DISPLAY NAME	DATA TYPE	REQUIRED	UNIQUE
☐ Azure Admin ...	string	No	No
☒ Customer Id	integer	No	Yes
☒ Date Of Birth	date	No	No
☐ Domain Admin	string	No	No

Let's set up your entity


Cancel Back Next

14. Click **Next**.


15. On the **Anything else right now?** screen, click **Next**.



16. On the **Who can access your app?** screen, click **Next**.



The **Sit back and relax while we configure your app** screen opens.



17. On the **Information** screen, click **OK**.

INFORMATION

Your form-based application called **Customer Request App** has been created with the following components:

- A blank form called **New Customer Request**.
- A blank form called **Update Customer Request**.
- Three views - **All CustomerRequests**, **Recently Created CustomerRequests** and **Recently Modified CustomerRequests**.
- A lookup for each view


Click **OK** to start designing the **New Customer Request** form

[Learn more about designing eForms as a service](#)

Cancel

OK

The **eForm Builder** opens the **Form Settings** screen for the **New form, New Customer Request**.



Step 2: Create an eForm

Create an **eForm** in the **eForm Builder**.


Good to Know

- Every form-based app has 3 form types:
 - **New form**
 - **Update form**
 - **View form**

This procedure shows how to create the Create form, which is the form that **runtime app users** use to enter data.

Procedure

1. On the **Form Settings** screen, click **General** tab.



The screenshot shows the 'FORM SETTINGS' dialog box. The 'General' tab is selected and highlighted with a red rectangle. The dialog has a title bar with 'FORM SETTINGS' and an information icon. Below the title bar are five tabs: 'General', 'Controls', 'Appearance', 'Actions', and 'Advanced'. The 'General' tab contains three settings: 'Form Title' with a text input field, 'Form Title Style' with a dropdown menu set to 'Large', and 'Form Title Alignment' with a dropdown menu set to 'Left'. On the right side of the dialog, there is a vertical purple button labeled 'App Data' with a left-pointing arrow.

2. On the **General** tab, in the **Form Title** field, enter **Customer Details**.

FORM SETTINGS ⓘ

×

General

Controls

Appearance

Actions

Advanced

Form Title

Customer Details

Form Title Style

Large


Form Title Alignment

Left

App Data <

3. To save the changes, click **Close Screen** .

The **eForm Builder** opens the eForm.



Step 3: Add Form Controls to the eForm


Add **form controls** to the **eForm**.

Good to Know


- In a form-based app, form controls are mapped to fields from the **data model** in the associated **data source**. In this example, the form controls are mapped to **fields** in the associated **entity**.

Procedure


1. On the **Data Model** screen, in the **dataSource** list, drag the **FirstName** variable onto your eForm.




2. Drag the **LastName** variable onto your eForm.




3. Drag the **DateOfBirth** variable onto your eForm.



4. Drag the **Gender** variable onto your eForm.



5. Drag the **EmailId** variable onto your eForm.



Step 4: (Optional) Save, Check In, and Publish a Form-Based App

Next, save, [check in](#), and [publish](#) the form-based app.

For more information, refer to [\(Example\) Save, Check In, and Publish a Form-Based App](#)

Step 5: (Optional) Run the App

Next, run the [app](#).


For more information, refer to [My Apps screen](#)

Step 6: (Optional) Complete the eForm


Complete the eForm.

Procedure


1. On the **My First Form-Based App** screen, click **Add** .



2. On the **Customer Details Form** screen, in the **First Name** field, enter **Jane**.




3. In the **Last Name** field, enter **Jackson**.




The screenshot shows the agilepoint logo in the top left corner. Below it is a form titled "Customer Details". The form contains five input fields: "First Name" (containing "Jane"), "Last Name" (containing "Jackson" and highlighted with a red border), "Date Of Birth" (empty), "Gender" (empty), and "EmailId" (empty). At the bottom right of the form are "Cancel" and "Submit" buttons.

4. In the **Date Of Birth** field, select **09/04/1990** from the calendar.




The screenshot shows the agilepoint logo in the top left corner. Below it is a form titled "Customer Details". The form contains five input fields: "First Name" (containing "Jane"), "Last Name" (containing "Jackson"), "Date Of Birth" (containing "09/04/1990" and highlighted with a red border), "Gender" (empty), and "EmailId" (empty). At the bottom right of the form are "Cancel" and "Submit" buttons.

5. In the **Gender** field, enter **Male**.



The screenshot shows the agilepoint logo in the top left corner. Below it is a form titled "Customer Details". The form contains five input fields: "First Name" (containing "Jane"), "Last Name" (containing "Jackson"), "Date Of Birth" (containing "09/04/1990"), "Gender" (containing "Male" and highlighted with a red border), and "EmailId" (empty). At the bottom right of the form are "Cancel" and "Submit" buttons.


6. In the **EmailId** field, enter **jane.jackson@gmail.com**.



The screenshot shows the agilepoint logo in the top left corner. Below it is a form titled "Customer Details". The form contains five input fields: "First Name" with the value "Jane", "Last Name" with the value "Jackson", "Date Of Birth" with the value "09/04/1990", "Gender" with the value "Male", and "Emailid" with the value "jane.jackson@gmail.com". The "Emailid" field is highlighted with a red border. At the bottom right of the form are two buttons: "Cancel" and "Submit".

7. Click **Submit**.

The [View form](#) shows. the name you entered in the [records](#) list.



The screenshot shows the agilepoint logo in the top left corner. Below it is a table titled "All CustomerRequests". The table has five columns: "Actions", "CustomerId", "FirstName", "Gender", and an empty column. The table contains one row of data: "14", "Jane", "Male". At the bottom right of the table is a pagination bar showing "1 - 1 of 1 items".

Actions	CustomerId	FirstName	Gender	
 	14	Jane	Male	

Step 7 (Optional): Change the eForm Data


Optionally, you can change the data you entered in the [New form](#).

Good to Know


- This step uses the [Update form](#) that was configured in the Publish step. In this example, the Update form looks the same as the Create form, but behind the scenes, they are different eForms. You can change the Update form if necessary.

Procedure

1. Select the [record](#) with the value **Jane**.



2. Click **Edit** .



3. In the **First Name** field, change the value to **John**.

agilepoint

Customer Details

First Name: John

Last Name: Jackson

Date Of Birth: 09/04/1990

Gender: Male

EmailId: jane.jackson@gmail.com

Cancel Submit

4. Click **Submit**.

The [View form](#) shows the data in the [records](#) list with the new value, John.

agilepoint

All CustomerRequests

Actions	CustomerId	FirstName	Gender
☐	14	John	Male

1 - 1 of 1 items

Create a Process-Based App with Data Entities

The following training guide provides a detailed example for how to create and run a [process-based app](#) in the [Modern Add an App Experience](#):

- [AgilePoint Fundamentals Training, eForms Track, Lab Manual for AgilePoint NX v8.0](#)

Other Examples

- [\(Example\) Create a Process-Based App \(Modern\)](#)
- [Examples](#) - Step-by-step use case examples, information about what types of examples are provided in the AgilePoint NX Product Documentation, and other resources where you can find more examples.

Create a Custom Page in Page Builder

This example shows how to create a basic custom page with AgilePoint NX [Page Builder](#).

Other Examples

- [\(Example\) Rich Text Widget in Page Builder](#)
- [Examples](#) - Step-by-step use case examples, information about what types of examples are provided in the AgilePoint NX Product Documentation, and other resources where you can find more examples.

Prerequisites


- [AgilePoint NX OnDemand \(public cloud\)](#), or [AgilePoint NX PrivateCloud](#) or [AgilePoint NX OnPremises](#) v7.0 or higher.

Good to Know

- This example shows the basic steps to create, publish, and view a simple, "hello world" type of custom page. It is not intended as a real-world use case.


How to Start

1. Click **Page Builder**.



Step 1: Create a Custom Page

1. On the **Home** screen, click **Add Page**.



2. On the **Add New Page** screen, in the **Title** field, enter **My First Custom Page**.

When you click Internal Name and Relative URL fields, these fields complete by default based on the value you enter in Title field.

Add New Page ⓘ

Title *

My First Custom Page

Internal Name *

my-first-custom-page

Relative URL *


my-first-custom-page

Description

Save


3. Click **Save**.

Creates a new custom page, **My First Custom Page**




Step 2: Add a Content Container

1. On the Custom Page Design screen, click **Add Row**




Step 3: Add a Widget


1. On the Custom Page Design screen, click **Add Widget**.



2. On the **Pick A Widget** screen, click the **Content** tab.



3. On the **Content** tab, click **Rich Text**.



4. On the **New Widget - Rich Text** screen, click **Add**.


New Widget - Rich Text ⓘ

×

CSS ▼


Add

The Page Builder shows the Rich Text widget on the custom page.




Step 4: Configure Your Widget

1. In the text box, enter **Hello World!**




2. Click **Save**.




Step 5: Publish the Custom Page

1. On the Custom Page Design screen, click **Check In** .



2. Click **Publish**.



3. On the **Publish** screen, click **Publish**.

Publish ⓘ

Description


Show Navigation Menu On Top



Cancel


Publish

The **Page Builder** shows the published custom page screen.



Step 6: View the Published Page

1. On the custom page, click **Publish History**



2. On the **Publish History** screen, click **View** 

Publish History ⓘ

Version: 1.0

Description:

Published By: nxone\


Published On: 2/21/2023 2:32:47 PM

View

Actions ↑	Version	Description	Published By	Published On
⋮ ↓	1.0		nxone\	2/21/2023 2:3...

Your custom page opens in a new browser tab.

This view gives the production URL for the page. You can copy this URL to use in other locations, such as menus or links on other web sites.



Basic Administration

Once you have an [AgilePoint NX](#) administrator account, you can start to add users and customize your environment.

This section provides basic information about AgilePoint NX administration. For more information, refer to:

- [Settings](#)
- [Manage Center](#)

Add Users to AgilePoint NX

To add [users](#) to AgilePoint NX with an [AgilePoint ID](#), refer to these examples:

- [\(Example\) Add a User with an AgilePoint ID](#)
- [\(Example\) Add More Than One User to AgilePoint NX \(Bulk Add User\)](#)

Good to Know

- The **nxone** domain is shared across all [tenants](#) in [AgilePoint NX OnDemand](#). If the user name you enter already exists, you will be prompted with a message when you click **Add User**. You must find a user name that is unique.
- If **Auto Sync** is enabled on the [Administration screen](#), new users can automatically sign in with the enabled [authentication providers](#). In this case, users do not need to be added using their AgilePoint IDs.
- All new users are added to the **Users** role.
- If the [users](#) from an [Microsoft Entra ID](#) or [Microsoft 365](#) domain are added to AgilePoint NX, external users from the domain are not added. The [Administrator](#) must add these external users to AgilePoint NX separately.

For more information, refer to [I Can Not Sign In to AgilePoint NX OnDemand as an External Microsoft Azure Active Directory/Microsoft 365 User](#).

Add Administrators


To add [Administrators](#) to [AgilePoint NX](#), do the procedure in this topic.

Prerequisites


- [Sign In to AgilePoint NX](#) as an administrator.

How to Start

1. Click **Manage**.




2. In **Manage Center**, click **Access Control > Roles**.



Procedure

1. On the **Roles** screen, select **Administrators**.



2. Click **Edit Role**.

The screenshot shows the AgilePoint interface with the 'Roles' section selected in the left sidebar. The main area displays a table of roles. The 'Edit Role' button is highlighted with a red box.

ROLE	DESCRIPTION	CREATED BY	CREATED DATE	LAST MODIFIED BY	LAST MODIFIED DATE
☒ > Administrators	Administrators hav...		06/06/2023 5:04:5...		06/07/2023 5:48:4...
☐ > Application Runtim...	Application Runtim...		06/06/2023 5:04:5...	NA	NA
☐ > Users	Normal Users have...		06/06/2023 5:04:5...		06/07/2023 5:48:4...
☐ > Citizen Developers	Citizen Developers ...		06/06/2023 5:04:5...	NA	NA
☐ > Application Design...	Application Design...		06/06/2023 5:04:5...	NA	NA

3. On the **Edit Role** screen, click the **Select Members** tab.

The screenshot shows the 'Edit Role' screen in AgilePoint. The 'Select Members' tab is highlighted with a red box. The role name is 'Administrators' and the description is 'Administrators have complete access to maintain system'.

Basic Role Information


Basic Role Information | Configure Access Rights | **Select Members** | Audit Log

Role Name *
Administrators


Description
Administrators have complete access to maintain system

Cancel Next Update

4. On the **Select Members** tab, click **Add Members**.



5. On the **Available Members** screen, in the **Groups / User Name / Full Name** field, select **Full Name**.



6. In the **Full Name** field, enter **Sarah Lawrence**.

Available Members ×

Full Name ▼ Sarah Lawrence × 🔍

☐	FULL NAME	USER NAME	EMAIL	DEPARTMENT
 No records found				

0 Rows

Cancel Add

7. Click **Search** 🔍.

Available Members ×

Full Name ▼ Sarah Lawrence × 🔍

☐	FULL NAME	USER NAME	EMAIL	DEPARTMENT
 No records found				

0 Rows

Cancel Add

8. In the users list, select **Sarah Lawrence**.

Available Members ×

Full Name ▼ Sarah Lawrence × 🔍

☒	FULL NAME	USER NAME	EMAIL	DEPARTMENT
☒	Sarah Lawrence	[REDACTED]	\SARAH.LAW...	

1 Rows

Cancel Add

9. Click **Add**.

10. On the **Edit Role** screen, click **Update**.

agilepoint Home Work Center Manage App Builder ... 🔔 👤 ▼

Search

Overview

Runtime Management ▼

App Management ▼

App Builder ▼

Access Control ^

Users

Groups

Roles

Delegations

System ▼

Edit Role

Select Members ⓘ

Basic Role Information Configure Access Rights Select Members Audit Log

🔍 Search Current Members ➕ Add Members 🗑 Delete ⓘ

☐	CURRENT MEMBER	TYPE	
☐	[REDACTED]	USER	🗑
☐	SARAH LAWRENCE	USER	🗑

2 Rows

Cancel Back Next Update

Authentication and Security

The Security section of the Product Documentation gives information about security policies and settings in AgilePoint NX, including [Authentication](#), [Administrator Types](#), [access controls](#), and other settings related to security.

For more information, refer to [Security](#).

Change Environments

To open a different [AgilePoint NX](#) environment, do the procedure in this topic.

Prerequisites

- This feature is only available for [AgilePoint NX OnDemand](#) (public cloud).
- You must have more than one AgilePoint NX environment.

For more information, refer to [How Do I Set Up More than One Environment in AgilePoint NX?](#).

Good to Know


- If you change the environments, no data is shared between the environments.

These are the environments you can have:

- Production
- Development
- Evaluation


How to Start

1. In the [AgilePoint NX Portal](#), click your user name.




Procedure

1. On the context menu, click **Switch to**.



2. On the **Switch to** screen, click your environment.




Personalize AgilePoint NX

To personalize [AgilePoint NX](#), do the procedure in this topic.

How to Start

1. Click **Settings**.



Procedure

1. Configure these as necessary.

Document	Description
Portal Branding screen	Configures the branding for AgilePoint NX Portal , such as site name, logo, and banner.
Manage Modules screen	Configures AgilePoint components to show in AgilePoint NX Portal . For example, Work Center, Manage, Build Apps, Report, Collaborate, and Help.

Document	Description
Work Center screen (Settings)	Configures the settings for Work Center .
App Builder > Common screen (Settings)	Configures the items that show in App Builder .
Process Builder screen (Settings)	Configures the settings for Process Builder . For example, enable quick start wizard for new app and allow deleting app permanently.
eForm Builder screen (Settings)	Configures the settings for eForm Builder . For example, launch configuration window and toolbar settings.
Page Builder screen (Settings)	Configures the settings for Page Builder . For example, default page name, allow to delete pages, and enable demo pages.
Data Entities screen (Settings)	Configures the settings for Data Entities . For example, allow custom entity deletion, save, and reset.
Tenant screen	Configures your AgilePoint NX tenant . For example, tenant information, mobile eForm settings, and reset storage key.

Customize and Extend AgilePoint NX

There are many ways you can customize, extend, and integrate [AgilePoint NX](#), and your [processes](#), [apps](#), and [eForms](#). You can use built-in extension modules in [App Builder](#), [Process Builder](#), or [eForm Builder](#); you can integrate your own external applications with [APIs](#), or you can create customized, reusable components with [AgilePoint NX Developer](#).

OOTB Connectors to External Services

AgilePoint NX Process Builder comes with a set of out of the box (OOTB) process [activities](#) you can use to connect to external services. You can also use a number of OOTB integrations to do [lookups](#) in eForms.

These are the external services you can use in your apps. This length of this list increases with almost every update to the AgilePoint NX software:

- [ABBYY Vantage](#)
- [Active Directory](#)
- [ADFS](#)
- [Adobe Sign](#)
- [Amazon Cognito](#)
- [Amazon DynamoDB](#)
- [Amazon Machine Learning](#)
- [Amazon Redshift](#)
- [Amazon S3](#)
- [Amazon SageMaker](#)
- [Amazon SNS](#)
- [Amazon Web Services](#)
- [Android](#)
- [Apache Kafka](#)

- [Asana](#)
- [Automation Anywhere](#)
- [AWS Lambda](#)
- [Bing Maps](#)
- [Bitly](#)
- [Blue Prism](#)
- [Box](#)
- [CA SiteMinder](#)
- [C#](#)
- [CSS](#)
- [DocuSign](#)
- [.NET](#)
- [.NET proxy](#)
- [Dropbox](#)
- [Elasticsearch](#)
- [email](#)
- [Ethereum](#)
- [Exchange Server](#)
- [FTP](#)
- [GitHub](#)
- [Google AI](#)
- [Google Cloud Platform](#)
- [Google Cloud Storage](#)
- [Google Drive](#)
- [Google Maps](#)
- [Google Sheets](#)
- [Google Workspace](#)
- [gRPC](#)
- [HTML](#)

- [HubSpot](#)
- [IdentityServer](#)
- [InfoPath](#)
- [iOS](#)
- [Java](#)
- [JavaScript](#)
- [Jira Software](#)
- [JSON](#)
- [LinkedIn](#)
- [Mailchimp](#)
- [Markdown](#)
- [Microsoft 365](#)
- [Microsoft Entra ID](#)
- [Microsoft Azure Blob Storage](#)
- [Microsoft Azure Bot Service](#)
- [Microsoft Azure Cloud Services](#)
- [Microsoft Azure Functions](#)
- [Microsoft Azure IoT](#)
- [Microsoft Azure Machine Learning](#)
- [Microsoft Azure Service Bus](#)
- [Microsoft Cognitive Services](#)
- [Microsoft Dataverse](#)
- [Microsoft Dynamics 365](#)
- [Microsoft Excel](#)
- [Microsoft Planner](#)
- [Microsoft Power Automate](#)
- [Microsoft Power BI](#)
- [Microsoft PowerPoint](#)
- [Microsoft SQL Server](#)

- [Microsoft Teams](#)
- [Microsoft Word](#)
- [Mindee](#)
- [Monday](#)
- [MongoDB](#)
- [MySQL](#)
- [Oracle NetSuite](#)
- [NVIDIA NIM](#)
- [OAuth 2.0](#)
- [OData](#)
- [Okta](#)
- [OneDrive](#)
- [OneDrive for Business](#)
- [OpenAI](#)
- [Oracle Access Management](#)
- [Oracle Database](#)
- [Outlook for Microsoft 365](#)
- [PayPal](#)
- [PDF](#)
- [PingFederate](#)
- [PostgreSQL](#)
- [PowerShell](#)
- [Redox](#)
- [REST](#)
- [Salesforce](#)
- [Salesforce Chatter](#)
- [SAP](#)
- [Sertifi](#)
- [ServiceNow](#)

- SFTP
- SharePoint for Microsoft 365
- SharePoint on-premises
- Slack
- SMS
- Snowflake
- SSL
- Stripe
- TLS
- Trello
- Twilio
- Twilio SendGrid
- X
- UiPath
- WCF
- webhook
- web service
- WordPress
- XML
- Viva Engage
- Zendesk
- Zoho CRM
- Zoom

AI Connectors

AgilePoint NX Process Builder comes with a set of out of the box (OOTB) [process activities](#) that use AI technologies.

 Many third-party technologies integrated with AgilePoint NX use AI. With the technologies in this list, AI features are directly leveraged or configured within AgilePoint NX, particularly in process

 activities. Third-party technologies that use AI in a way that is not directly configured in AgilePoint NX are not included in this list.

- [Amazon Machine Learning](#)
- [Amazon SageMaker](#)
- [Google AI](#)
- [Microsoft Azure Bot Service](#)
- [Microsoft Azure Machine Learning](#)
- [Microsoft Cognitive Services](#)
- [Mindee](#)
- [Microsoft Power BI](#)
- [NVIDIA NIM](#)
- [OpenAI](#)

OOTB Customizable, Programmatic Process Activities

AgilePoint NX Process Builder comes with OOTB activities that lets make calls form an AgilePoint NX app to any custom [web service](#), [WCF](#) service, or [REST](#)ful service. There is also a set of activities that let you perform activities such as stored procedures directly in a [database](#).

Third-Party Authentication to the AgilePoint NX Portal

You can use third-party services for [authentication](#) to [AgilePoint NX Portal](#). The Portal supports authentication with these account types:

- [ADFS](#)
- [AgilePoint NX account](#)
- [Amazon Cognito](#)
- [CA SiteMinder](#)
- [Google Workspace](#)
- [IdentityServer](#)
- [Microsoft Entra ID](#)
- [Okta](#)
- [Oracle Access Management](#)
- [PingFederate](#)

- [Salesforce](#)
- [SharePoint for Microsoft 365](#)

Extend eForms with JavaScript and CSS

AgilePoint NX eForm Builder lets you add custom [JavaScript](#) and [CSS](#) to your eForms. The AgilePoint NX UI is built on the HTML5, JQuery, and CSS3 standards, so you can use OOTB [human task activities](#) in your apps, and then extend your eForms with CSS and Javascript.

APIs

You can use the APIs for AgilePoint NX to connect to any external application. AgilePoint NX has these APIs:

- [REST API](#) - Recommended for mobile apps.
- [Web Services API](#) - Built on the .NET WCF framework.

AgilePoint NX also gives easy access to the most frequently used methods in its APIs through the [AgilePoint NX process activities](#). Just like connecting to an external service, you can perform automated operations on the AgilePoint NX system without writing code.

Third-Party Database Integration Types

AgilePoint NX integrates with these databases in various ways. Some database types can be used as back end data storage for AgilePoint NX, while others can be used through [process activities](#) or [lookups](#).

- [Amazon DynamoDB](#)
- [Amazon Redshift](#)
- [Microsoft SQL Server](#)
- [MongoDB](#)
- [MySQL](#)
- [Oracle Database](#)
- [PostgreSQL](#)
- [Snowflake](#)

Create Custom, Reusable Components with AgilePoint NX Developer

[AgilePoint NX Developer](#) is an [AgilePoint NX](#) software component that lets you create custom assets, such as [activities](#), [AgileConnectors](#) and AgilePoint NX web applications. AgilePoint NX Developer is an extension for Microsoft Visual Studio. AgilePoint NX Developer is typically used to create a connection

to an external service that is unique to a particular organization, or to create a set of programmable operations that need to be reused frequently in many apps within an organization. AgilePoint NX is typically used for highly specialized organizational needs. For most AgilePoint NX users, the built-in functionality is sufficient for customization and extension.