Web Based Parking

Design 20261012-folio3-parking-app-introductio-0790 · version 1 · for Folio3

Approved	by Hamza (via web) on 2026-10-12
Design sha	`6370553cdb3558299286cf51fd326179bdc6bf49b10d17bef027d7810511bc9c`
Screens	10: S-1, S-2, S-3, S-4, S-5, S-6, S-7, S-8, S-9, S-10
Flow	Sign-in begins at S-1. Google OAuth returns through a server-side callback; after verification, employees use the employee shell and Parking Administrators use the administrator shell. Employees with a dedicated space manage it in S-2 and S-3; eligible employees claim in S-4; employees without a registered plate must add one in S-5 before parking operations. Administrators manage profiles in S-6 and S-7, monitor weekly utilization in S-8, review entrance attempts in S-9, and configure parking and roles in S-10. Every screen is the same responsive web app at phone, tablet, and desktop widths; narrow layouts use touch-sized controls and never a native-app frame. DESIGN.md / shared design direction: redraw every page in one consistent light interface, with a shared header per user type, one type scale, one restrained accent selected by the design system, compact tables, hairline dividers, clear status labels, and orderly HR-style people lists. Use developer-tool density for logs and reporting: plain bars, compact filters, sortable tables, and one headline metric with context above data. Use real employee and vehicle photographs where requested below. Constrain content to a centered max-width; use CSS Grid rather than percentage math; keep every item in its own non-overlapping zone. NEVER DO: emojis; Inter; generic serif fonts such as Times New Roman, Georgia, or Garamond; pure black; neon or outer-glow shadows; oversaturated accents; excessive gradient text; custom cursors; overlapping or absolutely stacked content; three equal-column cards; generic names; fake round-number metrics; AI clichés such as “Elevate,” “Seamless,” “Unleash,” or “Next-Gen”; filler scroll text or bouncing chevrons; broken Unsplash links; centered high-variance heroes. NEVER use a marketing hero, a row of three equal cards, icon-in-rounded-square feature cards, logo strips, generic KPI cards with sparklines, bento tiles, glass surfaces, or repeated uniform section templates. Replace them with a left-aligned page heading, one contextual headline measure, dense lists or tables, real product/vehicle crops where relevant, and varied but orderly section rhythm. Do not add pricing, testimonials, a marketing footer, version chips, system labels, or fields/devices absent from the requirements and sample data. The same user type sees the same menu labels and order on every page in its shell.

The product and its look

Type, corners and spacing

Body font	"Source Sans 3","Inter var",Inter,"SF Pro Text",-apple-system,BlinkMacSystemFont,"Segoe UI Variable","Segoe UI",Roboto,"Helvetica Neue",sans-serif
Heading font	"Hanken Grotesk","Inter var",Inter,"SF Pro Text",-apple-system,BlinkMacSystemFont,"Segoe UI Variable","Segoe UI",Roboto,"Helvetica Neue",sans-serif (680)
Corners	10 px
Spacing	18 px padding, 52 px rows

light mode

- **background** `#f6fafd`
- **surface** `#ffffff`
- **surface-muted** `#eef5fa`
- **border** `#e1e7ec`
- **border-strong** `#cfd5da`
- **text-muted** `#676c71`
- **text-secondary** `#43484d`
- **text** `#12171a`
- **brand** `#356F9A`
- **on-brand** `#ffffff`
- **brand-text** `#356F9A`
- **accent-text** `#356F9A`
- **success** `#067e3f`
- **danger** `#c92f33`
- **warning** `#976115`
- **info** `#1e71ac`


S-1 /sign-in

Requirements

- **REQ-1** When a person submits a Google OAuth callback, the Folio3 Parking web app shall create an authenticated session only after validating the Google-issued ID token signature, issuer, and audience, verifying OAuth state, and confirming that the account belongs to an active Folio3 employee.
- **REQ-2** When an employee signs in successfully, the Folio3 Parking web app shall return a profile populated with corporate-directory employee details and administrator-maintained parking assignment, floor, and registered-vehicle records where present.
- **REQ-6** The Folio3 Parking web app shall render every employee and administrator page as a responsive web page for phone, tablet, and desktop widths with touch-sized controls on narrow viewports.


States: OAuth return with an inactive or non-Folio3 account: show a plain access message and a single “Try again” control; do not create a session., OAuth verification failure: keep the user signed out and show a brief retry message.

OAuth return with an inactive or non-Folio3 account: show a plain access message and a single “Try again” control; do not create a session.



desktop

OAuth verification failure: keep the user signed out and show a brief retry message.



desktop


S-2 /employee/my-space

Requirements


- **REQ-2** When an employee signs in successfully, the Folio3 Parking web app shall return a profile populated with corporate-directory employee details and administrator-maintained parking assignment, floor, and registered-vehicle records where present.
- **REQ-6** The Folio3 Parking web app shall render every employee and administrator page as a responsive web page for phone, tablet, and desktop widths with touch-sized controls on narrow viewports.
- **REQ-7** When a dedicated parking holder submits today's release before that parking has been released or claimed, the Folio3 Parking web app shall record one release for that holder and date from a single user action.
- **REQ-8** While a dedicated assignment is expected to be used on a configured working day, the Folio3 Parking web app shall show Reserved by default and make a same-day release claimable at the configured daily release time if submitted earlier, or immediately if submitted later.

States: If today has already been claimed or released, remove the release action and show the resulting status without offering a second release., For an employee without a dedicated assignment, show “No dedicated space assigned” and the menu’s “Free spaces” destination rather than release controls.


If today has already been claimed or released, remove the release action and show the resulting status without offering a second release.



desktop


phone

For an employee without a dedicated assignment, show “No dedicated space assigned” and the menu’s “Free spaces” destination rather than release controls.



desktop


S-3 /employee/release-dates

Requirements


- **REQ-6** The Folio3 Parking web app shall render every employee and administrator page as a responsive web page for phone, tablet, and desktop widths with touch-sized controls on narrow viewports.
- **REQ-9** The Folio3 Parking web app shall accept a dedicated holder's release schedule for one or more dates no more than 30 days ahead and make each scheduled release claimable at the daily release time on its selected date.
- **REQ-10** If a scheduled release has not been claimed, then the Folio3 Parking web app shall allow its holder to cancel it and reject cancellation after it has been claimed while preserving the claim.

States: Reject dates more than 30 days ahead, dates outside the configured work calendar, and duplicate dates with plain inline guidance., If a scheduled release has been claimed, keep it visible as Claimed and reject cancellation without undoing the claim.

Reject dates more than 30 days ahead, dates outside the configured work calendar, and duplicate dates with plain inline guidance.




desktop



phone

If a scheduled release has been claimed, keep it visible as Claimed and reject cancellation without undoing the claim.



desktop


S-4 /employee/free-spaces

Requirements


- **REQ-3** If an active employee has no registered vehicle, then the Folio3 Parking web app shall require registration of at least one license plate before allowing that employee to use parking release or claim operations.
- **REQ-6** The Folio3 Parking web app shall render every employee and administrator page as a responsive web page for phone, tablet, and desktop widths with touch-sized controls on narrow viewports.
- **REQ-11** The Folio3 Parking web app shall expose claimable parking availability to active Folio3 employees who have no dedicated assignment and at least one registered vehicle, including the current available-space count.
- **REQ-12** When eligible employees claim released parking, the Folio3 Parking web app shall assign each release to only the earliest accepted claim and return the assigned floor from configured floor capacity.
- **REQ-13** If a temporary parking claim is confirmed, then the Folio3 Parking web app shall prevent the claimant from cancelling that claim.

States: If the earliest offer was claimed by someone else first, refresh the available count and show that the space is no longer free; never imply a second claim succeeded., For an employee without a registered plate, block claiming and provide the “My vehicles” destination until at least one plate is registered.


If the earliest offer was claimed by someone else first, refresh the available count and show that the space is no longer free; never imply a second claim succeeded.



desktop


phone

For an employee without a registered plate, block claiming and provide the “My vehicles” destination until at least one plate is registered.



desktop


S-5 /employee/my-vehicles

Requirements


- **REQ-2** When an employee signs in successfully, the Folio3 Parking web app shall return a profile populated with corporate-directory employee details and administrator-maintained parking assignment, floor, and registered-vehicle records where present.
- **REQ-3** If an active employee has no registered vehicle, then the Folio3 Parking web app shall require registration of at least one license plate before allowing that employee to use parking release or claim operations.
- **REQ-6** The Folio3 Parking web app shall render every employee and administrator page as a responsive web page for phone, tablet, and desktop widths with touch-sized controls on narrow viewports.

States: default

default



desktop



phone


S-6 /admin/employees

Requirements

- **REQ-4** Where the caller has the Parking Administrator role, the Folio3 Parking web app shall provide read-only access to corporate-directory employee details and allow creation, viewing, and updating of employee parking assignments and registered-vehicle records linked to those profiles.
- **REQ-6** The Folio3 Parking web app shall render every employee and administrator page as a responsive web page for phone, tablet, and desktop widths with touch-sized controls on narrow viewports.

States: default

default



desktop


S-7 /admin/employees/:employeeId

Requirements

- **REQ-2** When an employee signs in successfully, the Folio3 Parking web app shall return a profile populated with corporate-directory employee details and administrator-maintained parking assignment, floor, and registered-vehicle records where present.
- **REQ-4** Where the caller has the Parking Administrator role, the Folio3 Parking web app shall provide read-only access to corporate-directory employee details and allow creation, viewing, and updating of employee parking assignments and registered-vehicle records linked to those profiles.
- **REQ-6** The Folio3 Parking web app shall render every employee and administrator page as a responsive web page for phone, tablet, and desktop widths with touch-sized controls on narrow viewports.

States: default

default



desktop


S-8 /admin/utilization

Requirements

- **REQ-6** The Folio3 Parking web app shall render every employee and administrator page as a responsive web page for phone, tablet, and desktop widths with touch-sized controls on narrow viewports.
- **REQ-19** The Folio3 Parking web app shall record daily utilization events using registered-vehicle entry records, counting an allocation as used when any vehicle registered to its employee is detected that day.
- **REQ-20** When the weekly reporting job runs on Monday morning in the Folio3 office time zone, the Folio3 Parking web app shall generate a report containing unused dedicated and temporary parking, daily and weekly utilization statistics, released-space and claim totals, and an overall utilization percentage calculated for the reporting week as 100 times used allocations divided by eligible allocations, or 0 percent when there are no eligible allocations.
- **REQ-22** The Folio3 Parking web app shall provide filterable on-screen lists and CSV export of utilization records only to Parking Administrators, and deny both operations to callers in every other role.
- **REQ-23** The Folio3 Parking web app shall retain parking-release audit history, LPR verification attempts, and utilization events according to Folio3's existing records-retention policy.
- **REQ-24** The Folio3 Parking web app shall limit Phase 1 utilization functionality to monitoring, recording, and reporting without applying automated warnings, suspensions, or penalties.


States: default, No matching records: show an empty table message while keeping the current filters visible., CSV export success or failure: report the result in a brief inline status; do not expose export to other roles.

default




desktop

No matching records: show an empty table message while keeping the current filters visible.



desktop

CSV export success or failure: report the result in a brief inline status; do not expose export to other roles.



desktop


S-9 /admin/entry-checks

Requirements

- **REQ-6** The Folio3 Parking web app shall render every employee and administrator page as a responsive web page for phone, tablet, and desktop widths with touch-sized controls on narrow viewports.
- **REQ-16** When the Folio3 LPR integration submits an entrance-verification request, the Folio3 Parking web app shall authenticate the request as originating from trusted Folio3 LPR equipment, require a unique authenticated request ID or nonce and reject any previously accepted ID or nonce, then verify a detected car's readable plate against that date's temporary parking authorizations and activate the green indicator only for a valid authorization.
- **REQ-17** If any entrance verification fails, then the Folio3 Parking web app shall issue an explicit command to set the green indicator inactive and deny entry through the temporary-parking process.
- **REQ-18** The Folio3 Parking web app shall record every successful and unsuccessful entrance verification attempt with its timestamp, plate when readable, result, and entry status.
- **REQ-23** The Folio3 Parking web app shall retain parking-release audit history, LPR verification attempts, and utilization events according to Folio3's existing records-retention policy.


States: default, No matching attempts: show an empty message and preserve the date and result filters., If the attempt feed is unavailable, show a plain error and retry control without changing any recorded result.

default




desktop

No matching attempts: show an empty message and preserve the date and result filters.



desktop

If the attempt feed is unavailable, show a plain error and retry control without changing any recorded result.



desktop


S-10 /admin/settings

Requirements

- **REQ-5** Where deployment bootstrap configuration is used, the Folio3 Parking web app shall keep initial administrator setup incomplete until configuration supplies a designated active Folio3 account, then grant that account the initial Parking Administrator role, and allow Parking Administrators to configure the daily release time, per-floor space counts, work calendar, named report recipients, and administrator and Security Guard role assignments.
- **REQ-6** The Folio3 Parking web app shall render every employee and administrator page as a responsive web page for phone, tablet, and desktop widths with touch-sized controls on narrow viewports.

States: default

default



desktop