Parking App

Design 20261011-folio3-parking-app-introductio-c24e · version 1 · for Folio3

Approved	by Hamza (via web) on 2026-10-11
Design sha	`eb69f957c48abecd39d1332eafccde7af2f66f8efb4aed1c0d598bc023f2f77c`
Screens	16: S-1, S-2, S-3, S-4, S-5, S-6, S-7, S-8, S-9, S-10, S-11, S-12, S-13, S-14, S-15, S-16
Flow	Sign-in with Folio3 Google Workspace (S-1). If the directory lookup fails, the user lands on the access error page (S-2). Non-dedicated employees with no plate go to vehicle registration (S-3) and then to the claim dashboard (S-4). Dedicated holders land on the holder dashboard (S-5), where they can release today's space, and can schedule future releases (S-6). Every employee can view their own profile and vehicles (S-7). Security guards use only the entry verification console (S-8). Administrators manage parking spaces (S-9), employees and vehicles (S-10, S-11), roles (S-12), the Daily Parking Release Time (S-13), report recipients (S-14), weekly utilization reports (S-15) and the claim and entry audit log (S-16).

The product and its look

Type, corners and spacing

Body font	"Public Sans","Inter var",Inter,"SF Pro Text",-apple-system,BlinkMacSystemFont,"Segoe UI Variable","Segoe UI",Roboto,"Helvetica Neue",sans-serif
Heading font	"Hanken Grotesk","Inter var",Inter,"SF Pro Text",-apple-system,BlinkMacSystemFont,"Segoe UI Variable","Segoe UI",Roboto,"Helvetica Neue",sans-serif (680)
Corners	10 px
Spacing	18 px padding, 52 px rows

light mode

- **background** #f6f9fd
- **surface** #ffffff
- **surface-muted** #eff4fb
- **border** #e2e7ed
- **border-strong** #d0d5db
- **text-muted** #686c71
- **text-secondary** #44484d
- **text** #13161b
- **brand** #1F6F5C
- **on-brand** #ffffff
- **brand-text** #1F6F5C
- **accent-text** #1F6F5C
- **success** #067e3f
- **danger** #c92f33
- **warning** #976115
- **info** #1e71ac


S-1 /sign-in

Requirements

- **REQ-1** The Folio3 Parking System shall accept sign-in only through authorized Folio3 Google Workspace accounts for employees, security guards, and parking administrators, rejecting personal Gmail and other provider accounts.
- **REQ-26** The Folio3 Parking System shall provision the first parking administrator from a deployment-configured Folio3 account and let administrators assign employee, security-guard, and administrator roles to other authorized Folio3 accounts.


States: default, error

default



desktop

error



desktop


S-2 /access-error

Requirements

- **REQ-4** If Google authentication succeeds but the employee profile cannot be identified or retrieved from the corporate directory, then the Folio3 Parking System shall deny application access and return a retryable error with a contact path.

States: default

default



desktop


S-3 /onboarding/vehicle

Requirements

- **REQ-3** If a non-dedicated employee has no registered vehicle plate, then the Folio3 Parking System shall require at least one plate to be saved before making the dashboard available, while allowing vehicle make, model, and color to be optional and directing an incomplete returning profile to registration.
- **REQ-2** The Folio3 Parking System shall identify employees by corporate email, retrieve employee ID and name from the corporate directory, and associate those identity fields with app-maintained dedicated-parking status, assigned floor, and one or more registered vehicle profiles.

States: default

default



desktop


S-4 /dashboard

Requirements

- **REQ-14** The Folio3 Parking System shall publish the current available-space count and send a push notification to eligible employees without dedicated parking whenever one or more spaces become claimable.
- **REQ-15** The Folio3 Parking System shall allocate each available space to the first eligible non-dedicated employee request accepted by the service, limit each employee to one temporary claim per date, keep each successful claim assigned for its date without allowing employee cancellation, and return refreshed availability to later unsuccessful claimants.
- **REQ-16** The Folio3 Parking System shall assign one available parking space and its floor to a successful claimant, record the claim date, time, employee, and assigned space for audit, and not require proof that the employee parked on the assigned floor.
- **REQ-5** The Folio3 Parking System shall restrict employees to their own records, limit guards to information needed for entry verification, and permit administrators to manage records and access configured reports.


States: default, empty, error

default




desktop

empty



desktop

error



desktop


S-5 /dashboard/holder

Requirements

- **REQ-10** The Folio3 Parking System shall let only a dedicated parking holder release today's parking, prevent duplicate releases for the same holder and date, return “Released” as the release-action confirmation, and report the current parking status as “Reserved” before the release availability time, “Claimable” once that time arrives (immediately for same-day releases created at or after that time), and “Claimed” after allocation.
- **REQ-12** The Folio3 Parking System shall use a configurable Daily Parking Release Time defaulting to 08:00 office-local time, make pre-scheduled releases and same-day releases created before that time claimable at that time, and make same-day releases created at or after that time claimable immediately.
- **REQ-5** The Folio3 Parking System shall restrict employees to their own records, limit guards to information needed for entry verification, and permit administrators to manage records and access configured reports.


States: default, error

default



desktop

error



desktop


S-6 /releases/schedule

Requirements

- **REQ-11** The Folio3 Parking System shall let dedicated holders schedule releases for one or multiple future dates up to 30 calendar days ahead and persist each selected release.
- **REQ-12** The Folio3 Parking System shall use a configurable Daily Parking Release Time defaulting to 08:00 office-local time, make pre-scheduled releases and same-day releases created before that time claimable at that time, and make same-day releases created at or after that time claimable immediately.
- **REQ-10** The Folio3 Parking System shall let only a dedicated parking holder release today's parking, prevent duplicate releases for the same holder and date, return “Released” as the release-action confirmation, and report the current parking status as “Reserved” before the release availability time, “Claimable” once that time arrives (immediately for same-day releases created at or after that time), and “Claimed” after allocation.

States: default

default



desktop


S-7 /profile

Requirements

- **REQ-2** The Folio3 Parking System shall identify employees by corporate email, retrieve employee ID and name from the corporate directory, and associate those identity fields with app-maintained dedicated-parking status, assigned floor, and one or more registered vehicle profiles.
- **REQ-3** If a non-dedicated employee has no registered vehicle plate, then the Folio3 Parking System shall require at least one plate to be saved before making the dashboard available, while allowing vehicle make, model, and color to be optional and directing an incomplete returning profile to registration.
- **REQ-5** The Folio3 Parking System shall restrict employees to their own records, limit guards to information needed for entry verification, and permit administrators to manage records and access configured reports.

States: default

default



desktop


S-8 /guard/verifications

Requirements

- **REQ-18** The Folio3 Parking System shall process license-plate-recognition detections for cars, ignore pedestrians, motorcycles, and other non-car objects, and bypass temporary system verification for vehicles marked with a permanent parking sticker.
- **REQ-19** Where a readable plate is detected on an unstickered vehicle, the Folio3 Parking System shall verify it against a temporary claim for the current office-local date using any plate registered to the claimant for the claimed date and activate the green indicator only for a valid authorization.
- **REQ-20** If a plate is unreadable or unverifiable, or the camera, authorization service, or indicator is unavailable, then the Folio3 Parking System shall make no automated authorization, issue no green-indicator activation, and record an unreadable, unverifiable, or outage event.
- **REQ-21** The Folio3 Parking System shall record every temporary verification attempt with its date, time, detected plate or unreadable status, and verification result, and let security record whether the vehicle actually entered after the check.
- **REQ-22** Where a vehicle has a permanent parking sticker, the Folio3 Parking System shall record LPR-detected entry as utilized parking without authorization verification, and use guard-recorded actual-entry outcomes for temporary parking, rather than camera detections or authorization attempts alone, to preserve utilization history and identify dedicated parking that was not released and had no entry and temporary claims that had no entry.
- **REQ-5** The Folio3 Parking System shall restrict employees to their own records, limit guards to information needed for entry verification, and permit administrators to manage records and access configured reports.


States: default, empty, error

default




desktop

empty



desktop

error



desktop


S-9 /admin/spaces

Requirements

- **REQ-6** The Folio3 Parking System shall allow parking administrators to enter and maintain the parking-space inventory, associate each space with an assigned floor and dedicated holder, and maintain employee parking assignments and registered vehicles, including initial launch records, with plate changes applying to future dates while existing claims retain their recorded plate.
- **REQ-5** The Folio3 Parking System shall restrict employees to their own records, limit guards to information needed for entry verification, and permit administrators to manage records and access configured reports.


States: default, empty

default



desktop

empty



desktop


S-10 /admin/employees

Requirements

- **REQ-6** The Folio3 Parking System shall allow parking administrators to enter and maintain the parking-space inventory, associate each space with an assigned floor and dedicated holder, and maintain employee parking assignments and registered vehicles, including initial launch records, with plate changes applying to future dates while existing claims retain their recorded plate.
- **REQ-2** The Folio3 Parking System shall identify employees by corporate email, retrieve employee ID and name from the corporate directory, and associate those identity fields with app-maintained dedicated-parking status, assigned floor, and one or more registered vehicle profiles.
- **REQ-3** If a non-dedicated employee has no registered vehicle plate, then the Folio3 Parking System shall require at least one plate to be saved before making the dashboard available, while allowing vehicle make, model, and color to be optional and directing an incomplete returning profile to registration.


States: default, empty

default



desktop

empty



desktop


S-11 /admin/employees/:id

Requirements

- **REQ-6** The Folio3 Parking System shall allow parking administrators to enter and maintain the parking-space inventory, associate each space with an assigned floor and dedicated holder, and maintain employee parking assignments and registered vehicles, including initial launch records, with plate changes applying to future dates while existing claims retain their recorded plate.
- **REQ-2** The Folio3 Parking System shall identify employees by corporate email, retrieve employee ID and name from the corporate directory, and associate those identity fields with app-maintained dedicated-parking status, assigned floor, and one or more registered vehicle profiles.

States: default

default



desktop


S-12 /admin/roles

Requirements

- **REQ-26** The Folio3 Parking System shall provision the first parking administrator from a deployment-configured Folio3 account and let administrators assign employee, security-guard, and administrator roles to other authorized Folio3 accounts.
- **REQ-5** The Folio3 Parking System shall restrict employees to their own records, limit guards to information needed for entry verification, and permit administrators to manage records and access configured reports.
- **REQ-1** The Folio3 Parking System shall accept sign-in only through authorized Folio3 Google Workspace accounts for employees, security guards, and parking administrators, rejecting personal Gmail and other provider accounts.

States: default

default



desktop


S-13 /admin/settings

Requirements

- **REQ-12** The Folio3 Parking System shall use a configurable Daily Parking Release Time defaulting to 08:00 office-local time, make pre-scheduled releases and same-day releases created before that time claimable at that time, and make same-day releases created at or after that time claimable immediately.

States: default

default



desktop


S-14 /admin/reports/recipients

Requirements

- **REQ-24** The Folio3 Parking System shall allow parking administrators to add, update, and remove the stakeholder list used for weekly utilization report emails in the app without requiring pre-authorization of recipient addresses.


States: default, empty

default



desktop

empty



desktop


S-15 /admin/reports

Requirements

- **REQ-23** The Folio3 Parking System shall generate and email a weekly utilization report every Monday morning in the office-local timezone to configured stakeholders, containing unused dedicated and temporary parking employees, daily and weekly utilization statistics, released-space and temporary-claim totals, and an overall utilization percentage.
- **REQ-22** Where a vehicle has a permanent parking sticker, the Folio3 Parking System shall record LPR-detected entry as utilized parking without authorization verification, and use guard-recorded actual-entry outcomes for temporary parking, rather than camera detections or authorization attempts alone, to preserve utilization history and identify dedicated parking that was not released and had no entry and temporary claims that had no entry.
- **REQ-5** The Folio3 Parking System shall restrict employees to their own records, limit guards to information needed for entry verification, and permit administrators to manage records and access configured reports.


States: default, empty

default



desktop

empty



desktop


S-16 /admin/audit

Requirements

- **REQ-16** The Folio3 Parking System shall assign one available parking space and its floor to a successful claimant, record the claim date, time, employee, and assigned space for audit, and not require proof that the employee parked on the assigned floor.
- **REQ-21** The Folio3 Parking System shall record every temporary verification attempt with its date, time, detected plate or unreadable status, and verification result, and let security record whether the vehicle actually entered after the check.
- **REQ-20** If a plate is unreadable or unverifiable, or the camera, authorization service, or indicator is unavailable, then the Folio3 Parking System shall make no automated authorization, issue no green-indicator activation, and record an unreadable, unverifiable, or outage event.
- **REQ-15** The Folio3 Parking System shall allocate each available space to the first eligible non-dedicated employee request accepted by the service, limit each employee to one temporary claim per date, keep each successful claim assigned for its date without allowing employee cancellation, and return refreshed availability to later unsuccessful claimants.


States: default, empty

default



desktop

empty



desktop