


Villager®
2017

Catalogue Garden tools





Dear
friends,
colleagues,
and partners,

Here comes another year in which we have tried to make your gardening more pleasurable, to make the work in your workshop easier, to make the housework more interesting, and to help you with your repairs and craftsmanship. Therefore, you are presented with a new catalogue for the season of 2017, which includes all of your suggestions, comments, experiences you have had with our products. This catalogue is the way it is because you wanted it to be that way.

Every machine, from powerful big machine, to the tiniest hand tools is the result of a search for the most advanced solution. A solution in every sense: quality, price, performance. Because that is what Villager stands for.

To make an informed choice, you can find detailed information about every machine, its performance, dimensions, parts, power supply, maintenance, etc.

We are at your service to advise you on the proper use, choice of the most appropriate machine, safety precautions, the factors affecting the results and longevity of the product.

The only thing you are required to do is to let your imagination run wild and picture your garden, orchard, lawn or anything new you are going to make or repair in your workshop. Let us do the rest.

Your Villager® team



About us	2
Contents	3
Research and Development	4
Design and construction	4
Production and quality control	4
How to choose a lawn mower?	5
Battery-powered lawn mowers	6
Engine-powered lawn mower with a collector	8
Engine-powered lawn mower with side discharge	14
Scarifier	15
Electric lawn mowers	16
Tractor lawn mowers	18
How to choose a brush cutter?	21
Brush cutters	22
Electric trimmers	29
Multifunctional trimmers	30
Hedge trimmers	31
Battery-powered hedge trimmers	32
How to choose a chainsaw?	33
Engine-powered chainsaws	34
Electric chainsaws	38
Consumables for chainsaws	38
Characteristics of Oregon® cutting apparatus	39
5 in 1 electric set	40
Vertical log splitters	41
How to choose a tiller?	43
Tillers	44
How to choose a pump?	49
Engine-powered pumps	50
Garden pumps	52
Hydropack pumps	53
Submersible pumps	54
Electric vibration pumps	55
Additional equipment for irrigation	56


Earth augers	57
Equipment for earth augers	58
How to choose a sprayer?	59
Engine-powered sprayers	60
Battery-powered sprayers	62
Manual sprayers	64
Seeders	64
Engine-powered leaf blowers	65
Battery-powered and electric blowers	66
Crushing and chopping machines	67
Pressure washers	70
Snow throwers	72
Multifunctional sweeper	74
Axes	75
Cutting tools	76
Protective gear	78
Consumables	82
Spare parts	87
Authorised service providers	87
Demo van	87



Research and Development

Research and development represent a key competitive advantage that has made the Villager company one of the leading brands of garden and power tools in Europe.

We are continually committed to development and innovation, and we invest in research and development on a large scale. We implement the most efficient strategy for new product development (testing and designing products - manufacturing prototypes - quality control and testing prototypes - pilot production - final quality control and testing), all of which has enabled us to achieve flexible constructions and development of parts.



Design and construction

Market demand analysis has allowed us to have greater insight into types and characteristics of products our customers require, and our design team has been trying to meet those demands accordingly.


We use the most modern constructing software in the process of construction. They enable us to parametrically make changes on the product or its parts and to follow the effect of those changes live. Besides the constructing with the most modern software tools, we measure and analyse tension forces in parts and frames so as to remove all possible flaws and offer only products of top quality to the market.




Production and quality control

We have reached a high level of production quality which is healthy and environmentally conscious. We analyse machine parts and frames in a detailed manner and in such a way we ensure the quality of the product and minimise or timely remove all the potential flaws.

We produce machines and tools that meet all the applicable rules and regulations and standards, by applying strict quality control. More than a million happy customers are a sound proof that the design and production of our products guarantee absolute reliability and longevity.



HOW TO CHOOSE A LAWN MOWER?



In order to make an informed choice when it comes to a lawn mower which meets your needs, you need to take into account the following three criteria:

1. THE SIZE OF THE LAWN

The first important criterion in choosing the lawn mower is the size of the lawn you want to mow. Villager offers a variety of electric, battery-powered and light engine-powered lawn mowers for mowing small and mid-size lawns up to 800sqm. For mid-size to large surfaces up to 1500sqm we recommend some of the models with a larger width (from 46 to 56 cm) with or without additional functions such as the collector or own power supply. For large grass surfaces up to 6000 sqm we recommend one of the three tractor lawn mowers with a large number of attachment tools.

To sum up, **size matters**.

2. ELECTRIC OR ENGINE-POWERED

The second criterion is the choice of the type of engine that drives the lawn. If you have a small-surface lawn without too many obstacles for the use of an electric cable, then the right choice for you would be one of the Villager electric lawn mowers. If you don't like the noise and the cables, then you should opt for the battery-powered lawn mower Villy 4000E. For larger and more demanding lawns we warmly recommend one of the engine-powered lawn mowers with fuel-driven engines. We offer a wide range of powertrains, cutting width and additional equipment which will meet the demands of the most demanding customers..

Variety is the key.

Lawn mowers for lawns up to 800 m²

Battery-powered	Electric	Motor
Villy 4000 E	Villy 1000 E Villy 1300 E Villy 1200 P Villy 1400 P Villy 1600 P Villy 1800 P	V 42 T

Lawn mowers for lawns up to 1100 m²

Without a collector	With a collector
VS 51 P VS 51 E VS 51 T	VRS 460 P V 460 P VR 46 E VR 46 T V 46 E V 46 T

Lawn mowers for lawns up to 1500 m²

With a collector
VRS 530 H VRS 510 P VRS 51 TE VRS 56 P VR 51 E VR 51 T

Tractor lawn mowers for surfaces up to 6000 m²

Without a collector	With a collector
VT 980	VT 1000 HD VT 840



3. COLLECTING, SIDE DISCHARGE OR MULCHING

Most of the Villager lawn mowers are equipped with a grass collector, and some of them have a mulching set and swathe side discharge option. Therefore, it is of vital importance whether you want your lawn mower to collect the swathe, or have a special mulching set which turns the swathe into the finest particles which then fall back onto the lawn. In this manner you will get a healthy and resistant lawn. If the swathe collection is not necessary, and the terrain where the lawn is located is not an ideal one, then we most warmly recommend of the powerful and robust Villager lawn mowers with the side discharge option.

The choice is **up to you**.

EVERYTHING IS UNDER CONTROL



Li-Ion batteries are way better than the regular batteries. You can check the battery level anytime with an easy press of the button. Thanks to Li-Ion technology, easy and quick charging is now possible at any given time. Complete charging of the battery now lasts only one hour. The machine now has greater autonomy and is always ready to operate.

Villy 4000 E

Engine type	AC induction motor
Battery type	Li-ion
Battery voltage / capacity	40 V / 4 Ah
Battery operating time	do 40 min.
Battery charging time	60 min.
Cutting width	370 mm
Lawns to	250 m ²
Cutting height	from 25 to 75 mm (5 stages, central)
Type of propulsion	Pushing
Wheel Ø front / rear	152 mm / 178 mm
Mower deck	Polypropylene
Collector size	40 l
Weight approx.	15.5 kg
Art. no.	046569
EAN no.	8605032605777
Replacement blade (art. no.)	047659
Replacement battery (art. no.)	046570
Features:	Samsung® Li-ion battery 40 V Fast charger Mowing Collecting
Black Edition	•
For EU market	•

Villy 4000 E 40V 4Ah

Li-Ion battery with Samsung cells, light indicator of battery level and controller for individual monitoring of battery cells.

Villy 4000 E 40V Charger

Battery charger
Villy 4000E battery
The time of charging is 60 minutes.



40 V battery for Villy 4000 E

Battery type	Samsung® Li-ion
Battery voltage / capacity	40 V / 4 Ah
Weight approx.	1.3 kg
Art. no.	046570
EAN no.	8605032605791
Features:	Charge indicator Monitoring of battery cells for longer service life.

Fast charger for Villy 4000 E

Charging time	60 min.
Weight approx.	1.2 kg
Art. no.	046571
EAN no.	8605032605784

**Villy 4000 E**

An exquisite battery-powered lawn mower, characterised by light construction and modern design. It is suitable for use in small-surface gardens (up to 250 sqm). Induction motor, Li-Ion battery or great capacity, central height adjustment are just some of the features of this remarkable machine.

WHEN
MOWING
TURNS INTO
PLEASURE



Reliability, robustness and quality...



Powerful B&S engines

These engines are characterised by:

- Higher torque
- Easy start
- Less exhaust fumes



VRS 510 P

B&S 675 EXI OHV

163 cm³

2,59 kW / 2800 rpm

510 mm

1500 m²

from 27 to 80 mm (5 stages, central)

Self-propelled (1 speed) GT

203 mm / 280 mm

Steel plate

60 l

34 kg

041447

8008984513969

VRS 460 P

B&S 500 E OHV

140 cm³

1.97 kW / 2900 rpm

460 mm

1100 m²

from 27 to 80 mm (5 stages, central)

Self-propelled (1 speed) GT

178 mm / 254 mm

Steel plate

60 l

34 kg

041446

8008984514362

V 460 P

B&S 450 E OHV

125 cm³

1.75 kW / 2900 rpm

460 mm

1100 m²

from 27 to 80 mm (5 stages, central)

Pushing

178 mm / 254 mm

Steel plate

60 l

34 kg

041445

8008984514003

042512

042144

042144

Mowing

Mowing

Mowing

Collecting

Collecting

Collecting

Mulching

Mulching

Mulching

Side discharge

Side discharge

•

•

•

•

•

•

Use Villager 4T oil

VRS series of lawn mowers is designed for mowing of maintained grass surfaces from 1100 to 1500sqm. The whole series was conceived so as to offer a wide range of variations in order to meet the demands of every customer. Depending on the lawn size, angle, and level of maintenance, you can choose between two widths, two types of power supply, collecting or discharging swathe. What all three lawn mowers share is the robust and durable frame, equipped with top B&S motors, collectors and a mulching set. Top performance and harmonious design make these lawn mowers extremely attractive and efficient in most diverse of lawns.

ADVANTAGES

- Robust steel housing
- Central height adjustment
- Large wheels with bearings
- Easy starting
- Top quality blade

- Large collector (volume 60 litres)
- Mulching set
- Self-propulsion (optional)
- Side discharge (optional)

GARDEN FLAGSHIP

Villager® VRS 51 TE is a last generation engine-powered lawn mower. While designing this unique lawn mower, a great care was taken of the smallest details, so as to take the customer experience to the next level. Some of those details involve:

- Light and strong housing
- Powerful and reliable T 575 OHV engine
- Electric starting of the lawn mower
- Self-propulsion
- Large width (510mm)
- Large volume collector (60l)
- Side discharge option
- Mulching set



Rechargeable Li-ion battery for starter



Powerful T 575 OHV engine



Steel plate housing and mulching blade



VRS 51 TE

Engine type	T 575 OHV
Displacement	173 cm ³
Engine power / rpm	3.0 kW / 2800 rpm
Cutting width	510 mm
Lawns to	1500 m ²
Cutting height	from 25 to 75 mm (7 stages, central)
Type of propulsion	Self-propelled (1 speed) GT
Wheel Ø front / rear	178 mm / 254 mm
Mower deck	Steel plate
Collector size	60 l
Weight approx.	42 kg
Art. no.	046567
EAN no.	8605032605753
Replacement blade (art. no.)	040467
Features:	Electro-start Mowing Collecting Mulching Side discharge
Black Edition	•
For EU market	•
Recommendation	Use Villager 4T oil

GARDEN ARISTOCRACY

When these Villager lawn mowers were designed, no compromise was made, only the best was good enough. A high level of functionality and powerful engines that drive them (B&S 675 EX OHV and Honda GCV 160 OHC) make them available for use wherever it is needed. The width is 530 or 560mm. Both models are equipped with own power supply, large wheels of 8 and 11 inches, a set for side discharge of swathe. Ergonomically optimised control levers enable easy completion of extensive works with next to no effort.

**VRS 530 H****VRS 56 P**

Engine type	Honda GCV 160 OHC	B&S 675 EX OHV
Displacement	160 cm ³	190 cm ³
Engine power / rpm	3.3 kW / 2800 rpm	2.37 kW / 2800 rpm
Cutting width	525 mm	560 mm
Lawns to	1500 m ²	1500 m ²
Cutting height	from 24.5 to 76.5 mm (6 stages, central)	from 15 to 75 mm (5 stages, central)
Type of propulsion	Self-propelled (1 speed) GT	Self-propelled (4 speed) GT
Wheel Ø front / rear	203 mm / 280 mm	203 mm / 280 mm
Mower deck	Steel plate	Steel plate
Collector size	65 l	75 l
Weight approx.	36.3 kg	45 kg
Art. no.	046896	029374
EAN no.	8605032606323	8606012805835

Replacement blade (art. no.)	047646	013306
Features:	Mowing Collecting Mulching Side discharge	Mowing Collecting Mulching Side discharge
Black Edition	•	•
For EU market	•	•
Recommendation	Use Villager 4T oil	Use Villager 4T oil

DO-IT-YOURSELF

DIY Villager series of lawn mowers was designed for hobby use. A wide range of widths, types or power supply and engines will meet the demands of every customer.



VR 51 E

VR 51 T

VR 46 E

	VR 51 E	VR 51 T	VR 46 E
Engine type	B&S 625 E OHV	T 575 OHV	B&S 450 E OHV
Displacement	150 cm ³	173 cm ³	125 cm ³
Engine power / rpm	2.45 kW / 2800 rpm	3.0 kW/2800 rpm	1.7 kW / 2800 rpm
Cutting width	510 mm	510 mm	460 mm
Lawns to	1500 m ²	1500 m ²	1100 m ²
Cutting height (central)	from 25 to 75 mm (4 stages)	from 30 to 75 mm (4 stages)	from 25 to 75 mm (5 stages)
Type of propulsion	Self-propelled (1 speed)	Self-propelled (1 speed)	Self-propelled (1 speed)
Wheel Ø front / rear	178 mm / 254 mm	178 mm / 254 mm	178 mm / 203 mm
Mower deck	Steel plate	Steel plate	Steel plate
Collector size	60 l	60 l	60 l
Weight approx.	40.5 kg	40.5 kg	32.5 kg
Art. no.	046577	037875	033920
EAN no.	8605032605845	8605032602172	8606012808133
Replacement blade (art. no.)	040467	040467	037215
Features:	Mowing Collecting Mulching Side discharge	Mowing Collecting Mulching Side discharge	Mowing Collecting Mulching
Black Edition	×	×	×
For EU market	•	•	•
Recommendation	Use Villager 4T oil		
Description	DIY (Do It Yourself) series of lawn mowers perhaps illustrates best the variety of range that Villager offers to its customers. Whether you are an ordinary hobby user or a hardcore gardener, this series surely offers something worthy of your attention. Surfaces of 800-1500sqm, Villager or B&S engines, self-propelled or push drive are just some of the options you can choose from.		



Garden classics

These lawn mowers are characterised by:

- Easy use
- High reliability
- Comprehensive and economical offer



VR 46 T	V 46 E	V 46 T	V 42 T
T 475 OHV	B&S 450 E OHV	T475 OHV	T100 OHV
139 cm ³	125 cm ³	139 cm ³	100 cm ³
2.6 kW / 2800 rpm	1.7 kW / 2800 rpm	2.6 kW / 2800 rpm	1.7 kW / 2800 rpm
460 mm	460 mm	460 mm	420 mm
1100 m ²	1100 m ²	1100 m ²	800 m ²
from 25 to 75 mm (5 stages)	from 25 to 75 mm (5 stages)	from 25 to 75 mm (5 stages)	from 25 to 75 mm (6 stages)
Self-propelled (1 speed)	Pushing	Pushing	Pushing
178 mm / 203 mm	178 mm / 203 mm	178 mm / 203 mm	152 mm / 178 mm
Steel plate	Steel plate	Steel plate	Steel plate
60 l	60 l	60 l	40 l
32.8 kg	30.5 kg	34.3 kg	22.5 kg
038404	033919	038403	037889
8605032602165	8606012808126	8605032602158	8605032602240
037215	037215	037215	040442
Mowing Collecting Mulching	Mowing Collecting Mulching	Mowing Collecting Mulching	Mowing Collecting
×	×	×	×
•	•	•	•

Use Villager 4T oil

ADVANTAGES

- Steel housing
- Central height adjustment
- Wheels with bearings
- Easy starting
- Top quality blade
- Collectors (volume 40 or 60 litres)
- Self-propulsion (optional)
- Side discharge (optional)



LIGHT AND STRONG

Villager® lawn mowers with side discharge are intended for use on terrains which do not require swathe collection. Light, agile, collapsible as they are, they represent an excellent solution for maintaining all sorts of grass surfaces.



	VS 51 P	VS 51 E	VS 51 T
Engine type	B&S 300 E OHV	B&S 450 E OHV	T475 OHV
Displacement	125 cm ³	125 cm ³	139 cm ³
Engine power / rpm	1.7 kW / 2800 rpm	1.7 kW / 2800 rpm	2.6 kW / 2800 rpm
Cutting width	508 mm	510 mm	510 mm
Lawns to	1100 m ²	1100 m ²	1100 m ²
Cutting height	from 24.5 to 76.5 mm (6 stages, central)	from 30 to 75 mm (3 stages)	from 30 to 75 mm (3 stages)
Type of propulsion	Pushing	Pushing	Pushing
Wheel Ø front / rear	178 mm / 254 mm	178 mm / 178 mm	178 mm / 178 mm
Mower deck	Steel plate	Steel plate	Steel plate
Weight approx.	23.9 kg	20.5 kg	27.5 kg
Art. no.	046895	033918	033917
EAN no.	8605032606316	8606012808119	8606012808102
Replacement blade (art. no.)	047640	023448	023448
Features:	Side discharge Mulching	Side discharge	Side discharge
Black Edition	•	✗	✗
For EU market	•	•	•
Recommendation	Use Villager 4T oil		
Description	Uneven terrain and frequent collector emptying are the main obstacles when it comes to working with collectors in lawns which are not mowed very often (technical parts of the garden, orchards, etc.) For that purpose, Villager offers you three light models of engine-powered lawn mowers with the side discharge of swathe option. Light and agile, equipped with Villager and B&S engines, these lawn mowers will easily complete any challenge they are presented with.		

ADVANTAGES

- Steel housing
- Height adjustment
- Wheels with bearings
- Easy starting
- Top quality blade
- Side discharge
- Cutting width (510 mm)
- Easy to transport and store



A PERFECT LAWN

This lawn improver is equipped with a 1300W engine which drives two-functional 32cm wide combined aerator cylinder (rake) for quick removal of dead grass, weed and other waste. Using the height adjustment spiky cylinder just once a month will result in larger space for grass growth thanks to improved penetration of water, feed, seed and oxygen, stronger roots and prevention of fern-leaf weed. In just a year, you will be amazed at the improvement your lawn has shown.



VAS 1300

Engine type	Electric motor
Voltage	230 V ~ 50 Hz
Input power	1300 W
Working width	320 mm
Working height / depth	200 mm (from -100 mm to +100 mm)
Suiting radne visine / dubine	5 stages, central
Type of propulsion	Pushing
Roller type	Scarifying roller Aerator roller
Mower deck	Polypropylene
Collector size	30 l
Weight approx.	20 kg
Art. no.	033878
EAN no.	8606012808003
Replacement blade (art. no.)	036561
Features:	Scarifying Aerating Collecting
Black Edition	✗
For EU market	✗

EASY REPLACEMENT

You can easily and quickly replace the tools on your VAS 1300. Whether you need an aerator cylinder or spiky cylinder, you can do the replacement in a few moves.



Villager® Green



Villager® Green is the organic-non-organic NPK liquid fertilizer intended for the nutrition of leafy decorative plants, ficus, dieffenbachia, philodendron, croton and other leafy plants. NPK elements contained in this product stimulate the growth of the leaf mass. By using this feed you will get a healthy and vital leaf mass of intensive chlorophyll. The organic component (humic acid) intensifies the intake of the feed, vitality of plants and their tolerance to stressful conditions. VILLAGER GREEN is used from the beginning to the end of vegetation period, by watering according to the directions attached to the product. During the dormancy period, feed the plants only once a month.

Use: During the intensive vegetation period once in 10-14 days

Dosage: Mix the volume of the marked part of the fertilizer doser with 5 litres of water and water the plants.



SMALL AND POWERFUL

Villager® electric lawn mowers are intended for maintaining small-surface lawns from 300sqm to 800sqm. They are easy to use in urban areas, thanks to the low level of noise they produce. Light and compact, they are easy to store in the winter.



	Villy 1800 P	Villy 1600 P
Engine type	Electric motor	Electric motor
Voltage	230 V ~ 50 Hz	230 V ~ 50 Hz
Input power	1800 W	1600 W
Cutting width	420 mm	380 mm
Lawns to	800 m ²	600 m ²
Cutting height	from 25 to 85 mm (7 stages, central)	from 25 to 65 mm (5 stages, central)
Type of propulsion	Pushing	Pushing
Wheel Ø front / rear	160 mm / 210 mm	140 mm / 180 mm
Mower deck	Polypropylene	Polypropylene
Collector size	50 l	45 l
Weight approx.	19.2 kg	14 kg
Art. no.	041404	030092
EAN no.	8605032603520	8606012806375
Replacement blade (art. no.)	043653	032860
Features:	Mowing Collecting	Mowing Collecting
Black Edition	•	•
For EU market	•	•
Description	The characteristic all of our electric lawn mowers share is their unique effectiveness in small grass surfaces where there is an access to electricity network. Light polypropylene housing, grass collectors, height adjustment are just some of the features of these agile machines.	



RELIABILITY AND LIGHTNESS

Electric lawn mowers are characterised by:

- Light frame
- Reliable electric engines
- Longevity



Villy 1400 P	Villy 1200 P	Villy 1300 E	Villy 1000 E
Electric motor	Electric motor	AC induction motor	AC induction motor
230 V ~ 50 Hz	230 V ~ 50 Hz	230 V ~ 50 Hz	230 V ~ 50 Hz
1400 W	1200 W	1300 W	1000 W
340 mm	320 mm	380 mm	305 mm
500 m ²	400m ²	600 m ²	300 m ²
from 25 to 65 mm (5 stages, central)	from 20 to 60 mm (3 stages)	from 25 to 55 mm (3 stages, central)	from 25 to 55 mm (3 stages)
Pushing	Pushing	Pushing	Pushing
140 mm / 160 mm	140 mm / 140 mm	140 mm / 155 mm	140 mm / 170 mm
Polypropylene	Polypropylene	Polypropylene	Polypropylene
35 l	26 l	35 l	28 l
12 kg	9 kg	12.5 kg	10 kg
030091	033467	016998	016997
8606012806368	8606012807815	8606012800953	8606012800946
032832	036748	018123	018122
Mowing	Mowing	Mowing	Mowing
Collecting	Collecting	Collecting	Collecting
•	•	✗	✗
•	•	•	•



ADVANTAGES

- Light frame
- Comfortable handlebars
- Handlebar height adjustment (optional)
- Cutting hight adjustment
- Collectors (volume from 28 to 50 litres)
- Indicator for the fullness of the collector (optional)
- AC induction motor (optional)

COMFORT AND EFFICIENCY

Villager tractor lawn mowers were designed for use in large grass surfaces such as parks, sports fields, etc. They are equipped with powerful B&S motors, double knives (width from 840mm to 980mm) and a wide range of accessories, which all makes them perfect to turn mowing into pleasure.



Controls on the Villager tractor lawn mowers are very comfortable and intuitively arranged to make the use of the mower easier.



Villager tractor lawn mowers are equipped with a double knife in the steel housing.

Engine type
Displacement
Max. engine power / rpm
Cutting width
Lawns to
Cutting height
Blade type
Blade housing
Transmission type / number of speeds
Wheel Ø front / rear

Equipment

Collector size
Weight approx.
Art. no.
EAN no.

Features:

For EU market
Recommendation

Description

ADVANTAGES

- Easy mowing of large surfaces
- Easy controlling
- Comfortable ergonomic seat
- Mowing height adjustment
- Collectors of large volume (optional)
- A wide range of attachments (optional)
- Easy starting with an electric start
- Small turning radius



Foot control
pedal for
hydrostatic
transmission



Hand control
pedal for
manual
transmission



Hand control
pedal for
manual
transmission



Hydrostatic
transmission



Mulching
Function



Washing
Link



Mulching
Function



Washing
Link



Mulching
Function



Washing
Link



VT 1000 HD

B&S series 4 POWERBUILT 4165 AVS

500 cm³

12.1 kW / 3600 rpm

980 mm

6000 m²

from 25 to 80 mm (7 stages, central)

Double blade

Steel plate

Hydrostatic transmisin

380 mm / 457 mm

Electromagnetic clutch

Safety switch under seat

Safety bumper

Head lights

240 l

202 kg

040942

8605032603179

VT 840

B&S series 3 POWERBUILT 3130 AVS

344 cm³

9.9 kW / 3600 rpm

840 mm

5000 m²

from 25 to 80 mm (7 stages, central)

Double blade

Steel plate

Manuel / 5 forward, 1 back

330 mm / 457 mm

Electromagnetic clutch

Safety switch under seat

Safety bumper

Head lights

200 l

160 kg

029384

8606012805972

VT 980

B&S series 3 POWERBUILT 3125

344 cm³

9.2 kW / 3600 rpm

980 mm

5000 m²

from 25 to 80 mm (7 stages, central)

Double blade

Steel plate

Manuel / 5 forward, 1 back

330 mm / 457 mm

Electromagnetic clutch

Safety switch under seat

Safety bumper

Head lights

x

165 kg

029385

8606012805989

Mulching

Washing link

Fast collector discharge handle

Mulching

Washing link

Mulching

Side discharge

Washing link



Use Villager 4T oil

VT 1000 HD is a tractor lawn mower intended for mowing large-sized lawns (over 6000 sqm). A powerful B&S motor and hydraulic transmission guarantee top quality and reliability of this exquisite product. Accessories and attachments make this tractor lawn mower a remarkable multifunctional machine.

VT 840 is a tractor lawn mower intended for mowing maintained lawns (size 5000 sqm). Accessories and attachments turn this tractor lawn mower into an amazing multifunctional tool for maintaining parks and outdoor sports fields, such as golf courses and football pitches.

VT 980 is a tractor lawn mower intended for mowing maintained lawns (size 5000 sqm). This tractor lawn mower is used for maintaining grass surfaces with long mowing intervals. Side discharge option makes it suitable for tall and thick grass.

VT 1000 HD

An all year round help



Collector

volume 240l
with an unloading ramp

Large diameter wheels

front wheel diameter 380 mm
rear wheel diameter 457 mm



Hydrostatic transmission

mechanical set of hydraulic pump and engine in the same housing



	Collector	Trailer	Cylinder	Atomiser	Mulching set for VT 980	Mulching set for VT 840
Description	Designed especially for Villager VT 1000 HD. Excellent for grass and leaves collection.	corrosion-resistant, very light and compact.	Easily assembled to the tractor. Maximum weight is 114kg. Width is 60cm.	Atomiser has volume of 40 litres with the option of granulation adjustment. Range is 250cm.	Quick conversion to the mulching function	Quick conversion to the mulching function
Art. no.	041563	033870	033872	033871	035212	041561



	Mulching set for VT 1000 HD	Trailer hitch	Deflector	Snow chains	Snow plow	Battery charger
Description	Quick conversion to the mulching function	A part which is necessary if you want to use any of the attachments.	Designed for tractors with collectors. It is assembled instead of the collector.	Made of galvanised steel. Compatible with 457 mm wheels.	An exquisite attachment, extremely useful in the winter. Width is 120cm.	Helps maintaining the optimal battery level when the tractor lawn mower is not used for a long time.
Art. no.	041562	033868	044929	033873	033874	042468



HOW TO CHOOSE A TRIMMER?

Electric	Engine-powered
VET 550 P	BC 270 PE
ET 555	BC 26 ES
VET 350 P	BC 900 S
ET 355	

Maintained grass surfaces

Neglected and weedy grass surfaces

Neglected and weedy surfaces with undergrowth

Electric	Engine-powered
ET 1000	BCM 48 BPE
	BBC 52 PE
	BC 43 EB
	BC 43 ES
	BC 33 ESB
	BC 1250 S

Engine-powered
BCM 48 XCE
BCM 43 XCE
BC 2700 XCE
BC 2100 XC
BC 1900 PE
BC 1250 PE
BC 52 EB
BC 1900 S

In order to choose a trimmer suited to your needs, it is necessary to look through the following three criteria:

1. ELECTRIC OR FUEL-DRIVEN

The first important criterion in the choice of a trimmer or scythe is whether you want a motor or an electric drive. Both have their advantages and therefore, there is not one correct answer. If you live in an urban environment where you maintain a small surface while having an access to power supply at any given time, and you dislike noise - then the Villager electric trimmers are the perfect choice for you. If you plan on maintaining more demanding surfaces, which are less maintained, then the perfect choice is one of the brush cutters of different power and intended use.

The choice is up to you.



2. INTENDED USE

The intended use and the manner of use of a scythe or a trimmer will have a great role in determining your choice. If you plan to maintain neglected large spaces for hours then you should consider purchasing one of the backpack trimmers. If you plan to use the trimmer in your garden only, then try a model with a loop handlebar and a regular strap. Finally, if you are an advanced user who is not stopped by the obstacles such as the undergrowth, then you should consider purchasing one of the more powerful trimmers with a 'bi-cycle' handlebar, professional strap, or maybe even an anti-vibration system.


The choice is yours.



3. THE FREQUENCY OF USE.

The frequency of use of the trimmer or brush cutter is a very important criterion when choosing one. If you plan to maintain your property several times during the season, then we recommend one of the orange hobby trimmers. On the other hand, if you are a hardcore gardener who spends hours maintaining grass and undergrowth and weeding, then the best choice for you would be one of the powerful brush cutters from the black edition series. The difference between the black and orange series is not only the colour, but also a range of technical solutions, choice of components and materials, etc.

Black or orange - that is the question!



THE FAR EAST EXPERIENCE



In cooperation with Mitsubishi, Villager developed a new series of brush cutters intended for professional use. The development and production of these extraordinary machines involves implementation of the cutting-edge technology, primarily when it comes to two-stroke engines. Mitsubishi Strato Charged two-stroke engines of the TLE series abound in technical and technological achievements of the latest generation. Some of them include:

- Low emission of exhaust fumes, with the aim of environmental protection.
- Super-low fuel consumption (up to 35 per cent lower when compared with the machines of the previous generation)
- Increased engine output (10 per cent larger than the machines of the previous generation), aimed at more efficient work and better customer experience.



Super Start™

The use of this starter ensures 30 per cent less force to start the engine.



Anti Vibration System™

An advanced system of levers which absorb engine vibrations, therefore making the work more comfortable.



Villager® BC 174 nylon head

Diameter 130mm,
reel capacity 12 m 2.4mm.

Engine type

Displacement

Engine power / rpm

Cutting width (nylon)

Cutting width (blade)

Transmission Type

Handlebar type

Handlebar diameter

Auxiliary handle

Harness type

Weight approx.

Art. no.

EAN no.

Replacement head (art. no.)

Features:

Black Edition

For EU market

Recommendation

Description

POWERED by
MITSUBISHIPOWERED by
MITSUBISHIPOWERED by
MITSUBISHI
 Villager BC174
High quality nylon head

 T super start

 ANTI
Vibration SYSTEM

 Villager BC174
High quality nylon head

 T super start

 ANTI
Vibration SYSTEM

 Villager BC174
High quality nylon head

 T super start
EURO2
ENGINELOW FUEL
CONSUMPTIONREDUCED
EXHAUST
EMISSIONS
 **NEW
MODEL**
EURO2
ENGINELOW FUEL
CONSUMPTIONREDUCED
EXHAUST
EMISSIONS**BCM 48 BPE**

Mitsubishi TLE48

47.1 cm³

1.76 kW / 11000 rpm

430 mm

255 mm

Drive-shaft and cord

Aluminum / detachable

26 mm

Loop handle

Professional harness

10.8 kg

046521

8605032605746

BCM 48 XCE

Mitsubishi TLE48

47.1 cm³

1.76 kW / 11000 rpm

430 mm

255 mm

Drive-shaft

Aluminum

28 mm

Bike handle

Professional harness

8.85 kg

046520

8605032605739

BCM 43 XCE

Mitsubishi TLE43

42.7 cm³

1.25 kW / 11500 rpm

430 mm

255 mm

Drive-shaft

Aluminum

28 mm

Bike handle

Professional harness

8.24 kg

046519

8605032605715

046932

Mitsubishi Strato Charged engine technology

Antivibration System

Super Start™

Villager® BC174 trimmer head

Back-pack model

046932

Mitsubishi Strato Charged engine technology

Antivibration System

Super Start™

Villager® BC174 trimmer head

046932

Mitsubishi Strato Charged engine technology

Super Start™

Villager® BC174 trimmer head

Villager BCM 48 BPE is a professional backpack brush cutter of the latest generation. Mitsubishi TLE48 two-stroke engine that drives this scythe was attested to over 200 hours of full load, which means that this scythe will ensure years of comfortable and reliable work in all sorts of conditions.

Villager BCN 48 XCE is a professional brush cutter of the latest generation. It has a 'bicycle' handlebar. Anti-vibration system in 4 spots, adjustable handlebar, professional strap for carrying and a Mitsubishi TLE48 two-stroke engine are just some of the characteristics of this extraordinary brush cutter.

Villager BCM 43 XCE is the smallest brush cutter of this range. Light, agile and equipped with the Mitsubishi TLE43 engine, it is designed for work in all sorts of conditions.

Use the mixture of fuel and Villager 2T oil (50:1 ratio, 2 per cent)



OREGON®
Gator®SpeedLoad™

T super start

ANTI Vibration SYSTEM



EURO2
ENGINE

LOW FUEL
CONSUMPTION

REDUCED
EXHAUST
EMISSIONS



PERFORMANCES WITHOUT COMPROMISE

Villager Black Edition range of brush cutters offers advanced performances, comfortable work, quality and longevity. The whole range is optimised so as to offer the best solution for every customer, depending on the type and intended use.

If you require brutal force, robustness and comfort, you should opt for the unrivalled BC 2700 XCE and a somewhat weaker BC 2100 XC.

If you value agility and precision, the best choice for you is BC 1900 PE and BC 1240 PE.

There is a light model with a Mitsubishi engine and a loop handlebar, intended for less demanding tasks - it is the BC 270 PE.



	BC 2700 XCE
Engine type	2-stroke, air cooled
Displacement	46.5 cm ³
Engine power / rpm	1.95 kW / 10500 rpm
Cutting width (nylon)	460 mm
Cutting width (blade)	255 mm
Transmission Type	Drive-shaft
Handlebar type	Aluminum
Handlebar diameter	28 mm
Auxiliary handle	Bike handle
Harness type	Professional harness
Weight approx.	8.65 kg
Art. no.	046518
EAN no.	8605032605715
Replacement head (art. no.)	044903
Features:	Antivibration System Super Start™ Oregon® SpeedLoad™
Black Edition	•
For EU market	•
Recommendation	BC 2700XCE is the strongest brush cutter of the Villager range. With the extraordinary power of 2kW and an Oregon SpeedLoad head (easy string replacement without the head removal). Anti-vibration system at 4 spots and a comfortable professional strap will ensure hours of intensive work without tiring..
Description	



LOW FUEL
CONSUMPTION

REDUCED
EXHAUST
EMISSIONS



EURO2
ENGINE

LOW FUEL
CONSUMPTION

REDUCED
EXHAUST
EMISSIONS



Villager



NEW
MODEL



EURO2
ENGINE

LOW FUEL
CONSUMPTION

REDUCED
EXHAUST
EMISSIONS



NEW
MODEL



EURO2
ENGINE

LOW FUEL
CONSUMPTION

REDUCED
EXHAUST
EMISSIONS



POWERED by
MITSUBISHI



BC 2100 XC

BC 1900 PE

BC 1250 PE

BC 270 PE

2-stroke, air cooled	2-stroke, air cooled	2-stroke, air cooled	Mitsubishi TLE27FD
51.7 cm ³	51.7 cm ³	42.7 cm ³	25.6 cm ³
1.5 kW / 9500 rpm	1.3 kW / 9600 rpm	1.25 kW / 9600 rpm	0.8 kW / 8100 rpm
430 mm	430 mm	430 mm	430 mm
255 mm	255 mm	255 mm	255 mm
Drive-shaft	Drive-shaft	Drive-shaft	Drive-shaft
Aluminum	Aluminum	Aluminum	Aluminum
28 mm	28 mm	28 mm	26 mm
Bike handle	Bike handle	Bike handle	Loop handle
Professional harness	Professional harness	Professional harness	Single harness
8.7 kg	8.6 kg	7.7 kg	6.1 kg
033478	046574	046573	041591
8606012807846	8605032605814	8605032605807	8605032603889
034023	046933	046933	028041
Walbro™ carburetor	Super Start™	Super Start™	Mitsubishi Strato Charged
Antivibration System	NGK® spark plug	NGK® spark plug	engine technology
Super Start™	Digital RPM limiter	Digital RPM limiter	
Villager® VH14PRO	Forged piston ring (CrMoTi)	Forged piston ring (CrMoTi)	
Cirkular 24 tooth (60 Mn)			



Use the mixture of fuel and Villager 2T oil in ratio 40:1 (2.5 per cent).

BC 2100 XC is a brush cutter intended for intensive use in difficult conditions. It is very powerful and durable, always on top of the game. It is also the only Villager model equipped with the circular saw for cutting trees of smaller diameter.

BC 1900 PE and BC 1250 PE are brush cutters designed for 'hardcore' gardeners. In order to meet all the expectations of the most demanding customers, we implemented the most advanced engineering solutions into the design of these scythes. Some of those solutions involve: wrought piston rings made of CrMoTi alloy, digital limiter of the number of revolutions, piston with a ceramic perforation, etc. The Villager professional strap will make the work extremely comfortable and efficient, while adhering to all the safety rules.

BC 270 PE is a light brush cutter equipped with Mitsubishi TLE27FD engine. This scythe is special because it comes with a professional gearshift attested to 200 hours of work at full load.



SOMETHING FOR EVERYONE

DIY (Do-It-Yourself) range of Villager trimmers was designed for hobby users. A wide range of models will meet the needs of all customers.



EURO² ENGINE

LOW FUEL CONSUMPTION

REDUCED EXHAUST EMISSIONS

EURO² ENGINE

LOW FUEL CONSUMPTION

REDUCED EXHAUST EMISSIONS



BBC 52 E

BC 52 EB

Engine type	2-stroke, air cooled	2-stroke, air cooled
Displacement	51.7 cm ³	51.7 cm ³
Engine power / rpm	1.3 kW / 7800 rpm	1.3 kW / 7800 rpm
Cutting width (nylon)	430 mm	430 mm
Cutting width (blade)	255 mm	255 mm
Transmission Type	Drive-shaft and cord	Drive-shaft
Handlebar type	Aluminum / detachable	Aluminum
Handlebar diameter	26 mm	28 mm
Auxiliary handle	Loop handle	Bike handle
Harness type	Professional harness	Professional harness
Weight approx.	11.9 kg	8.5 kg
Art. no.	041590	046576
EAN no.	8605032603872	8605032603872

Replacement head (art. no.)	046933	046933
Features:	Antivibration System Back-pack model	Eco friendly model
Black Edition	•	•
For EU market	•	•

Recommendation	
Description	The orange range of Villager brush cutters perhaps best illustrates our variety of offer. Depending on your needs, we can offer you standard or backpack models, a wide range of engines of different power and volume, divisible or non-divisible PTO tubing, bicycle or loop handlebars, standard or professional straps, etc.



BC 43 EB	BC 33 ESB	BC 43 ES	BC 26 ES
2-stroke, air cooled 42.7 cm ³	2-stroke, air cooled 32.6 cm ³	2-stroke, air cooled 42.7 cm ³	2-stroke, air cooled 25.4 cm ³
1.1 kW / 7800 rpm	0.9 kW / 7000 rpm	1.1 kW / 7800 rpm	0.75 kW / 8400 rpm
430 mm	430 mm	430 mm	380 mm
255 mm	255 mm	255 mm	×
Drive-shaft	Drive-shaft	Drive-shaft	Cord
Aluminum 28 mm	Aluminum / detachable 26 mm	Aluminum / detachable 28 mm	Aluminum / detachable 26 mm
Bike handle	Bike handle	Loop handle	Loop handle
Professional harness	Professional harness	Single harness	Single harness
8.4 kg	7.9 kg	6 kg	5.7 kg
041589	041588	046730	041587
8605032603865	8605032603858	8605032606156	8605032603841
046933	028041	028041	042149
Eco friendly model	Eco friendly model Split model	Eco friendly model Split model	Eco friendly model Split model
•	•	•	•
•	•	•	•

Use the mixture of fuel and Villager 2T oil in ratio 40:1 (2.5 per cent).

ADVANTAGES

- Light aluminium frame
- Handlebar angle adjustment (Optional)
- Alterability of cutting tools (optional)
- Professional harness (optional)
- Multifunctional handle

AFFORDABILITY, RELIABILITY AND SIMPLICITY

This is the Basic range of Villager motor scythes. Having been in the market for many years, it has found its way to the heart of dozens of thousands of satisfied customers. We can proudly say that the road to success of our brand was paved by these motor scythes. All three models offer maximum performances while remaining highly affordable.



	BC 1900 S	BC 1250 S	BC 900 S
Engine type	2-stroke, air cooled	2-stroke, air cooled	2-stroke, air cooled
Displacement	51.7 cm ³	42.7 cm ³	32.6 cm ³
Engine power / rpm	1.4 kW / 7800 rpm	1.25 kW / 7800 rpm	0.9 kW / 7800 rpm
Cutting width (nylon)	415 mm	415 mm	415 mm
Cutting width (blade)	255 mm	255 mm	255 mm
Transmission Type	Drive-shaft	Drive-shaft	Drive-shaft
Handlebar type	Aluminum	Aluminum	Aluminum
Handlebar diameter	28 mm	28 mm	28 mm
Auxiliary handle	Bike handle	Bike handle	Bike handle
Harness type	Professional harness	Professional harness	Professional harness
Weight approx.	7.7 kg	7.7 kg	7 kg
Art. no.	020238	018390	009047
EAN no.	8606102570421	8606104032514	8606012802872

Replacement head (art. no.)	028041	028041	028041
Features:	Basic model	Basic model Best seller	Basic model
Black Edition	×	×	×
For EU market	×	×	×

Recommendation	Use the mixture of fuel and Villager 2T oil in ratio 40:1 (2.5 per cent).		
Description	BC 1900S, BC 1250S and BC 900S belong to the Basic range of Villager motor scythes. All three models have identical frames (PTO, PTO tubing, gearshift, handlebar, strap, nylon head, three-way knife, etc.) which enables using the same parts and easy maintenance. The only that sets them apart is the engine that drives them. The shortest description of BC 1900S, BC 1250S and BC 900S would be: "Availability, reliability and simplicity".		

**EASY,
FAST,
NEAT**

Villager electric trimmers are excellent for maintaining grass surfaces that cannot be reached by a lawn mower. Their configuration and small dimensions make them easy to reach inaccessible surfaces. They are ideal for work in noise sensitive areas. Maintain your garden in an easy, fast and neat manner by using one of the Villager electric trimmers.



	VET 550 P	VET 350 P
Engine type	Electric motor	Electric motor
Voltage	230 V ~ 50 Hz	230 V ~ 50 Hz
Input power	550 W	350 W
Idle speed	10000 rpm	11000 rpm
Cutting width (nylon)	300 mm	250mm
Nylon Ø	2 mm	2 mm
Handlebar type	Telescopic, adjustable	Telescopic, adjustable
Weight approx.	2.9 kg	2 kg
Art. no.	033276	033275
EAN no.	8606012807693	8606012807686
Replacement head (art. no.)	037443	037430
Features:	Rotating handle (180°) Rotating head (90°) Limiter for plants	Rotating head (90°) Limiter for plants
Black Edition	•	•
For EU market	•	•



	ET 1000	ET 555	ET 355
Engine type	Electric motor	Electric motor	Electric motor
Voltage	230 V ~ 50 Hz	230 V ~ 50 Hz	230 V ~ 50 Hz
Input power	1000 W	550 W	350 W
Idle speed	7500 rpm	11000 rpm	12000 rpm
Cutting width (nylon)	350 mm	270 mm	250 mm
Nylon Ø	2 mm	1.5 mm	1.3 mm
Handlebar type	Telescopic, adjustable	Telescopic, adjustable	Telescopic, adjustable
Weight approx.	4.9 kg	2.95 kg	2.2 kg
Art. no.	023437	046738	046737
EAN no.	8606012803459	8605032606200	8605032606194
Replacement head (art. no.)	036673	048132	048133
Features:	Detachable telescopic handlebar	Rotating handle (180°) Rotating head (90°) Limiter for plants	Rotating handle (180°) Telescopic handlebar
Black Edition	×	×	×
For EU market	•	•	•

THE MORE, THE BETTER!

If you need a motor scythe, telescopic chainsaw and a hedge trimmer, then make sure to look for one of the Villager multifunctional trimmers.



EURO2 ENGINE



LOW FUEL CONSUMPTION

REDUCED EXHAUST EMISSIONS

LOW FUEL CONSUMPTION



REDUCED EXHAUST EMISSIONS



MBC 33 E

MBC 1000 XC

Engine type	2-stroke, air cooled	2-stroke, air cooled
Displacement	32.6 cm ³	25.4 cm ³
Engine power / rpm	0.9 kW / 7000 rpm	0.75 kW / 3400 rpm
Cutting width (nylon)	430 mm	×
Cutting width (blade)	255 mm	×
Hedge trimmer attachment length	400 mm (rotating, 180°)	395 mm (rotating, 180°)
Pruner attachment length	250 mm	250 mm
Gude bar	Oregon® 25 cm, 3/8, 1.3 mm	Oregon® 25 cm, 3/8, 1.3 mm
Chain	20 teeth, 3/8, 1.3 mm	20 teeth, 3/8, 1.3 mm
Extension type	Telescopic handlebar	Telescopic handlebar
Extension lenght	760 mm	500 mm / 1000 mm
Handlebar type	Aluminum / detachable	Aluminum / detachable
Handlebar diameter	26 mm	26 mm
Auxiliary handle	Loop handle	Loop handle
Harness type	Single harness	Single harness
Weight approx.	7.8 kg	7.5 kg
Art. no.	046575	035023
EAN no.	8605032605821	8606012808867

Features:

Eco friendly model

Champion® spark plug
Super Start™

Black Edition



For EU market



Recommendation

Use the mixture of fuel and Villager 2T oil in ratio 40:1 (2.5 per cent).

Description

We present you two multifunctional tools which will make performing a large number of household tasks a lot easier. MBC 1000 XC comes in a set with a telescopic chainsaw and a hedge trimmer. Telescopic extensions are bought separately (the number of the product for 100cm is 038029, for 50cm it is 038028). MBC 33E comes in a set with a telescopic chainsaw, motor scythe, hedge trimmer and a telescopic extension.

HEDGE TRIMMERS

Light, comfortable and powerful, they will enable you to maintain the hedge with ease.

LOW FUEL CONSUMPTION



REDUCED EXHAUST EMISSIONS



EURO 2 ENGINE



LOW FUEL CONSUMPTION

REDUCED EXHAUST EMISSIONS



VHPT 25

VHPT 25 E

Engine type	2-stroke, air cooled	2-stroke, air cooled
Displacement	24.5 cm ³	24.5 cm ³
Engine power / rpm	0.85 kW / 9500 rpm	0.85 kW / 9500 rpm
Blade lenght	610 mm	610 mm
Cutting lenght	550 mm	550 mm
Blade type	Counter-rotating, double	Counter-rotating, double
Cutting diameter	up to 20 mm	up to 20 mm
Tooth size	35 mm	35 mm
Auxiliary handle	Rotating handle	Rotating handle
Weight approx.	5.5 kg	5.5 kg
Art. no.	027952	037979
EAN no.	8606012804678	8605032602318

Replacement blade (art. no.)	036899
Features:	Antivibration System Professional blade Rotating handle
Black Edition	×
For EU market	•



VHT 710 P

VHT 500

Engine type	Electric motor	Electric motor
Voltage	230 V ~ 50 Hz	230 V ~ 50 Hz
Input power	710 W	500 W
Idle speed	3200 rpm	3000 rpm
Blade lenght	600 mm	460 mm
Blade type	Counter-rotating, double	Counter-rotating, double
Cutting diameter	up to 24 mm	up to 20 mm
Auxiliary handle	Rotating handle	Classic handle
Weight approx.	3 kg	2.8 kg
Art. no.	033491	033492
EAN no.	8606012807877	8606012807860

Replacement blade (art. no.)	036668	036635
Features:	Electric brake Aluminum blade holder Tip protection Rotating handle	Electric brake
Black Edition	•	×
For EU market	•	•

BATTERY-POWERED HEDGE TRIMMERS

Light, comfortable and powerful, they will enable you to maintain the hedge with ease.



VCHT 18-15

Garden Set



Battery type	Li-ion
Battery voltage / capacity	18 V / 1.5 Ah
Battery operating time	up to 30 min.
Battery charging time	1 h
Blade lenght	450 mm
Blade type	Counter-rotating, double
Cutting diameter	12 mm
Tooth size	15 mm
Auxiliary handle	Classic handle
Weight approx.	2.3 kg
Art. no.	029366
EAN no.	8606012805729

Replacement battery (art. no.)	029370
Features:	Samsung® Li-ion battery Electric brake Tip protection
*Available inset with grass trimmer VCGT 18-15	

Black Edition	×	Art. no.	029369
For EU market	•	EAN no.	8606012805866



VCS 7.2

Battery type	Li-ion
Battery voltage / capacity	7.2V / 1.5 Ah
Battery operating time	do 40 min.
Battery charging time	from 3 to 5 h
Trimmer blade lenght	128 mm
Cutting width	100 mm
Weight approx.	0.55 kg
Art. no.	046669
EAN no.	8605032605968

Replacement trimmer blade (art. no.)	048134
Replacement scissors blade (art. no.)	048135
Features:	Light construction Easy blade change 2 functions (cutting and trimming) Battery charge indicator
Black Edition	×
For EU market	•

Description	Light battery scissors with two types of cutting tools. Equipped with Li-Ion battery, they offer great autonomy in work.
-------------	---

HOW TO CHOOSE A CHAINSAW?



**Villager®
DREAM
TEAM**

In order to choose a chainsaw that suits your needs, you need to consider the following criteria:

1. ELECTRIC OR MOTOR

The first important criterion when choosing a chainsaw is whether you want an engine or electric drive. Both have their advantages, so there is not one correct answer. If you live in an urban area, and you plan to use the chainsaw for cutting small firewood, while having an access to power supply at all times, then Villager electric chainsaw are the perfect solution for you. If you plan to cut trees and prepare firewood and construction timber, then we can offer you a wide range of motor chainsaws with different power and intended use.

You choose!

2. INTENDED USE

Intended use and the manner in which you use the chainsaw determine your choice to a great extent. If you plan to fell trees of larger diameter and height, then you should consider purchasing a motor chainsaw of large power, with a long sword. If you plan to prepare firewood, you can choose one of the chainsaws with two-handed grip and shorted sword. If you plan to prune trees and cut firewood of smaller diameter, then we recommend chainsaws with one-handed grip.

The choice is yours.

3. FREQUENCY OF USE

The frequency of use of a chainsaw is a very important factor to consider before purchase. If you plan to use it several times a season, then we recommend one of the chainsaws from the orange hobby range. On the other hand, if you are a hardcore forester who spends hours in felling, pruning and cutting trees, then one of the powerful black edition chainsaws is a perfect choice for you. Black and orange ranges not only differ in colour, but also in a range of technical solutions, choice of components and materials, etc.

Black or orange?

FOR EVERY OCCASION



Villager® petrol chainsaw range offers advanced performances, comfortable work and longevity. The whole range was optimised so as to offer the best solution to every customer, depending on the type and the intended use.



Super Start™

Using this starter ensures 30 per cent less force for starting the engine.



Anti Vibration System™

The advanced system of springs absorbs the engine vibrations, thus making the work more comfortable.



Decompressor

The advanced system of starting which reduces the force needed for starting the motor.

Engine type

Displacement

Engine power / rpm

Guide bar length

Guide bar model

Tooth number

Chain model

Fuel tank capacity

Oil tank capacity

Weight approx.

Art. no.

EAN no.

Replacement guide bar (art. no.)

Replacement chain (art. no.)

Features:

Black Edition

For EU market

Recommendation

Description



OREGON

SpeedCut™



WALBRO Carburetor

**EURO²
ENGINE**LOW FUEL
CONSUMPTIONREDUCED
EXHAUST
EMISSIONS**NEW
MODEL**

WALBRO Carburetor

**EURO²
ENGINE**LOW FUEL
CONSUMPTIONREDUCED
EXHAUST
EMISSIONS**NEW
MODEL**

WALBRO Carburetor

LOW FUEL
CONSUMPTIONREDUCED
EXHAUST
EMISSIONS**NEW
MODEL****VGS 5032 PE****VGS 4125 PE****VGS 620 S**

2-stroke, air cooled

2-stroke, air cooled

2-stroke, air cooled

50.9 cm³41.4 cm³62 cm³

2.2 kW / 12000 rpm

1.85 kW / 12000 rpm

3 kW / 11000 rpm

450 mm

400 mm

450 mm

Speed Cut; 45 cm; 325; 1.3 mm

Micro-lite; 40 cm; 325; 1.3 mm

Pro Am; 45 cm; 3/8; 1.5 mm

36

33

34

95TXL072E; 325; 1.3 mm

95VPX066E; 325; 1.3 mm

73LPX068E; 3/8; 1.5 mm

550 ml

550 ml

570 ml

260 ml

260 ml

350 ml

5.1 kg

5 kg

5.8 kg

046461

046460

044516

8605032605586

8605032605579

8605032605135

046908

048158

023874

046910

048137

023866

Antivibration System

Antivibration System

Decompressor

Super Start™

Champion® spark plug

Antivibration System

Champion® spark plug

Walbro® carburetor

Walbro® carburetor

Walbro® carburetor

Oregon® Micro-lite™

Oregon® Pro Am™

Oregon® Speed Cut™

●

●

●

●

●

●

Use Villager 2T oil and Villager mineral oil for lubrication of cutting tools with the additive for longer retention

VGS 5032 PE is an extraordinary motor chainsaw from the black range, made according to the highest standards. It is characterised by an excellent design, small weight and comfort. Equipped with a powerful 2.2kW engine, it carries a 450mm long cutting apparatus (Oregon sword and a Speedcut range chain of the latest generation) with ease. It is a very powerful chainsaw for high demands and extreme loads. The low level of vibrations ensures comfortable work.

VGS 4125 PE is a motor chainsaw from the black line, designed so as to meet the highest standards. It is characterised by an excellent design, small weight and comfort. Equipped with a powerful 1.85 kW engine, it carries a 400mm long cutting apparatus (Oregon sword and a Microlite range chain of the latest generation) with ease.

VGS 620 S is the most powerful Villager chainsaw. With its extraordinary 3kW engine, it cuts through the toughest wood easily and it is a perfect choice for the most demanding of customers. Paired with an Oregon Pro Am cutting apparatus, it will make every task easy. A favourable ratio of mass and power will ensure maximum performance without tiring the user.



Euro 2
ENGINE

LOW FUEL
CONSUMPTION

REDUCED
EXHAUST
EMISSIONS



LOW FUEL
CONSUMPTION

REDUCED
EXHAUST
EMISSIONS



Euro 2
ENGINE

LOW FUEL
CONSUMPTION

REDUCED
EXHAUST
EMISSIONS



VGS 560 E VGS 560 S VGS 500 S VGS 460 E VGS 460 S

Engine type	2-stroke, air cooled, Euro 2*				
Displacement	56 cm ³	49.3 cm ³	45 cm ³		
Engine power / rpm	2.35 kW / 11000 rpm	2.2 kW / 11000 rpm	1.7 kW / 11000 rpm		
Guide bar length		450 mm			
Guide bar model		Pro Am; 45 cm; 325; 1.5 mm			
Tooth number		36			
Chain model		21BPX072E; 325; 1.5 mm			
Fuel tank capacity		550 ml			
Oil tank capacity		260 ml			
Weight approx.	5.2 kg	5.1 kg	5 kg		
Art. no.	046736	041692	041691	046735	041690
EAN no.	860503260187	8605032603995	8605032603988	8605032606170	8605032603971

Replacement guide bar (art. no.)	023873				
Replacement chain (art. no.)	023862				
Features:	Antivibration System Oregon® Pro Am™	Antivibration System Oregon® Pro Am™	Antivibration System Oregon® Pro Am™		
Black Edition	×	×	×	×	×
For EU market	•	×	×	•	×

Recommendation	Use the mixture of fuel and Villager 2T oil in ratio 40:1 (2.5 per cent).				
Description	This range of chainsaws was designed for private users and craftsmen. Chainsaws from the orange range are suitable for: preparation of firewood; maintaining property, cutting construction timber, cutting branches and treetops and other works in agriculture and forestry.				
Remarks	* EURO 2 sign is for E models				

**Anti Vibration System™**

An advanced system of springs that absorb engine vibrations, thus making work more comfortable.

**Super Start™**

Using this starter ensures 30 per cent less force needed to start the chainsaw.

**Primer bulb**

Fuel pump for easier starting of the chainsaw.

LOW FUEL CONSUMPTION**REDUCED EXHAUST EMISSIONS****EURO 2 ENGINE****LOW FUEL CONSUMPTION****REDUCED EXHAUST EMISSIONS****LOW FUEL CONSUMPTION****REDUCED EXHAUST EMISSIONS****VGS 410 S****VGS 380 E****VGS 380 S****VGS 260 S****2-stroke, air cooled EURO 2***

40.1 cm ³	37.2 cm ³	25.4 cm ³
1.5 kW / 11000 rpm	1.2 kW / 11000 rpm	0.9 kW / 11000 rpm
400 mm	350 mm	300 mm
Double Guard; 40cm; 3/8; 1.3mm	Double Guard; 35cm; 3/8; 1.3mm	Double Guard; 35cm; 3/8; 1.3mm
28.5	26.5	22.5
91P053E; 3/8; 1.3 mm	91P053E; 3/8; 1.3 mm	91P045E; 3/8; 1.3 mm
390 ml		230 ml
210 ml		160 ml
4.72 kg	4.7 kg	3.2 kg
041689	046734	041688
8605032603964	8605032606163	8605032603957
023880	023877	025708
037705	028037	028802
Antivibration System Super Start™ Oregon® Double Guard™	Antivibration System Super Start™ Oregon® Double Guard™	Antivibration System Oregon® Double Guard™
×	×	×
×	•	×

Use the mixture of fuel and Villager 2T oil in ratio 40:1 (2.5 per cent).

ELECTRIC CHAINSAWS



	VET 2000 P	VET 2035
Engine type	Electric motor	Electric motor
Voltage	230 V ~ 50 Hz	230 V ~ 50 Hz
Input power	2000 W	2000 W
Guide bar length	400 mm	350 mm
Guide bar model	Oregon® 35 cm; 3/8; 1.3 mm	Oregon® 35 cm; 3/8; 1.3 mm
Tooth number	28.5	26
Chain model	Oregon®; 3/8; 1.3 mm	Oregon®; 3/8; 1.3 mm
Chain speed	13.5 m/s	13.1 m/s
Oil tank capacity	200 ml	200 ml
Weight approx.	5.7 kg	5.3 kg
Art. no.	038172	040412
EAN no.	8606012807693	8605032603094
Replacement guide bar (art. no.)	023877	023877
Replacement chain (art. no.)	028037	028037
Features:	Oil level indicator	Oil level indicator
Black Edition	•	✗
For EU market	•	•
Recommendation	Use Villager oil for cutting apparatus lubrication.	
Description	Light and comfortable, these electric chainsaws are an excellent solution for housework. Driven by powerful electric engines, they are characterised by a large cutting capacity.	

Consumables for Villager® chainsaws

Chainsaw	Guide bar		Chain			Rasp	
	Model	Art. no.	Model	Step	Art. no.	Model	Art. no.
VET 2000 P	160SDEA041 - Double Guard; 40cm; 3/8; 1.3 mm	023877	91P057E - 28.5 teeth	3/8; 1.3 mm	037705	5/32 - 4 mm	023893
VET 2035	140SDEA041 - Double Guard; 35cm; 3/8; 1.3 mm	023877	91P052E - 26 teeth	3/8; 1.3 mm	023853	5/32 - 4 mm	023893
VGS 260 S	120SDEA041 - Double Guard; 30cm; 3/8; 1.3 mm	025708	91P045E - 22.5 teeth	3/8; 1.3 mm	028802	5/32 - 4 mm	023893
VGS 380 S	140SDEA041 - Double Guard; 35cm; 3/8; 1.3 mm	023877	91P053E - 26.5 teeth	3/8; 1.3 mm	028037	5/32 - 4 mm	023893
VGS 380 E	140SDEA041 - Double Guard; 35cm; 3/8; 1.3 mm	023877	91P053E - 26.5 teeth	3/8; 1.3 mm	028037	5/32 - 4 mm	023893
VGS 410 S	160SDEA041 - Double Guard; 40cm; 3/8; 1.3 mm	023880	91P057E - 28.5 teeth	3/8; 1.3 mm	037705	5/32 - 4 mm	023893
VGS 460 S	188PXBK095 - Pro Am; 45cm; 325; 1.5 mm	023873	21BPX072E - 36 teeth	325; 1.5 mm	023862	3/16 - 4.8 mm	023895
VGS 460 E	188PXBK095 - Pro Am; 45cm; 325; 1.5 mm	023873	21BPX072E - 36 teeth	325; 1.5 mm	023862	3/16 - 4.8 mm	023895
VGS 500 S	188PXBK095 - Pro Am; 45cm; 325; 1.5 mm	023873	21BPX072E - 36 teeth	325; 1.5 mm	023862	3/16 - 4.8 mm	023895
VGS 560 S	188PXBK095 - Pro Am; 45cm; 325; 1.5 mm	023873	21BPX072E - 36 teeth	325; 1.5 mm	023862	3/16 - 4.8 mm	023895
VGS 560 E	188PXBK095 - Pro Am; 45cm; 325; 1.5 mm	023873	21BPX072E - 36 teeth	325; 1.5 mm	023862	3/16 - 4.8 mm	023895
VGS 620 S	188SFHD009 - Pro Am; 45 cm; 3/8; 1.5 mm	023874	73LPX068E - 34 teeth	3/8; 1.5 mm	023866	7/32 - 5.5mm	023896
VGS 4125 PE	160MLBK041 - Micro-lite; 40 cm; 325; 1.3 mm	048158	95VPX066E - 33 teeth	325; 1.3 mm	048137	3/16 - 4.8 mm	023895
VGS 5032 PE	180TXLBK095 - Speed Cut; 45 cm; 325; 1.3 mm	046908	95TXL072E - 36 teeth	325; 1.3 mm	046910	3/16 - 4.8 mm	023895

Oregon® Power Sharp™ for Villager® chainsaws

Electric chainsaw			Petrol chainsaw				
Model	Model	Art. no.	Model	Model	Art. no.		
VET 1800 P	542310 - PS52E	23901	23911	VGS 380 S	542310 - PS52E	23901	23911
VET 2000	542310 - PS52E	23901	23911	VGS 380 E	542310 - PS52E	23901	23911
VET 2035	542310 - PS52E	23901	23911	VGS 410 S	542314 - PS56E	23903	23914



Characteristics of Oregon chains

Technology	Line	Description
	Full Chisel LPX chain range, series 20 LPX and 70 LPX. Up to 125% harder than usual alloys	
	Full Chisel LPX chain range, series 20 LPX and 70 LPX.	All Oregon chisel (sharp, square-shaped) chains have witness marks on upper plate. These marks show the optimal angle of the upper plate and help with correct sharpening of the chain.
	Semi Chisel 91 VXL range Chamfer Chisel 91 PX range Full Chisel LPX chains range, series 20 LPX and 70 LPX	Vibe-Ban is a characteristic of vibration reduction, built into almost all Oregon chains. It reduces vibrations transmitted onto hands of the chainsaw user, thus improving safety and enabling longer cutting work.
	Semi Chisel 91 VXL range Chamfer Chisel 91 PX range Full Chisel LPX chains, series 20 LPX and 70 LPX	Lubri-Link is a small hole on a female coupling which retains the oil so as to lubricate mobile parts of the chain. This characteristic also increased the hardness of the female coupling design.
	Multi Cut Semi Chisel 91 VXL range Full Chisel LPX chains, series 20 LPX and 70 LPX	Lubri-Well helps carry the oil along the length of the sword. It increases lubrication in the zones of increased wearing around the sprocket wheel on the top and between the chain sides and the sword groove.
	Multi-Cut Semi Chisel 91 VXL range Full Chisel LPX chains, series 20 LPX and 70 LPX	Multi-Cut™ is a special chrome coating designed for big load and cutting in very dirty and abrasive conditions.
	Chamfer Chisel 91 PX range	Chamfer Chisel is a construction of double cutting angle which enables extraordinary performance, endurance and easy maintenance.
	95 VPX 325 Micro-Lite range	Micro-Lite family of chains contains our most efficient tooth design which consumes less power from your chainsaw, thus increasing the cutting speed and performance. Improve performances of every chainsaw!
	91 Power Sharp system range	Power-Sharp easy-to-use, precise system of sharpening which enables chainsaw sharpening in just a few seconds with an accessory. Swords with a Power-Sharp logo have openings for holding the Power-Sharp sharpener, which is assembled onto the sword.
	95 TXL 325 SpeedCut range	SpeedCut is a new generation of chains with a narrow groove. The newest tooth design consumes less chainsaw power which increases the speed and performance. Speedcut is a substitute for what was once known as a Microlite chain (95VPX).

Characteristics of Oregon swords

Technology	Line	Description
	Power-Match	Lubri-Jet is an angled oil opening which injects oil into the chain during the cutting process so as to improve lubrication. Thanks to this solution, there is less risk of oil opening obstruction.
	Power-Match Pro-Lite Pro-Am	Lubri-Dam is an obstacle-dam, made to keep the chain in the sword so as the grease is collected dispersed around the chain and the sword, as soon as it leaves each operating link.
	Pro-Am Pro-Lite Double-Guard	Micro-Lite cutting system with a narrow cut increases cutting efficiency and demand less chainsaw power than the standard cutting systems.
	Double-Guard	Power-Sharp easy-to-use, precise system of sharpening which enables chainsaw sharpening in just a few seconds with an accessory. Swords with a Power-Sharp logo have openings for holding the Power-Sharp sharpener, which is assembled onto the sword.
	Speedcut™	Speedcut (Narrow Kerf) is a cutting system with a narrow cut which increases cutting efficiency and demands significantly less chainsaw power than the standards cutting systems. Aluminium core reduces the weight of the sword considerably and thus enables easy maneuvering while working.

ONE FOR ALL



EMT CSH 5 in 1 chainsaw

Villager 5 in 1 multifunctional machine is a set of 5 garden tools necessary for household maintenance. EMT 5 in 1 consists of five elements which easily turn into a grass trimmer, hedge trimmer, telescopic hedge trimmer, electric chainsaw and a telescopic chainsaw.

Villager 5 in 1 electric set consists of 5 components:


- comfortable handlebar with a switch,
- telescopic tube
- electric chainsaw head
- hedge trimmer head
- grass trimmer head.



1. Electric chainsaw
2. Telescopic electric chainsaw



3. Hedge trimmer
4. Telescopic hedge trimmer



5. Grass trimmer

Art. no.	046445
EAN no.	8605032606910
Black Edition	✗
For EU market	●



EMT HTH 5 in 1 hedge trimmer

Engine type	Electric motor
Voltage	230 V ~ 50 Hz
Input power	550 W
Idle speed	1600 rpm
Blade lenght	440 mm
Blade type	Counter-rotating, double
Cutting diameter	20 mm
Weight approx.	3.5 kg (5.0 kg)




EMT GTH 5 in 1 grass trimmer

Engine type	Electric motor
Voltage	230 V ~ 50 Hz
Input power	380 W
Idle speed	7500 rpm
Cutting width (nylon)	330 mm
Nylon Ø	do 2 mm
Weight approx.	4.0 kg

VERTICAL LOG SPLITTERS

Villager range of vertical log splitters offers several models of different splitting force, and different capacities, made for different log length and diameter. It is up to you to choose a model most suited to your needs.



LS 6 T

LS 8 T

Engine type	Single-phase electric motor	Single-phase electric motor
Voltage	230 V ~ 50 Hz	230 V ~ 50 Hz
Input power	3000 W	3000 W
Splitting foce	6 t	8 t
Log capacity	106 cm (58 cm / 77 cm / 106 cm)	135 cm (59 cm / 88 cm / 135 cm)
Max. log diameter	400 mm	400 mm
Blade type	Single blade and cross blade	Single blade and cross blade
Oil tank capacity	4 l	4 l
Weight approx.	96 kg	125 kg
Art. no.	019454	040432
EAN no.	8606012801813	8605032603100

Replacement blade (art. no.)	031977	031981
Features:	Basic model Mobile and compact	Basic model Mobile and compact
Black Edition	×	×
For EU market	•	•

Recommendation	Adhere the safety rules and regulations.
Description	Villager log splitters are always ready for action in the areas where the power supply is accessible. With their compact design, and two hard rubber wheels, they are easy to transport and prepare for work in a very short time.




LS 12 T

LSP 13 T

Engine type	Three-phase electric motor	Three-phase electric motor
Voltage	400 V ~ 50 Hz	400 V ~ 50 Hz
Input power	4000 W	4500 W
Splitting force	12 t	13 t
Log capacity	135 cm (62 cm / 80 cm / 135 cm)	110 cm
Max. log diameter	400 mm	400 mm
Blade type	Single blade and cross blade	Single blade and cross blade
Oil tank capacity	6 l	8 l
Weight approx.	180 kg	254 kg
Art. no.	027242	037229
EAN no.	8606012807631	8605032601694
Replacement blade (art. no.)	027371	×
Features:	Robust construction Mobile and compact	Robust construction Mobile and compact For advanced users
Black Edition	✗	✗
For EU market	●	●
Recommendation	Adhere the safety rules and regulations.	
Description	Robust Villager log splitters have a top quality hydraulic system for greater log splitting power. This hydraulic system of perfect dimensions, coupled with an optimal oil flow, ensures continuous work without overheating. The blade is especially designed so as to achieve better splitting exploitation with different wood properties. All Villager log splitters are designed so as to give the user easy access while performing different operations, while retaining a high level of safety.	

HOW TO CHOOSE A TILLER?



In order to choose a tiller according to your needs, you need to answer the following three questions:



1. ELECTRIC OR FUEL-DRIVEN

The first important criterion when choosing a cultivator is whether you want an engine or electric drive. Both have their advantages, so there is not one correct answer. If you cultivate smaller surfaces, hothouses or greenhouses while having access to power supply at any given time, then Villager electric cultivators are the perfect choice for you. If you plan to cultivate large outdoor surfaces, then we can offer you a wide range of fuel-driven cultivators with different power, equipment and width.

The choice is up to you.

2. INTENDED USE

The intended use and the manner of use determine your choice to a great extent. If you plan to cultivate smaller, easily accessible surfaces - then cultivators without driven wheels and with smaller width are the right choice for you. If you are a serious agricultural producer and you plan to cultivate large surfaces which are not near each other, we can offer you models of greater strength and width, with driven wheels and equipped with several attachments.

Strength and functionality.

3. FREQUENCY OF USE

The frequency of use of a cultivator is a very important criterion when purchasing one. If you plan to use it several times a season, then we recommend one of the orange range cultivators. On the other hand, if you are a professional who spends hours working with the cultivator, then you should opt for one of the powerful black edition cultivators. Orange and black editions are set apart not only by the colour, but also a range of technical solutions, choice of components and materials, etc.

Black or orange?



POWERFUL GARDENERS

Villager has developed a new range of fuel-driven cultivators designed for professional use. The development and production of these extraordinary machines involves implementation of latest technology, primarily in the field of demanding portable power systems.

Villager variable-frequency drive is the latest type of drive for cultivators. This type of drive is characterised by:

- Automatic change of number of revolutions depending on the cultivator load and the digging depth.
- A wide rotating range of the shaft which drives the excavators and moves in the range of 28 to 164 rpm
- Optional manual adjustment of the number of revolutions per minute with a control lever placed on the cultivator handlebar.



Variable-frequency drive

a mechanical set for automatic regulation of the change of number of revolutions per minute, depending on the load

Engine type
Displacement
Engine power / rpm
Working width
Number of blades
Optional set of accessories
Transmission type
Speeds (forward)
Speeds (back)
Weight approx.
Art. no.
EAN no.

Replacement tools (art. no.)

Features:

Black Edition
For EU market

Recommendation

Description

**EURO 2
ENGINE** **LOW FUEL
CONSUMPTION** **REDUCED
EXHAUST
EMISSIONS**

**EURO 2
ENGINE** **LOW FUEL
CONSUMPTION** **REDUCED
EXHAUST
EMISSIONS**



VTB 888 V

Rato R 210
212 cm³
4.2 kW / 3600 rpm
850 mm
6 (Ø 320 mm)
•
Variable transmission*
2
1
60 kg
040664
8605032603117

041282 / 041281 / 041283

Variable-frequency drive
Adjustable handle
6 standard blades, 2 discs

VTB 660 P

Rato R 180
 179 cm³
 3.5 kW / 3600 rpm
 600 mm
 4 (Ø 320 mm)
 x
 Belt and chain
 1
 1
 53 kg
 041583
 8605032603834

X

Set of accessories for VTB 888 V

Transport wheels
Metal wheels
Plow for potato extraction
Plow
Rut plow
Weight

Art. no. 041930

Villager VTB 888 V is a light fuel-driven cultivator of the latest generation. Strong and robust, it is a perfect choice for a farmer. Equipped with a powerful R 210 engine and a variable-frequency drive, it can easily drive a set of 6 excavators of 850mm width. You can purchase a set of attachments with your VTB 888 V, and thus get an extraordinary agricultural multifunctional machine.

Villager VTB 660P is a light fuel-driven cultivator of the latest generation. Compact and agile, it is excellent for cultivating mid-size surfaces. It is equipped with an R 180 engine and a highly efficient transmission which drive a set of 4 600mm-wide excavators.

Use Villager 4T oil





EURO 2
ENGINE LOW FUEL CONSUMPTION REDUCED EXHAUST EMISSIONS

EURO 2
ENGINE LOW FUEL CONSUMPTION REDUCED EXHAUST EMISSIONS



VTB 852

VTB 851

Engine type	Villager® VGR 250 H	Villager® VGR 250 H
Displacement	212 cm ³	212 cm ³
Engine power / rpm	3.6 kW / 3600 rpm	3.6 kW / 3600 rpm
Working width	850 mm	850 mm
Number of blades	6	6
Optional set of accessories	•	×
Transmission type	Belt and chain	Belt and chain
Speeds (forward)	2	1
Speeds (back)	1	1
Weight approx.	61 kg	61 kg
Art. no.	037893	037892
EAN no.	8605032602288	8605032602271
Replacement tools (art. no.)	046870 / 046871	040144 / 040147
Features:	Transport wheels Adjustable handle 6 standard blades, 2 discs	Adjustable handle 6 standard blades, 2 discs
Black Edition	✗	✗
For EU market	•	•
Recommendation	Use Villager 4T oil	
Description	Villager orange cultivators are perfect for household gardening, where it is necessary to soften the soil for sowing. It offers a perfect combination of manageability, small weight and usability. With a wider range of equipment and accessories, these cultivators take on different functions. They are driven by Briggs and Stratton and Villager VGR 250 H engines.	



Metal wheels for VTB 852

Art. no.	041721	Art. no.	041724
EAN no.	8025004008755	EAN no.	86050326046903

LOW FUEL CONSUMPTION **REDUCED EXHAUST EMISSIONS**

LOW FUEL CONSUMPTION **REDUCED EXHAUST EMISSIONS**

EURO 2 ENGINE **LOW FUEL CONSUMPTION** **REDUCED EXHAUST EMISSIONS**



VTB 900 Eco

B&S 750 Series

160 cm³

3.3 kW / 3600 rpm

800 mm

6

×

Belt and chain

1

1

62 kg

020266

8606012803015

020310 / 020309

Adjustable handle
6 standard blades, 2 discs

✗

✗

VTB 600

Rato R 100

100 cm³

1.8 kW / 3600 rpm

600 mm

4

×

Belt and chain

1

×

27 kg

033875

8606012807976

031894

Adjustable handle
4 standard blades, 2 discs

✗

✗

VTB 370

4-stroke, air cooled

139 cm³

1.9 kW / 2800 rpm

370 mm

4

•

Worm drive

1

×

33 kg

046728

8605032606132

048037 / 048038

4 standard blades

✗

•

Use Villager 4T oil



Plow for VTB 852

Adjustable plow for VTB 852

Set of accessories for VTB 370

Art. no.	041722	Art. no.	041723	Art. no.	041722
EAN no.	8605032606897	EAN no.	8605032604756	EAN no.	8025004008755

VTB 1400 E

VTB 1400E is a light electric cultivator convenient for working indoors.



Engine type	Electric motor
Voltage	230 V ~ 50 Hz
Input power	1400 W
Working width	400 mm
Working depth	200 mm
Number of blades	4
Blade rpm	350 rpm
Weight approx.	9 kg
Art. no.	046670
EAN no.	8605032605975
Replacement blades (art. no.)	047949
For EU market	•



VMM 1918 R

It is a multifunctional agricultural machine with several attachments (scythe mower, tiller, plow and snow plow).



**EURO2
ENGINE**

**LOW FUEL
CONSUMPTION**

**REDUCED
EXHAUST
EMISSIONS**

Engine type	B&S 675 Series
Displacement	190 cm ³
Engine power / rpm	2.54 kW / 3200 rpm
Working width	430 mm
Transmission type	Belt and chain
Speeds (forward)	1
Speeds (back)	1
Weight approx.	27 kg
Art. no.	023694
EAN no.	200017601380

Replacement wheels (art. no.)	027740 / 027741
Accessories	Tiller, Scythe mower, Plow, Snow plow
For EU market	•
Recommendation	Use Villager 4T oil



Tiller for VMM 1918 R



Scythe mower for VMM 1918 R

Working width	500 mm
Number of blades	4
Transmission type	Belt and chain
Blade rpm	275 rpm
Tillering speed (forward/back)	1.1 km/h / 1.1 km/h
Art. no.	023696
EAN no.	8025004008755

Working width	870 mm
Number of blades	2
Transmission type	Belt and chain
Mowing speed	2.2 km/h
Art. no.	023695
EAN no.	8025004008748



Snow plow VMM 1918 R



Plow VMM 1918 R

Working width	850 mm
Art. no.	023697
EAN no.	8025004007680

Working depth	870 mm
Art. no.	033897
EAN no.	8606012808089

HOW TO CHOOSE A PUMP?



Villager has a range of 20 pumps which differ in type and their intended use. They include: fuel-driven pumps for irrigation, hydropack pumps, electric pumps for irrigation, electric vibration pumps and submersible pumps. In order to choose the right one, you need to consider the following criteria.

ELECTRIC OR FUEL-DRIVEN

The first important criterion when purchasing a pump is whether you want a fuel-driven or electric drive. If you need a pump for household water supply, and you have no access to the water supply network, you should opt for an electric hydropack pump. If you need an irrigation pump, you can choose one of the fuel-driven or electric ones, depending on whether you have an access to the power supply and the water flow rate per hour you need. For wastewater disposal we recommend one of the electric submersible pumps..

Therefore, the choice is yours.



FLOW RATE

Flow rate is a very important criterion, especially when it comes to agricultural production, since it determines the irrigation speed and thus determines the time and effort spent working. If you plan to irrigate a smaller surface while having access to power supply, you should consider purchasing an electric irrigation pump. If you, however, have no access to the power supply, please opt for a fuel-driven pump of smaller flow-rate. If you, on the other hand, irrigate a large surface and you need greater autonomy and mobility, then opt for one of the powerful four-stroke pumps of large capacity.

Chose according to intended use.

DEPTH AND HEIGHT


It is very often that customers make a poor choice due to misunderstanding the difference between the depth of withdrawal and height of a water column. The water column is the sum of the depth of withdrawal of a pump and the height to which the water is brought by the pump.

Make an informed decision.



EASY IRRIGATION

For the summer of 2017, Villager has prepared a wide range of fuel-driven pumps for irrigation. Maybe one of them can win a battle with drought: we present you pumps with different flows (8000 to 36000 litres per hour), pressures (2.1 to 6.5 bar) and the maximum ejection height of 50 m.




HPWP 30 P	■
WP 36 P	■
WP 37 SE	■
WP 8 P	■

Engine type	
Displacement	
Engine power / rpm	
Torque / rpm	
Suction diameter (Ø)	
Output diameter (Ø)	
Max. suction depth	
Max. water column height	
Max. working pressure	
Max. flow rate	
Fuel tank capacity	
Working time (75% of max. workload)	
Weight approx.	
Art. no.	
EAN no.	

Irrigation hose (art. no.)	
Black Edition	
For EU market	

Recommendation

Description



Large volume reservoir enables
continuous irrigation in long time intervals (up to 4 working hours for WP 37 SE).

Easy starting
by using a starter for easy starting you reduce the force needed to start a pump.

The pump impeller
is placed in the aluminium housing. It enables a large water flow rate and reaching a high water column.

Euro 2 **LOW FUEL CONSUMPTION** **REDUCED EXHAUST EMISSIONS**



HPWP 30 P

WP 36 P

WP 37 SE

WP 8 P

Villager® VGR 250 H	Villager® VGR 250 H	4-stroke, air cooled	Rato R 100
212 cm ³	212 cm ³	163 cm ³	97.7 cm ³
3.8 kW / 3600 rpm	3.8 kW / 3600 rpm	3.8 kW / 3600 rpm	1.15 kW / 3600 rpm
12 Nm / 2500 rpm	12 Nm / 2500 rpm	11 Nm / 2500 rpm	3 Nm / 2500 rpm
2" (50 mm)	2" (50 mm)	2" (50 mm)	1" (25 mm)
2" (50 mm)	2" (50 mm)	2" (50 mm)	1" (25 mm)
7 m	8 m	8 m	6 m
50 m	28 m	30 m	20 m
6.5 bar	2.2 bar	2.8 bar	2 bar
30 m ³ /h	36 m ³ /h	30 m ³ /h	8 m ³ /h
3.6 l	3.6 l	5 l	2 l
2 h	2.2 h	4 h	2 h
29.6 kg	23.5 kg	28 kg	12.5 kg
041408	041407	046429	041406
8605032603575	8605032603582	8605032605449	8605032603568

011273

011272

011273

030155




Use Villager 4T oil

HPWP 30P description: an extraordinary fuel-driven pump with a high water column, equipped with a powerful Villager VGR 250H engine. It is convenient for irrigation of agricultural surfaces or higher altitude than the place from which the water is supplied.

WP 36 P description: an extraordinary fuel-driven pump with large flow rate, equipped by a powerful Villager VGR 250 H engine. It is convenient for irrigation of large agricultural surfaces.

WP 37 SE description: an excellent fuel-driven pump with balanced performances, convenient for long periods of work.

WP 8 P description: A small fuel-driven pump, light and energy-saving, it is suitable for irrigation of smaller agricultural surfaces.




	JGP 600	JGP 800	JGP 1000
Engine type	Electric motor	Electric motor	Electric motor
Voltage	230 V ~ 50 Hz	230 V ~ 50 Hz	230 V ~ 50 Hz
Input power	600 W	800 W	1000 W
Suction diameter (Ø)	1" (25 mm)	1" (25 mm)	1" (25 mm)
Output diameter (Ø)	1" (25 mm)	1" (25 mm)	1" (25 mm)
Max. suction depth	8 m	8 m	8 m
Max. water column height	35 m	38 m	44 m
Max. working pressure	3.5 bar	3.8 bar	4.4 bar
Max. flow rate	3 m³/h	3.2 m³/h	3.5 m³/h
Max. water temperature	35°C	35°C	35°C
Housing	Inox	Inox	Inox
Weight approx.	7 kg	7.3 kg	7.6 kg
Art. no.	033497	033498	030027
EAN no.	8606012807907	8606012807914	8606012806269

For EU market

Description

Garden pumps JGR 600, 800 and 1000 are designed primarily for irrigation and transfer of water up to 3500 l/h. The housing is made of inox, and its design allows exposure to the bad weather conditions such as rain.




JGP 1300	JGP 1500 B	VGP 800	VGP 1300	VGP 1500 B
Electric motor				
230 V ~ 50 Hz				
1300 W	1500 W	800 W	1300 W	1500 W
1" (25 mm)				
1" (25 mm)				
9 m	9 m	8 m	9 m	9 m
47 m	48 m	40 m	47 m	48 m
4.7 bar	4.8 bar	3 bar	4.7 bar	4.8 bar
5.4 m^3/h	6.3 m^3/h	3.2 m^3/h	5.4 m^3/h	6.3 m^3/h
35°C	35°C	35°C	35°C	35°C
Cast iron	Cast iron	Inox	Cast iron	Cast iron
14 kg	15 kg	12 kg	20 kg	21 kg
047117	047118	023468	047115	047116
8605032606842	8605032606859	8606012803589	8605032606842	8605032606859

Description

Villager VGP hydropack pumps were designed for household use, for supplying small amounts of water by deriving it from a well or a cistern. They were designed for clean water. They are classic hydropack pumps, with a membrane container and a pull switch in loop control of the outlet pressure. Thanks to them, you will easily control the pressure in the entire system by making sure that the pressure is equal in all the floors of your household.

• SUBMERSIBLE PUMPS •



SUBMERSIBLE PUMPS

Powerful and long-lasting, Villager submersible pumps are suitable for hydro-melioration.




	VSP 6000 C	VSP 7000 C	VSP 8000	VSP 10000
Engine type	Electric motor	Electric motor	Electric motor	Electric motor
Voltage	230 V ~ 50 Hz			
Input power	250 W	400 W	400 W	550 W
Suction diameter (Ø)	1" (25 mm)	1" (25 mm)	1" (25 mm)	1" (25 mm)
Output diameter (Ø)	1" (25 mm)	1" (25 mm)	1" (25 mm)	1" (25 mm)
Max. suction depth	7 m	7 m	7 m	7 m
Max. water column height	8 m	8 m	5 m	7 m
Max. flow rate	6 m³/h	7 m³/h	8 m³/h	10 m³/h
Max. water temperature	35°C	35°C	35°C	35°C
Housing	Plastic	Plastic	Plastic	Plastic
Model for dirty water	✗	✗	●	●
Weight approx.	4 kg	4.25 kg	4.5 kg	5.2 kg
Art. no.	033496	030026	033495	027946
EAN no.	8606012807891	8606012806238	8606012807884	8606012805385

For EU market

● ● ● ●

Description

Villager submersible pumps are convenient for hydro-melioration, for both clean or polluted water. Depending on the power, flow rates of these pumps are from 6 to 18 m³/h. Clean water pumps can absorb dirt particles up to 5mm in diameter, while dirty water pumps can absorb particles up to 15mm in diameter.



VSP 13000	VSP 18000 I
Electric motor	Electric motor
230 V ~ 50 Hz	230 V ~ 50 Hz
750 W	1100 W
1" (25 mm)	1" (25 mm)
1" (25 mm)	1" (25 mm)
7 m	8 m
8 m	8 m
13 m^3/h	18 m^3/h
35°C	35°C
Plastic	Inox
•	•
5.6 kg	7.75 kg
027947	041340
8606012805392	8605032603513
•	•



VVP 300	
Engine type	Electric motor
Voltage	230 V ~ 50 Hz
Input power	300 W
Suction diameter (\varnothing)	1" (25 mm)
Output diameter (\varnothing)	1" (25 mm)
Max. suction depth	5 m
Max. water column height	55 m
Max. flow rate	1.4 m^3/h
Max. water temperature	35°C
Housing	Cast iron
Weight approx.	5.1 kg
Art. no.	030159
EAN no.	8606012806573

For EU market	x
---------------	---

Description	An electric vibration pump of very small dimensions, suitable for pumping clean water out of a well.
-------------	--

ADDITIONAL EQUIPMENT FOR IRRIGATION



Aluminum connector 2"

Diameter (Ø)	2" (50 mm)
Art. no.	011532
EAN no.	8606012801196



Aluminum connector 3"

Diameter (Ø)	3" (75 mm)
Art. no.	011534
EAN no.	8605032603476



Filter VF 1

Volume	1 l
Input diameter (Ø)	1" (25 mm)
Output diameter (Ø)	1" (25 mm)
Art. no.	030154
EAN no.	8606012806559



Inlet hose VSH 1

Length	7 m
Diameter (Ø)	1" (25 mm)
Art. no.	030155
EAN no.	8606012806566



Inlet hose 2" 3 m

Length	3 m
Diameter (Ø)	2" (50 mm)
Art. no.	023720
EAN no.	8605032603414



Inlet hose 2" 5 m

Length	5 m
Diameter (Ø)	2" (50 mm)
Art. no.	035822
EAN no.	8605032603438



Irrigation hose 2" 15 m

Length	15 m
Diameter (Ø)	2" (50 mm)
Art. no.	011272
EAN no.	8606012801172



Irrigation hose 2" 30 m

Length	30 m
Diameter (Ø)	2" (50 mm)
Art. no.	011273
EAN no.	8606012801189



Irrigation hose 3" 30 m

Length	30 m
Diameter (Ø)	3" (75 mm)
Art. no.	011275
EAN no.	8605032603469



PVC irrigation hose 2" 100 m

Length	100 m
Diameter (Ø)	2" (50 mm)
Art. no.	023717
EAN no.	8605032603452



PVC irrigation hose 3" 100 m


Length	100 m
Diameter (Ø)	3" (75 mm)
Art. no.	023718
EAN no.	8605032603445

EARTH AUGERS

Villager earth augers are designed to be used in agriculture for digging planting holes. Models VPH 43 and VPH 43 E are intended to be used with one operator, while VPH 173 requires the presence of two operators.



	VPH 173	VPH 43 E	VPH 43
Engine type	4-stroke, air cooled	2-stroke, air cooled	2-stroke, air cooled
Displacement	173 cm ³	42.7 cm ³	42.7 cm ³
Engine power / rpm	4.4 kW / 3650 rpm	1.1kW / 2350 rpm	1.25kW / 2900 rpm
Drill length	600 mm	600 mm	600 mm
Drill diameter (Ø)	4", 6", 8", 10", 12", 14"	4", 6", 8", 10"	4", 6", 8", 10"
Fuel tank capacity	1900 ml	1000 ml	1000 ml
Oil tank capacity	600 ml	×	×
Weight approx.	14 kg	4.2 kg	4.2 kg
Art. no.	030195	027949	018512
EAN no.	8606012806610	8606012805408	8606012802551
Safety spring (art. no.)	020653	020653	020653
Features:	2 operators model *Drills and springs are buying separately	Single operator model *Drills and springs are buying separately	Single operator model *Drills and springs are buying separately
Black Edition	×	×	×
For EU market	×	•	×
Recommendation	Use Villager 4T oil		
Description	VPH 173 is equipped with a powerful four-stroke engine. It was designed for demanding tasks of drilling planting holes (diameter up to 350mm). Its use requires two operators.		
	VPH 43E and VPH 43: Use Villager 2T oil. Description: Models VPH 43E and VPH 43 were designed to be used for soil drilling of smaller diameter (up to 250mm). It is usually used for installing poles in vineyards and orchards.		



	Extension 18"	Extension 12"
Length	450 mm	300 mm
Art. no.	046615	046614
EAN no.	8605032605869	8605032605852
For EU market	•	•
For auger model	VPH 173	VPH 173



	Drill 14"	Drill 12"	Drill 10"	Drill 8"	Drill 6"	Drill 4"
Diameter (Ø)	14" (35 cm)	12" (30 cm)	10" (25 cm)	8" (20 cm)	6" (15 cm)	4" (10 cm)
Length	600 mm	600 mm	600 mm	600 mm	600 mm	600 mm
Art. no.	030194	030193	021962	020243	020242	018513
EAN no.	8606012806634	8606012806627	8606012804265	8606012802605	8606012802599	8606012802582
Sšare tip (art. no.)	020647	020647	020647	020647	020647	020647
Spare blade (art. no.)	x	037662	034447	020650	020649	020648
For EU market	•	•	•	•	•	•
For auger model	VPH 173	VPH 173	VPH 173 / VPH 43 E / VPH 43	VPH 173 / VPH 43 E / VPH 43	VPH 173 / VPH 43 E / VPH 43	VPH 173 / VPH 43 E / VPH 43

HOW TO CHOOSE A SPRAYER?



In order to choose a sprayer according to your needs, you first need to answer the following three questions.



MANUAL, FUEL-DRIVEN OR BATTERY-POWERED?

Villager has a wide range of different models of manual, fuel-driven and battery-powered sprayers. According to the workload, speed of work and the place of use, you can choose a different type of sprayer.

INTENDED USE

The basic purpose of sprayers is treating planted fruits, vegetables, vineyards, flowers, etc. For smaller surfaces, the best choice are manual sprayers. For larger workload, usually with planted fruits and vineyards, fuel-driven sprayers are used. Indoor surfaces, such as hothouses and greenhouses require battery-powered sprayers which do not release harmful exhaust fumes.

FREQUENCY OF USE

If you need a sprayer for occasional use in smaller planted surfaces in the household and for various uses, you should opt for one of the manual sprayers of different volumes. Fuel-driven sprayers enable longer work with higher efficiency. Battery-powered sprayers bring real satisfaction in work regardless of the frequency of use, and large battery capacity enables long period of work.

TIMELINESS AND EFFICIENCY



Villagers sprayers and atomisers were conceived so as to provide easy and simple intervention, and to enable nutrition and protection from illnesses and vermin for your plants, by taking proper agrotechnical and agrochemical measures.



	VS 30	PS 20
Engine type	2-stroke, air cooled	2-stroke, air cooled
Displacement	25.6 cm ³	22.6 cm ³
Engine power / rpm	0.65 kW / 7500 rpm	0.75 kW / 7500 rpm
Tank capacity	30 l	20 l
Working pressure	10 - 40 bar	0 - 25 bar
Range	from 9 to 12 m	from 9 to 12 m
Pump type	High pressure pump	High pressure pump
Fuel tank capacity	600 ml	700 ml
Sprayer length	350 mm	500 mm
Weight approx.	21 kg	9.8 kg
Art. no.	027967	030118
EAN no.	8606012805583	8606012800038
Replacement extensions (art. no.)	038574 / 038573	038574 / 038573
Features:	Model on wheels Extension length (540 + 600 + 714 mm)	Back-pack model Extension length (540 + 600 + 714 mm)
Black Edition	×	×
For EU market	×	×
Recommendation	Use the mixture of fuel and Villager 2T oil in ratio 40:1 (2.5 per cent).	
Description	<p>Villager VS 30 is a sprayer of large capacity designed to be used in large outdoor surfaces. With a reservoir of 30 litres and an agile two-stroke engine of 0.65 kW, it is sure to deliver even in the most demanding of agrochemical tasks. VS 20 has its own cart with wheels to ensure easy maneuvering.</p> <p>Villager PS 20 is a backpack sprayer of large capacity designed to be used on large surfaces. With a reservoir of 20 litres, agile two-stroke engine of 0.75 kW, and a set of additional accessories (burner and accessories), it is sure to provide comfort and great autonomy in work.</p>	



Reservoirs of large volume
ensure longer periods of work and
make it more time-efficient.

Set of accessories for sprayers
consists of several parts for different
purposes, thus making this sprayer
more universal.

Easy and intuitive commands:
located on the handlebar, they enable
easy and delicate adjustment of the
atomiser, with no breaks in work.

EURO² ENGINE

**LOW FUEL
CONSUMPTION**

**REDUCED
EXHAUST
EMISSIONS**



**LOW FUEL
CONSUMPTION**

**REDUCED
EXHAUST
EMISSIONS**



EURO² ENGINE

**LOW FUEL
CONSUMPTION**

**REDUCED
EXHAUST
EMISSIONS**



PS 15 E

2-stroke, air cooled

25 cm³

0.7 kW / 6500 rpm

15 l

0 - 25 bar

from 9 to 12 m

High pressure pump

700 ml

500 mm

9 kg

041233

8605032603537

DM 14 P

2-stroke, air cooled

42.7 cm³

1.25 kW / 7000 rpm

14 l

×

from 6 to 9 m

Thrust pump

1100 ml

×

030112

8606104032866

DM 14 PE

2-stroke, air cooled

51.7 cm³

1.5 kW / 6500 rpm

14 l

×

from 6 to 9 m

Thrust pump

1400 ml

×

038107

8605032602448

038574 / 038573

×

×

Back-pack model

Back-pack model

Back-pack model

Extension length (540 + 600 + 714 mm)

×

×

×

•

×

•

Use the mixture of fuel and Villager 2T oil in ratio 40:1 (2.5 per cent).

Villager PS 15 E is a sprayer of medium capacity designed for use in mid-size surfaces. With a reservoir of 15 litres, agile two-stroke engine of 0.75 kW, and a set of additional accessories (burner and attachments), it will provide you comfort and autonomy in work.

Villager DM 14 P and DM 14 PE are backpack atomisers of 14 litre volume. Suitable for use in orcharding. Equipped with a displacement pump, they produce a vapour of microparticles which easily reach the most inaccessible parts of the plant thus making the protection very efficient. Ergonomically designed, they will provide you long periods of work without tiring.

BATTERY-POWERED SPRAYERS

Villager battery-powered sprayers are very useful tools for both indoor and outdoor use. Light and comfortable, they are very efficient in taking agrotechnical and agrochemical measures.



Li-ion Power

Li-ion power
Powered by Li-ion battery



Ni-Cd Power

Li-ion power™
Powered by Ni-Cd battery



Silent Work

Silent Work
Low noise level

VBS 16 Li

Battery type	Li-ion
Battery voltage / capacity	12 V / 8 Ah
Tank capacity	16 l
Working pressure	2.7 - 4 bar
Range	to 3 m
Battery operating time	to 300 min.
Battery charging time	from 5 to 6 h
Weight approx.	5.9 kg
Art. no.	041129
EAN no.	8605032603162

Replacement extension (art. no.)	037903
Replacement battery (art. no.)	042263
Features:	Back-pack model Pressure regulator Battery charge indicator Tip with single and double nozzle
Black Edition	×
For EU market	•

Description	Villager VBS 16 Li is a backpack sprayer of medium capacity designed for use in mid-size surfaces. With a 16-litre reservoir, Li-Ion battery, and a set of additional accessories (additional injectors), it provides comfort while working. It is very quiet and it does not release exhaust fumes, convenient for indoor use, in surfaces such as hothouses, greenhouses, etc.
--------------------	--



* Available from April

* Available from April

**VBS 16**

Ni-Cd

12 V / 10 Ah

16 l

2.7 - 4 bar

to 3 m

to 210 min.

8 h

7.2 kg

037920

8605032602080

037903

039144

Back-pack model
Pressure regulator
Battery charge indicator
Tip with single and double nozzle

x

x

VBWS 12 Li

Li-ion

7.2 V / 2.2 Ah

12 l

2.5 bar

3 m

90 min.

3 h

3.65 kg

047356

8605032607009

048142

x

Model on wheels
Adjustable nozzle
Manual pump
Safety valve

x

●

VBS 10 Li

Li-ion

12 V / 2.6 Ah

10 l

2.7 - 4 bar

5 m

210 min.

2.5 h

2.76 kg

047357

8605032607016

048143

048144

Telescopic extension (52 - 115 cm)
Back-pack model
Adjustable nozzle

x

●

Villager VBS 16 is a sprayer of medium capacity designed for use in mid-size surfaces. With a 16-litre reservoir, Ni-Cd battery and a set of additional accessories (additional injectors), it provides comfort while working. It is very quiet and it does not release exhaust fumes, suitable for indoor use, in surfaces such as hothouses, greenhouses, etc.

Villager VBWS 12 Li is a battery-powered sprayer of medium capacity designed for use in mid-size surfaces. With a 12-litre reservoir, Li-Ion battery and a set of additional accessories (additional injectors and a cart with wheels), it provides comfort while working. It starts working automatically when pressure drops to 1.2 bar and stops when it reaches 1.8 bar.

Villager VBS 10 Li is a backpack sprayer of smaller capacity designed for use in smaller surfaces. With a 10-litre reservoir, Li-Ion battery and a set of additional accessories (additional injectors), it provides comfort while working. It is very quiet, it does not release exhaust fumes and it is suitable for indoor operation.

SPRAYERS AND SPREADERS



Durable and long-lasting, Villager manual sprayers and seeders are the perfect choice for every florist and gardener.



	Monica 12 l	Monica 5 l	Maya 8 l
Tank capacity	12 l	5 l	8 l
Max. pressure	3 bar	3 bar	3 bar
Max. temperature	60°C	60°C	40°C
Weight approx.	3.4 kg	1.75 kg	1.75 kg
Art. no.	038488	038487	023464
EAN no.	8605032602783	8605032602776	8606012803817
Features:	Pressure regulator Made in Italy	Areator Made in Italy	Set of O-rings Brass nozzle Manometer
For EU market	•	•	✗



	Lela 16 l	Lela 12 l	Lela 10 l	Lela 5 l
Tank capacity	16 l	12 l	10 l	5 l
Max. pressure	3 bar	3 bar	3 bar	3 bar
Max. temperature	40°C	40°C	40°C	40°C
Weight approx.	3.4 kg	3.2 kg	2.1 kg	1.75 kg
Art. no.	008443	008442	008441	008440
EAN no.	8606104032040	8606104032033	8606104032026	8606104032019
Features:	Set of O-rings Cone nozzle Spare nozzle	Set of O-rings Cone nozzle Spare nozzle	Brass nozzle	Brass nozzle
For EU market	✗	✗	✗	✗



NEW MODEL



Sprayers 0.5l; 1l; 1.5l

	VHS 10	VWS 80
Volume	10 l	29 l
Maks. coverage	500 m ²	1500 m ²
Maks. range	7 m	3.65 m
Weight approx.	2 kg	10.4 kg
Art. no.	020156	046884
EAN no.	8606012802988	8605032606330
Features:	granulation from 0.5 to 6 mm	
For EU market	•	•

Volume	0.5 l
	1 l
	1.5 l
Art. no.	030807
	030808
	030809
EAN no.	8606012807242
	8606012807259
	8606012807266
For EU market	•



FUEL-DRIVEN BLOWERS

EURO²
ENGINE



LOW FUEL CONSUMPTION

LOW FUEL CONSUMPTION



REDUCED EXHAUST EMISSIONS

EURO²
ENGINE



LOW FUEL CONSUMPTION

REDUCED EXHAUST EMISSIONS

REDUCED EXHAUST EMISSIONS



Anti Vibration System™

An advanced system of springs which absorb vibrations of the engine, thus making the work more comfortable.



VBV 270 PE

VBV 260

VB 5290 E

Engine type	2-stroke, air cooled	2-stroke, air cooled	2-stroke, air cooled
Displacement	27.6 cm ³	26 cm ³	51.7 cm ³
Engine power / rpm	0.8 kW / 3200 rpm	0.75 kW / 3200 rpm	1.5 kW / 3200 rpm
Functions	Blower / vacuum	Blower / vacuum	Blower
Max. air flow	10.2 m ³ /min	7.8 m ³ /min	14.4 m ³ /min
Max. blowing speed	72 m/s	55 m/s	101 m/s
Collector size	50 l	50 l	×
Weight approx.	5 kg	5.4 kg	8.3 kg
Art. no.	040181	022003	037054
EAN no.	8605032603056	8606012803381	8605032601670

Replacement pipe (art. no.)	041199	036787	037803
Features:	Iron blades Oval nozzle Flat nozzle Antivibration System	Iron blades Oval nozzle Flat nozzle	Back-pack model Oval nozzle Antivibration System
Black Edition	•	×	×
For EU market	•	×	•

Recommendation	Use Villager 2T oil		
Description	PE description: Villager VBV 270 PE is a reliable 3 in 1 machine designed for blowing, vacuuming and chopping. Thanks to its functionality, you will quickly clear out the leaves with an adjustable air flow.	Fuel-driven leaf blower Villager VBV 260 will enable you to easily clear the garden from the piled up leaves and light garbage. The perfect strength and weight ratio which combines blowing large strength with easy handling. It is ideal for house owners.	Villager VB 5290E is a backpack fuel-driven leaf blower ideal for communal cleaning services: streets, lawns, parks, sports fields, etc. It is characterised by larger strength and lower noise level, which makes it convenient for use in cities and tourist locations, since it does not affect a good night's sleep.



BATTERY-POWERED AND ELECTRIC BLOWERS AND VACUUM CLEANERS



Two blowing speeds
Speed 1: 50 m/h
Speed 2: 61 m/h

Li-ion battery 18 V-1.5 Ah
A Battery with Samsung cells.
Working time up to 15min.

Rake
Located on the top of the vacuuming tube, it is easily pulled out to unstick the sticky and wet leaves.

The chopping set
The volume ratio of vacuumed and chopped leaves is 15:1.



Li-ion Power



Silent Work



Silent Work



VCB 18-15

Battery type	Li-ion
Battery voltage / capacity	18V / 1.5 Ah
Battery operating time	10 do 15 min.
Battery charging time	1 h
Max. air flow	5 m ³ /min
Max. blowing speed	61 m/s
Weight approx.	2.8 kg
Art. no.	029367
EAN no.	8606012805736

VEBV 3000

Engine type	Electric motor
Voltage	230 V ~ 50 Hz
Input power	3000 W
Functions	Blower / vacuum
Max. air flow	16 m ³ /min
Max. blowing speed	83 m/s
Collector size	45 l
Weight approx.	4.8 kg
Art. no.	041453
EAN no.	8605032603056

Features:	Samsung® Li-ion battery 2 speeds
For EU market	•

Features:	Chopping blades Telescopic handlebar Rake
For EU market	•

Description	Battery-powered blower Villager VCB 18-15 enable you to quickly remove leaves from the garden, street and backyard. Easily handled, it has two blowing speeds. The battery enables you to work without breaks for 10-15 minutes, depending on the speed.
--------------------	--

Description	Clear the leaves off the grass surfaces, paths, balcony easily and thoroughly with this leaf blower. A compact design and small weight will make the handling of this leaf blower and vacuum cleaner particularly easy. Thanks to the integrated chopping function, the leaves are chopped into one tenth of the initial volume.
--------------------	--

CRUSHING OR CHOPPING MACHINE?

Villager® DREAM TEAM

In order to choose the right machine, it is important to know what you can do with crushed and chopped biomass, respectively.

CRUSHED BIOMASS

Your green oasis represents an endless source of biomass, which can further be processed in different ways by using a Villager crushing machine. Crushing produces biomass of larger granulation, which can then be used for covering the soil or for making compost and humus. In this way you contribute preserving the environment, while returning the nutrients to the soil without using artificial fertilizers. Compost is a natural, organic fertilizer produced in the process of aerobic decomposition of organic matter. Compost can be used wherever fertilizing and improving the soil is needed (fruits and vegetables production, horticulture, and other fields).



CHOPPED BIOMASS

Garden care and maintenance inevitably involve piling up small branches, dry leaves, big branches and other plant parts which bother you, and can be used as a source of energy. Villager chopper will help you red rid of the piled up biomass, since chopping reduces the biomass volume, which can later be used for producing briquettes. Briquettes are produced in the process of pressing dry chopped leaves without adding binding agents. Briquettes substitute fossil fuels or firewood, they are healthier and easier to use, and their exhaust fume rate is significantly lower, which further reduces the greenhouse effect.





Biomass produced
in the chopping
process.



VS 2400 S

VC 2500

Engine type	Electric motor	Electric motor
Voltage	230 V ~ 50 Hz	230 V ~ 50 Hz
Input power	2400 W	2500 W
Diameter (Ø)	40 mm	40 mm
Chisel system	Cylinder-shaped blade	Flying knife system
Collector size	40 l	40 l
Weight approx.	15 kg	13 kg
Art. no.	033877	041454
EAN no.	8606012807990	8605032603803

Features:

Wheels for easy maneuvering
Lightweight construction

Wheels for easy maneuvering
Lightweight construction

For EU market

• •

Description	VS 2400S is equipped with a system of toothed cylinders which simultaneously chop and crush branches which makes the decomposition process in composting significantly faster.	VC 2500 is equipped with the system of cone-shaped blades which chop branches into tiniest bits. Thus produced biomass is convenient for making briquettes for heating.
--------------------	--	---



WHAT IS COMPOST AND WHAT IS IT USED FOR?

Compost is a plant-based matter in the decomposition process, which is used as a natural fertilizer.

Compost has a very wide range of uses in the processes of organic good production.



VPC 250 S

**EURO²
ENGINE**

**LOW FUEL
CONSUMPTION**

**REDUCED
EXHAUST
EMISSIONS**

Villager® VGR 250 H

212 cm³

4.1 kW / 3600 rpm

12 mm

Cylinder-shaped blade


76 mm

Flying knife system

84 kg

046524

Engine type	Villager® VGR 250 H
Displacement	212 cm ³
Engine power / rpm	4.1 kW / 3600 rpm
Diameter (central chisel)	12 mm
Central chisel system	Cylinder-shaped blade
Diameter (side chisel)	76 mm
Side chisel system	Flying knife system
Weight approx.	84 kg
Art. no.	046524
EAN no.	8605032605456



How does a chopping machine work?

Branches meet a plate-shaped blade with 2 cutting edges. The chopping process is used in producing biomass of smaller granulation (convenient for producing briquettes).

How does a crushing machine work?

Branches meet a cylinder-shaped blade with 8 cutting edges. The crushing process is used in producing biomass of larger granulation (converting for producing compost).



Villager® VGR 250 H

is a four-stroke single-cylinder of 4.1 kW which easily drives both cutting tools.



Side chisel

for branches whose diameter is up to 76mm. Convenient when producing biomass for compost.

Features i oprema:

- Wheels for easy maneuvering
- Robust construction
- Ear muffs and safety goggles

For EU market



Description

VPC 250C is a machine made for field work. It is equipped with two cutting systems. The central chisel is convenient for producing finer biomass, used for making briquettes. The side chisel is convenient for branches of a larger diameter (up to 76mm). It simultaneously cuts and crushes, thus making a biomass convenient for composting.



WHEN WASHING BECOMES PLEASURE

Villager VHW H is a pressure washer designed for professional use. Some of the important features of this washer include:

- Brass pump with a by-pass valve
- AC induction motor
- Professional accessories set (gun, tube, hose and injector)
- Integrated dish for detergent
- Vertical burner for water heating
- Pressure regulator
- Glycerine manometer

Equipment for VHW za 150 H



VHW 150 H

Engine type	Electric motor
Voltage	230 V ~ 50 Hz
Input power	3000 W
Working pressure	130 bar
Max. pressure	150 bar
Max. water flow	600 l/h
Water heater type	Dieser burner with by-pass valve
Heating power of burner	38 kW
Fuel tank capacity	14 l
Max. water temperature	90°C
Hose length	8 m
Weight approx.	54 kg
Art. no.	026803
EAN no.	8606012804692

Replacement hose (art. no.) 036136

Water heater

Features: Big diameter wheels for easy maneuvering
Glycerine manometer

For EU market

Description

VHW 150 H takes a special place in the Villager washing machines range. It is primarily famous for its performances, quality and design. It is a machine which is technically equipped with a diesel burner which can heat the water up to 90 degrees. Its possibility of heating water makes it convenient for use in more demanding washing tasks such as greasy surfaces, and icy surfaces in the winter.



	VHW 130	VHW 2100 S	VHW 2500 S
Engine type	AC induction motor	Electric motor	Electric motor
Voltage	230 V ~ 50 Hz	230 V ~ 50 Hz	230 V ~ 50 Hz
Input power	2500 W	2100 W	2500 W
Working pressure	130 bar	110 bar	120 bar
Max. pressure	195 bar	135 bar	160 bar
Max. water flow	420 l/h	450 l/h	510 l/h
Maks. water temperature	50°C	60°C	60°C
Hose length	5 m	8 m	10 m
Cabel length	5 m	5 m	5 m
Weight approx.	19 kg	8.9 kg	12.5 kg
Art. no.	023473	041409	041410
EAN no.	8606012803848	8605032603650	8605032603667
Replacement hose (art. no.)	026003	041982	041982
Features:	Rotary brush Turbo nozzle	Fixed brush Turbo nozzle Detergent vessel	Fixed brush Rotary brush Turbo nozzle Integrated detergent vessel
For EU market	•	•	•

Description	These reliable cold-water pressure washers can be used for cleaning different types of dirt. Compact and versatile machines, excellent for cleaning paths, approach roads, backyards, balconies, washing cars, stairs and other surfaces. Remarkably flexible, assembled easily, with a lot of additional equipment, they are capable of cleaning the most persistent dirt. You can achieve better cleaning performances with less water consumption.
--------------------	---

LET IT SNOW

Villager snow throwers are always ready for winter. Removing snow from roads, pavements, paths, parking lots, backyards and parks can now be easy and stress-free. Just enjoy the beauty of whiteness!



VEST 1800

Engine type	Electric motor
Voltage	230 V ~ 50 Hz
Input power	1800 W
Working width	490 mm
Working depth	330 mm
Ejection range	from 3 to 8 m
Engine rpm	2000 rpm
Weight approx.	16 kg
Art. no.	040302
EAN no.	8605032603070
For EU market	•

Description

VEST 1800 is a very practical electric snow thrower of light frame, very quiet (97 dB), convenient for use in residential areas (pavements, pedestrian paths and driveways).



VST 45

Engine type	4-stroke, air cooled
Displacement	163 cm ³
Engine power / rpm	3.3 kW / 3600 rpm
Working width	535 mm
Working depth	510 mm
Ejection range	from 5 to 11 m
Wheels diameter	330 mm
Speeds (forward)	4
Speeds (back)	1
Weight approx.	60 kg
Art. no.	037894
EAN no.	8606012803473

Features:

Reversible starter

For EU market

•

Recommendation

Use Villager 4T oil

Description

The smallest snow thrower in Villager's offer, it is very compact and extremely efficient in very low temperatures. The 535 width will satisfy even the most demanding customers. Extremely mobile and easy to use, it will provide quick and efficient snow removal and transfer it to wherever you want.

**Snow thrower blades**

The blades are arranged in such a manner so as to take maximum amount of snow, and the spiral design helps faster breaking and distribution of snow into the central drain.

**Snow deflector**

choose the direction and angle at which you want the snow to be thrown by simply adjusting the deflector. Snow can be thrown to a distance of up to 15m.

**Electro Start**

facilitates engine starting in cold winter conditions. Connect the machine to power supply and start it with a button.

**VST 70****VST 120****VST 130**

4-stroke, air cooled

212 cm³

4.9 kW / 3600 rpm

660 mm

510 mm

from 5 to 11 m

356 mm

5

2

70 kg

040716

8605032603148

4-stroke, air cooled

375 cm³

8.8 kW / 3600 rpm

870 mm

510 mm

from 5 to 15 m

406 mm

6

2

70 kg

040717

8605032603155

4-stroke, air cooled

375 cm³

9.5 kW / 3600 rpm

700 mm

550 mm

from 5 to 15 m

381 mm

6

2

120 kg

032315

8606012807594

Electric starter

LED headlight

Heating handles

Electric starter

LED headlight

Heating handles

Electric starter

Headlight

Heating handles

**Use Villager 4T oil**

Villager snow throwers are driven by powerful OHV engines which possess maximum performances necessary for work in difficult winter conditions. A special electro start system facilitates starting the engine at low temperatures significantly. The snow throwers were designed in such a way as to be easily used in all weather conditions. Wide tyres with deep treads are better at clinging to icy surfaces while achieving maximum towing. Villager snow throwers are always ready for winter challenges, they are equipped with LED night light for night work, handle heating which enables comfortable work in the cold, readily available commands for increased safety, multi-level transmission with two backward speeds for easier moving and handling, designed for the most demanding customers who make no compromise.



VSS 60

Engine type	Villager® VGR 250 H
Displacement	212 cm ³
Engine power / rpm	3.6 kW / 3600 rpm
Width	600 mm
Wheels diameter	330 mm
Speeds (forward)	5
Speeds (back)	2
Transmission type	Friction discs
Snow thrower width	600 mm
Sweeper brush diameter	12"
Weight approx.	28 kg
Art. no.	046441
EAN no.	8605032605494

Accessories	Sweeper Snow thrower Snow plow Row collector
Black Edition	✗
For EU market	●

Recommendation	Use Villager 4T oil
Description	VSS 60 description: VSS 60 is a multifunctional machine designed to be used in winter conditions. It is equipped with a VGR 250 H powerful single-cylinder engine. When combined with all of its attachments, VSS 60 will easily win the battle with high snow and satisfy even the most demanding of customers with its remarkable usability.



Snow thrower for VSS 60

Working width	560 mm
Working depth	400 mm
Ejection range	to 11 m
Weight approx.	19.7 kg
Art. no.	046442
EAN no.	8605032605463



Snow plow for VSS 60

Working width	600 mm
Weight approx.	6.6 kg
Art. no.	046443
EAN no.	8605032605470



Plow collector for VSS 60

Working width	600 mm
Weight approx.	7 kg
Art. no.	046444
EAN no.	8605032605487



AXES AND LOG SPLITTERS

Whether they are used for splitting logs or thin branches, these axes are an absolute must-have for the winter! You have found the best!



	Forestry hack	Carpentry axe	Universal axe 1.5 kg	Universal axe 2 kg	Log splitter 2 kg	Log splitter 3 kg
Art. no.	022050	022042	022048	022049	022041	022047
EAN no.	3830007830761	3830007830594	3830007830563	3830007830570	3830007830578	3830007830570



Orchard pruning is a regular auxiliary technical measure. The main aim of orchard pruning is getting high quality fruit growth, or getting the correct ration between the vegetative and reproductive buds, so as to make a balance between growth and reproduction. The trees are pruned in autumn (after vegetation has ended), winter and until the spring comes, while the tree is in dormancy period.



	PS 101	PS 102	PS 103	PS 104	PS 105
Art. no.	011296	020175	023238	008022	023239
EAN no.	8606104853546	8606012802568	8606012803350	8606104032071	8606012803343
Description	Pruning shear Cutting diameter: 8 mm Length: 200 mm Blade steel 55	Pruning shear Cutting diameter: 5 mm Length: 175 mm Blade steel 50	Pruning shear Cutting diameter: 12 mm Length: 225 mm Blade steel 65 Mn	Pruning shear Cutting diameter: 8 mm Length: 200 mm Blade steel 55	Pruning shear Cutting diameter: 12 mm Length: 225 mm Blade steel 65 Mn



	LS 112	LS 111	LS 108	LS 114	TP 118
Art. no.	005724	008015	008016	011276	008017
EAN no.	8606104032125	8606104032132	8606104032101	8606104853492	8606104032163
Description	Lopping shear Cutting diameter: 30 mm Length: 690 / 950 mm Blade steel 65 Mn	Pruning shear Cutting diameter: 30 mm Length: 750 mm Blade steel 65 Mn	Pruning shear Cutting diameter: 30 mm Length: 740 mm Blade steel 65 Mn	Pruning shear Cutting diameter: 25 mm Length: 720 mm Blade steel 65 Mn	Pruning shear Cutting diameter: 30 mm Length: 1520 / 2600 mm Blade steel 50



	Spare blade opening 10 × 10	Spare blade opening 8 × 8	Spare blade	Spare blade	Spare blade
Art. no.	018189	041738	018191	018192	018195
Part for	LS 108 LS 109	LS 108 LS 109	LS 110	LS 113	L 030808 LS 114



PS 106	PS 107	PS 123	LS 126	LS 124	LS 109
008024	008023	037901	046919	037902	008013
8606104032088	8606104032064	8605032601687	8605032606262	8605032601922	8606104032118
Pruning shear Cutting diameter: 8 mm Length: 200 mm Blade steel 50	Vineyard shears Cutting diameter: 8 mm Length: 200 mm Blade steel 55	Pruning shear Cutting diameter: 12 mm Length: 210 mm Blade steel 55	Lopping shear Cutting diameter: 45 mm Length: 550 / 770 mm Blade steel 65 Mn	Lopping shear Cutting diameter: 42 mm Length: 670 / 920 mm Blade steel 55	Lopping shear Cutting diameter: 30 mm Length: 670 / 920 mm Blade steel 65 Mn



HS 116	HS 115	GS 119	GS 120	GS 125	GK 122
029682	023313	011282	011281	046920	011299
8606102806061	8606012803367	8606104853508	8606104853515	8605032606279	8606104853539
Hedge shear Length / Cutting diameter: 256 / 5 mm Length: 675 / 875 mm	Hedge shear Length / Cutting diameter: 256 / 5 mm Length: 650 mm	Garden saw Length: 350 mm	Garden saw Length: 165 mm	Grass shear Length cutting: 300 mm Blade steel 50	Crafting knife



Spare blade	Spare blade	Spare blade	Spare blade	Lower blade	Lower blade	Lower blade
018193	047653	030426	030482	030478	041739	037058
LS 111 LS 112	LS 126	PS 102	TP 118	LS 108 LS 109 LS 110	LS 108 LS 109 LS 110	L 130408



VFH 14

Face shield	•
Earmuffs	•
Art. no.	034020
EAN no.	8606012808287
For EU market	•



VEM 14

VEM 15

Protection level	28 dB	28 dB
Suiting	•	•
Art. no.	034013	038142
EAN no.	8606012808218	8605032602431
For EU market	•	✗



VSG 1

VSG 2

VSG 3

VSG 4

VSG 5

VSG 6

Color	Yellow	Transparent	Transparent	Yellow	Transparent	Transparent
Side protection	✗	✗	•	•	✗	✗
UV protection	•	•	•	•	•	•
Use	○	○	○	●	○	○
	○ - low level of illumination			● - high level of brightness		
Art. no.	034006	034007	034008	034009	034010	034011
EAN no.	8606012808140	8606012808157	8606012808164	8606012808171	8606012808188	8606012808195
For EU market	•	•	•	•	✗	✗



VSG 7

VSG 8

VSG 9

VSG 10

VSG 11

VSG 12

Color	Brown	Black	Transparent	Yellow	Black	Transparent
Side protection	•	•	•	•	•	✗
UV protection	•	•	•	•	•	•
Use	●	●	○	●	●	○
	○ - low level of illumination			● - high level of brightness		
Art. no.	034012	041411	041412	041413	041414	046921
EAN no.	8606012808201	8605032603599	8605032603605	8605032603612	8605032603629	8605032606729
For EU market	✗	✗	✗	✗	✗	•

**VFS 141****VFS 142****VFS 15****VKP 14**

Splinter protection	•	•	•
Dust protection	✗	✗	•
Suiting	•	•	•
Art. no.	034018	034019	038146
EAN no.	8606012808263	8606012808270	8605032602424
For EU market	•	•	✗

Gel insoles	•
Art. no.	034014
EAN no.	8606012808225
For EU market	✗

**VWG 15****VWG 17**

Size	9	10	11	12
Fabric	Synthetic leather and spandex			
Grip portion fabric	Silicone printed, non-slip and wearproof material. Reinforced material on the fingers.			
Art. no.	038143	038144	038145	039200
EAN no.	8605032602400			
For EU market	•	•	•	•
Use	Ideal for use in devices which require high degree of sense in handling			

Size	9	10	11	12
Fabric	Synthetic leather and spandex			
Grip portion fabric	Silicone printed, non-slip and wearproof material. Reinforced material on the fingers.			
Art. no.	046923	047715	047716	047717
EAN no.	8605032606743			
For EU market	•	•	•	•
Use	Ideal for use in devices which require high degree of sense in handling			

**VPG 14****VPG 15**

Size	9	10	11	12
Grip portion fabric	Neat's leather			
Protection	On left hand			
Protection class	from 0 to 20 m/s			
Reinforced palm				
Art. no.	034017	035404	035405	035406
EAN no.	8606012808256			
For EU market	•	•	•	•
Use	Protective gloves, ideal for use in forestry work.			

Size	9	10	11	12
Grip portion fabric	Neat's leather			
Protection	On left hand			
Protection class	from 0 to 20 m/s			
Reinforced palm				
Art. no.	038137	038138	038139	038140
EAN no.	8606012808256			
For EU market	•	•	•	•
Use	Protective gloves, ideal for use in forestry work.			



VFJ 14

Size	L	XL	XXL
Fabric	100% polyester, water resistant		
Art. no.	034015	035182	035183
EAN no.	8606012808232		
For EU market	•	•	•
Use	A jacket designed for work in forestry		



VFJ 15

Size	L	XL	XXL
Fabric	100% polyester, water resistant		
Art. no.	038149	038150	038151
EAN no.	8605032602387		
For EU market	•	•	•
Use	A jacket designed for work in forestry		



VWJ 16

Size	L	XL	XXL
Fabric	100% polyester, water resistant		
Art. no.	041419	041831	041832
EAN no.	8605032603643		
For EU market	•	•	•
Use	A jacket designed for work with brush cutters		



VPT 14

Size	L	XL	XXL
Fabric	100% polyester, 9 layers, tear-resistant		
Protective class	class 1 (20 m/s)		
Art. no.	034016	035184	035185
EAN no.	8606012808249		
For EU market	•	•	•
Use	Protective trousers de- signed for work in forestry		



VPT 15

Size	L	XL	XXL
Fabric	100% polyester, 9 layers, tear-resistant		
Protective class	class 1 (20 m/s)		
Art. no.	038154	038153	038152
EAN no.	8605032602394		
For EU market	•	•	•
Use	Protective trousers de- signed for work in forestry		



VWT 16

Size	L	XL	XXL
Fabric	100% polyester, water resistant		
Art. no.	041422	041829	041830
EAN no.	8605032603636		
For EU market	•	•	•
Use	Protective trousers de- signed for work with brush cutters		



Size	Universal
Fabric	100% poliester + PVC
Art. no.	046922
EAN no.	8605032606736
For EU market	•
Use	Protective cover designed for work with brush cutters



**Forestry boot**

Size	39	40	41	42	43	44	45	46	47
Protective class	class 3 (28 m/s)								
Art. no.	042132	042133	042134	042135	042136	042137	042138	042139	042140
EAN no.	8605032604893	8605032604909	8605032604916	8605032604923	8605032604930	8605032604947	8605032604954	8605032604961	8605032604978
For EU market	•	•	•	•	•	•	•	•	•
Use	Forestry boots are used as personal safety gear for cutting trees and in wood industry. Additional elements on the boots provide protection against injuries caused by impact, crushing, stabbing, as well injuries caused by saw chain cuts.								



- Ergonomically designed metal toe protection
- Impenetrable midsole
- Double PU sole, oil and slip resistant
- Antistatic protection

**VSS 171 AB**

Size	41	42	43	44	45	46
Model	Deep shoe					
Color	Black	Black	Black	Black	Black	Black
Art. no.	046925	047719	047837	047838	047839	047840
EAN no.	8605032606965	8605032607313	8605032607320	8605032607337	8605032607344	8605032607351
For EU market	•	•	•	•	•	•



- Ergonomically designed metal toe protection
- Impenetrable midsole
- Double PU sole, oil and slip resistant
- Antistatic protection

**VSS 172 AB**

Size	41	42	43	44	45	46
Model	Deep shoe					
Color	Brown	Brown	Brown	Brown	Brown	Brown
Art. no.	046926	046927	047841	047842	047843	047844
EAN no.	8605032607368	8605032606972	8605032607375	8605032607382	8605032607399	8605032607405
For EU market	•	•	•	•	•	•

Villager® DREAM TEAM



Blades	VB 3T	VB 3T	VB 8T
Tooth no.	3	3	8
Material	Steel	Steel	Steel
Thickness	1.4 mm	2.5 mm	1.4 mm
Central diameter	25.4 mm	25.4 mm	25.4 mm
Art. no.	010857	017131	046934
EAN no.	8606012808409	8606012808416	8605032606699
For EU market	•	•	•
For model (cm³)	from 16 to 35 cm³	from 20 to 55 cm³	from 20 to 55 cm³



Nylon head	VH 14 PRO	VH 14	Cyclotron 2012	VH 12	BC 15	BC 14
Nylon system	Never split system	Never split system	Never split system	Manual	Manual	Manual
Round nylon diameter	from 2.4 to 3.0 mm	2.4 mm	from 2.4 to 3.0 mm	2.4 mm	2.4 mm	2.4 mm
Square nylon diameter	from 2.4 to 2.7 mm	2.0 mm	from 2.4 to 2.7 mm	2.0 mm	2.0 mm	2.0 mm
Nylon length	4.5 m	4.5 m	4.5 m	4.5 m	4.5 m	4.5 m
Thread	M10 × 1.25	M10 × 1.25	M10 × 1.25	M10 × 1.25	M10 × 1.25	M10 × 1.25
Art. no.	034023	034024	034025	028041	031555	026480
EAN no.	8606012808300	8606012808317	8606012808324	8606012800588	8605032602486	8607000042201
For EU market	•	•	•	•	•	•
For model (cm³)	from 20 to 55 cm³	from 16 to 35 cm³	from 20 to 55 cm³	from 16 to 35 cm³	from 16 to 35 cm³	from 16 to 35 cm³



Circular saws	VCS 24	VCS 80
Tooth no.	24	80
Material	Steel	Steel
Size	255 × 1.8 mm	255 × 1.4 mm
Central diameter	25.4 mm	25.4 mm
Art. no.	035145	030956
EAN no.	8606012808942	8606012807464
For EU market	✗	✗
For model (cm ³)	from 16 to 35 cm ³	from 20 to 55 cm ³

Saw guard BC 13	
Art. no.	030955
EAN no.	8606012808386
For EU market	✗

BC 152	BC 172	BC 172 ALU	BC 173 ALU	BC 171	BC 174	BC 175
Manual	Manual	Manual	Manual	Easy load	Manual	Manual
2.4 mm	from 2.4 to 3.0 mm	from 2.4 to 2.7 mm	from 2.4 to 3.0 mm	from 2.4 to 3.0 mm	from 2.4 to 3.0 mm	from 2.4 to 2.7 mm
2.0 mm	from 2.4 to 2.7 mm	2.4 mm	from 2.4 to 2.7 mm	from 2.4 to 2.7 mm	from 2.4 to 2.7 mm	2.4 mm
4.5 m	4.5 m					
M10 × 1.25 038148 8605032602509	M10 × 1.25 046929 8605032606651	M10 × 1.25 046928 8605032606668	M10 × 1.25 046930 8605032606675	M10 × 1.25 046931 8605032606682	M10(M12) × 1.25(1.5) 046932 8605032606705	M10 (M8) × 1.25 046933 8605032606712
from 16 to 35 cm ³	from 20 to 55 cm ³	from 16 to 35 cm ³	from 20 to 55 cm ³	from 20 to 55 cm ³	from 20 to 55 cm ³	from 16 to 35 cm ³



Nylon line	Pacage	Type	Thickness	Length	Art. no.	EAN no.
	Coil 15 m	Round	1.3 mm	15m	034042	8606012808423
	Coil 15 m	Round	2.0 mm	15m	034043	8606012808430
	Coil 15 m	Round	2.4 mm	15m	034044	8606012808447
	Coil 15 m	Round	2.7 mm	15m	034045	8606012808454
	Coil 15 m	Round	3.0 mm	15m	034046	8606012808461
	Blister 1 LB	Round	2.4 mm	86 m	038155	8605032602516
	Blister 1 LB	Round	2.7 mm	68 m	038156	8605032602523
	Blister 1 LB	Round	3.0 mm	55 m	038157	8605032602530
	Sheave 5 LB	Round	2.4 mm	430 m	048161	8606012808478
	Sheave 5 LB	Round	2.7 mm	340 m	048162	8606012808485
	Sheave 5 LB	Round	3.0 mm	276 m	048163	8606012808492
	Sheave 20 LB	Round	2.4 mm	1720 m	048164	8606012808508
	Sheave 20 LB	Round	2.7 mm	1360 m	048165	8606012808515
	Sheave 20 LB	Round	3.0 mm	1104 m	048166	8606012808522
	Coil 15 m	Square	2.4 mm	15 m	034053	8606012808539
	Coil 15 m	Square	2.7 mm	15 m	034054	8606012808546
	Coil 15 m	Square	3.0 mm	15 m	034055	8606012808553
	Blister 1 LB	Square	2.4 mm	78 m	048167	8606012808560
	Blister 1 LB	Square	2.7 mm	62 m	048168	8606012808577
	Blister 1 LB	Square	3.0 mm	52 m	034058	8606012808584
	Sheave 5 LB	Square	2.4 mm	390 m	048169	8606012808591
	Sheave 5 LB	Square	2.7 mm	310 m	048170	8606012808607
	Sheave 5 LB	Square	3.0 mm	261 m	034061	8606012808614
	Sheave 20 LB	Square	2.4 mm	1560 m	048171	8606012808621
	Sheave 20 LB	Square	2.7 mm	1240 m	048172	8606012808638
	Sheave 20 LB	Square	3.0 mm	1007 m	048173	8606012808645
	Blister 15 m	Vortex	2.4 mm	15 m	038182	8605032602547
	Blister 15 m	Vortex	2.7 mm	15 m	038183	8605032602554
	Blister 15 m	Vortex	3.0 mm	15 m	038184	8605032602561
	Blister 15 m	Vortex	4.0 mm	12 m	038185	8605032602578
	Blister 1 LB	Vortex	2.4 mm	70 m	038186	8605032602585
	Blister 1 LB	Vortex	2.7 mm	56 m	038187	8605032602592
	Blister 1 LB	Vortex	3.0 mm	44 m	038188	8605032602608
	Blister 1 LB	Vortex	4.0 mm	26 m	038189	8605032602615
	Sheave 5 LB	Vortex	2.4 mm	347 m	038190	8605032602622
	Sheave 5 LB	Vortex	2.7 mm	280 m	038191	8605032602639
	Sheave 5 LB	Vortex	3.0 mm	220 m	038192	8605032602646
	Sheave 5 LB	Vortex	4.0 mm	128 m	038193	8605032602653

AN EXCELLENT CHOICE

Villager oils are produced according to top standards. High quality raw material and rigorous quality control guarantee the best quality of Villager oils.



Villager oils for two-stroke engines

Volume	100 ml	1 l	1 l with doser	60 l	200 l
Art. no.	034026	034027	035298	034029	034028
EAN no.	8606012808331	8606012808348	8606012809161	8606012808355	8606012808362
For EU market	•	•	•	•	•
Description	Semi-synthetic multipurpose oil for two-stroke engines with reduced smoke emission and an integrated fuel stabiliser. This high quality engine oil contains compounds for cleaning and against corrosion, and can be used, individually, or combined with other oils, for lubricating air or water-cooling two-stroke engines of all types. Emulsifiers ensure mixing of fuel and oil. The advantages of using Villager oils: it maintains the fuel (mixture) fresh for a longer period of time, it solves the problems related to winter storage of two-stroke machines, it enables quick and easy engine starting, it protects against corrosion, and it keeps the fuel system clean. It is suitable for chainsaws, motor scythes, scooters, etc.				



Villager oil for four-stroke engines

Volume	600 ml
Art. no.	034030
EAN no.	8606012808379
For EU market	•
Description	Universal oil for four-stroke engines.

Villager oil for chain lubrication

Volume	1 l	5 l
Art. no.	034031	035297
EAN no.	8606012808386	8606012809154
For EU market	•	•
Description	High-quality mineral oil for chain lubrication, with an additive for longer retention.	



All Villager products

Villager products are designed, tested and chosen so as to meet European EC directives and standards.

Our products are characterised by high quality, modern design, reliability, innovation, safety and affordability.

Villager product range involves carefully chosen household and garden tools, tested in real conditions, which satisfy the highest reliability standards. We also offer adequate additional equipment for their safe use.

A complete experience of the Villager brand involves post-purchase services: spare parts, technical support and servicing.

Where can I purchase them?

The product from the Black edition range are sold exclusively through our dealer network. The trust in our dealer network is guaranteed by the mutual partnership, commitment to top service and care given to each customer.

Dealers of Villager Black edition products are educated and professional traders who will fully understand your demands and needs when it comes to a certain product and then find the most suitable solution for you. In such a way, we have ensured, among other things, additional quality control for our products, high visibility of our products and a guarantee of getting expert and professional service.

The list of dealers by cities can be found at:

<http://www.villager-tools.com/page/where-to-buy>



Spare parts

Our original spare parts are developed simultaneously with Villager machines, which means that they meet the same criteria and that they are tested in the same way as the parts used in production. In this way, tolerance and marginal performance of characteristics which should be met are ensured, as well as the compatibility of the machine and spare parts.

Spare parts are also available after the production of a machine has been discontinued, so you can easily use the machine for many more years.

The efficient global network with strong logistics system ensures a quick and safe delivery in the region, within 24 hours of receiving the order. Service parts may be a part of the Service Contract or can be ordered directly from our service department.

You can find the link to downloading the consumables and spare parts catalogue here:

<http://www.villager-tools.com/page/spare-parts>

Service network

The quality of a product is determined according to a set of very different parameters. One of them is a possibility of servicing products within and out of warranty period, as well as the possibility of original spare parts procurement.

Authorised service providers have great experience and knowledge necessary to efficiently solve a wide range of problems. Villager service network is constantly expanding and improving, with the aim of satisfying our customers. Villager service providers perform repairs of your machines and procurement of spare parts, so you have everything in one place.

For the complete list of service centres, check out the Service network list or find the nearest service in three simple steps with the application below.

You can find the list of service providers by city here:

<http://www.villager-tools.com/page/services>

Demo Combi

In order to be at service of our customers at all times, we attend all the fairs in our industry. Our demo van is a unique promotional vehicle which travels through the region, and we are also to be found through mass media, as well as in digital media and social networks.

<http://www.villager-tools.com/news>





Villager d.o.o.
Kajuhova 32 P
1000 Ljubljana
Slovenia
Tel.+386 820 51180
info@villager.si