

Операционные системы

Редактор Emacs

Иван Горбунов

2026-04-07

Цели и задачи работы

Процесс выполнения лабораторной работы

Выводы по проделанной работе

1. Цели и задачи работы

Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором Emacs.

1 Изучить возможности редактора Emacs

2. Процесс выполнения лабораторной работы

1. Откроем Emacs.






Рисунок 1: Запуск Emacs
Операционные системы




```
#!/bin/bash
HELLO=Hello
function hello
{
local HELLO=World
echo $HELLO
}
echo $HELLO
hello
```

Рисунок 2: Новый файл



```
#!/bin/bash
HELLO=Hello
function hello
{
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
hello
```

Рисунок 3: Операция вставка




The image shows a screenshot of the GNU Emacs editor window titled "hello.sh - GNU Emacs at imgorbunov". The window has a menu bar with "File", "Edit", "Options", "Buffers", "Tools", "Sh-Script", and "Help". Below the menu bar is a toolbar with icons for opening, saving, undo, redo, and search. The main text area contains a shell script with the following content:

```
#!/bin/bash
HELLO=Hello
function hello
{
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
Hello
```

A yellow rectangular highlight covers the lines from "function hello" to "echo \$HELLO" (the first occurrence). The status bar at the bottom of the window displays " -*- hello.sh All L15 (Shell-script[bash])".


Рисунок 4: Выделение блока



```
#!/bin/bash
HELLO=Hello
function hello
{
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
}
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
echo $HELLO
}
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
```

GNU Emacs status bar: hello.sh All L33 (Shell-script[bash])

Рисунок 5: Копирование блока



```
hello.sh - GNU Emacs at imgorbunov
File Edit Options Buffers Tools Sh-Script Help
[Icons: Open, Save, Undo, Redo, Copy, Paste, Find]

#!/bin/bash
HELLO=Hello
function hello
{
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
}
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO
hello
echo $HELLO

-:***- hello.sh All L25 (Shell-script[bash])
Undo
```

Рисунок 6: Удаление блока




Рисунок 7: Горизонтальное разделение





Рисунок 8: Переключение буфера



The screenshot shows the GNU Emacs Messages window titled "*Messages* - GNU Emacs at imgorbunov". The window contains a list of messages from the Emacs startup process. The messages include loading site-lisp files, setting up the shell environment, and beginning of buffer operations. The status bar at the bottom indicates the current buffer is "Messages" and the cursor is at line 17.

```
*Messages* - GNU Emacs at imgorbunov
File Edit Options Buffers Tools Help
[Icons: Copy, Paste, Save, Undo, Cut, Copy, Paste, Find]
Loading /usr/share/emacs/site-lisp/site-start.d/desktop-entry-mode-init.el (source)...done
Loading /usr/share/emacs/site-lisp/site-start.d/mercurial-site-start.el (source)...done
Loading /usr/share/emacs/site-lisp/site-start.d/systemtap-init.el (source)...done
For information about GNU Emacs and the GNU system, type C-h C-a.
Buffer is read-only: #<buffer *GNU Emacs*>
Setting up indent for shell type bash
Indentation variables are now local.
Indentation setup for shell type bash
Beginning of buffer [8 times]
Mark set [8 times]
<left-fringe> <mouse-1> is undefined
Mark set [3 times]
Beginning of buffer [15 times]
Undo
Auto-saving...done
Beginning of buffer [4 times]
█
U:%*- *Messages* All L17 (Messages)
Beginning of buffer
```

Рисунок 9: Закроем буфер




Рисунок 10: Переключение буфера




Рисунок 11: Четыре буфера




Рисунок 12: Режим поиска

3. Выводы по проделанной работе

В данной работе мы познакомились с еще одним редактором операционной системой Linux. Получили практические навыки работы с редактором Emacs.