Machine Translated by Google

XDUTS Manual

note286

v4.1.1.0 (2023/01/16)

Introduction

XDUTS is a LATEX3 document class and macro package package for Xidian University undergraduates/graduates , only supports XÿLATEX, only supports TEX Live, MacTEX, MiKTEX, supports Windows, macOS, GNU/Linux, Overleaf and TeXPage.

disclaimer

When using **XDUTS ,** you agree to the following by default:

1. The **XDUTS** author is not responsible for format review issues arising from the use of **XDUTS .**
2. The release of **XDUTS** complies with the LATEX Project Public License1, please read the content of the agreement carefully before using it. 3. Any new LATEX document class/macro package generated by any individual or organization based on **XDUTS** modification and extension , please strictly abide by the LATEX Project Public License, and any disputes caused by violation of the agreement have nothing to do with the **XDUTS** author.

1 https://www.latex-project.org/lppl.txt

Machine Translated by Google

Table of contents

Section 1 Introduction 3

Section 2 Instructions 3
2.1 xdufont macro 3
package . 2.2 xduugtp 4
document class . 2.3 xdupgthesis 4
document class . 2.4 xduugthesis document class . . 4

Section 3 Compatibility 5
Notes 3.1 5
Algorithms . . . 3.2 5
Images . . . 3.3 Tables 5

Section 4 Recommendations for use 5

Section 5 6
Function 6
Description 5.1 6
Compilation . . . 5.2 6
Reference Citation 6
5.3 Parameter 9
Setting . 5.4 Font 9
Options . 5.5 English 9
Font 9
. 10
5.10 Cross-reference configuration 10
5.11 Caption 10
configuration . 5.12 10
Chart configuration 11
5.13 Algorithm 11
configuration . 5.14 12
Chapter configuration 13
5.15 Comparison table 14
configuration . 5.16 Author . . . 18
profile configuration . 5.19 19
Additional commands . . . 5.19.1 20
\noauxwrite . 5.19.2 English 20
postgraduate dissertation bilingual
title . . 5.19.3 Anonymous . . . 20
commands . 5.20 Additional functions . . 20
Blind review and spot check evaluation . . 20
20 5.20.3 Hidden part index and . . . 20
comparison table .
. . twenty one

Section 6 Contributors twenty one

Section 7 Acknowledgments twenty one

Section 8 Sponsorship twenty one

Machine Translated by Google

Section 1 Introduction

XDUTS (Xidian University TEX Suite) is designed to help Xidian University undergraduate/graduate students write The LATEX3 document class and macro package suite written for proposal reports/dissertations and other documents currently include:

• xdufont.sty, Chinese/English/math font configuration macro package. • xduugtp.cls, the document class of undergraduate graduation design thesis proposal report. • xdupgthesis.cls, the postgraduate dissertation documentation class. • xduugthesis.cls, the document class of graduation design thesis for undergraduates. Coming soon:

• xdupgtp.cls, the document class of the graduate thesis proposal report. This document will try to introduce the use of **XDUTS** as completely as possible. If there is anything unclear, or if you want to make suggestions for improvement, you can participate in discussions or ask questions in GitHub Discussions2. If it is determined that there is a bug in **XDUTS ,** it can be described in GitHub Issues3 . In addition, no **Pull Requests are accepted.**

Section 2 Instructions for Use

What was mentioned in "A (Not Very) Short Introduction to LATEX 2"4 will not be repeated in this document. In addition, some usage suggestions are given in Section 4 . All document classes and macro packages in XDUTS only have built-in macro packages required to implement functions, and commonly used macro packages such as subcaption, algpseudocodex, amsmath, amsthm, and siunitx are not built-in. Users can refer to Section 3 and make their own according to their needs. load. The corresponding format specifications have been implemented, users only need to write the content of the article, please do not add format modification commands at will. The default values of some styles do not strictly conform to the school's specifications, and users can modify them by combining the school's specifications and referring to the function description in Section 5 .

Please use the latest version of XDUTS in the latest version of LATEX environment, and you can use XDUTS after carefully reading the chapters of the corresponding document class/macro package usage instructions .

2.1 xdufont macro package

The xdufont macro package is based on the xeCJK macro package and the unicode-math macro package. Compared with the ctex macro package, the main advantage of the Chinese font configuration is that it supports Arial bold and italic by default. Mathematical fonts are more in line with the writing requirements of various documents in the school. Section 5.1 introduces how to compile, and Section 5.3 describes how to customize the configuration. For specific configuration options, see Section 5.4 .

The xdufont macro package can be used with any document type, for example:

```
\documentclass{article}
\usepackage{xdufont}
\xdusetup{}
\begin{document} Song typeface\textbf{bold}\textsl{add italic} \textsf{bold}\textbf{\textsf{bold}}\textsl{ \textsf{Italics}}
\end{document}
```

After learning the above usage, you can use the xdufont macro package.

2 https://github.com/note286/xduts/discussions/
3https://github.com/note286/xduts/issues/
4CTAN://info/lshort/chinese/lshort-zh-cn.pdf

Machine Translated by Google

2.2 xduugtp document class

The xduugtp document class is based on the ctexart document class, which provides multiple font configurations and facilitates information entry. Please read "West An Electronic Science and Technology University Undergraduate Design (Thesis) Opening Report" and then use the xduugtp document class.

A minimal example using the xduugtp document class looks like this:

```
\documentclass{xduugtp} \xdusetup{}
\begin{document} \section{Thesis title
and project source} \section{Research
purpose and significance} \section{Research
status and development trend at home and
abroad} \section{Main research content and main points
Problems solved and the preliminary plan of this paper} \section{The main stages,
progress and completion time of the work} \section{Preliminary preparations that have
been done} \section{Opinions of the instructors} \section{Academic review opinions}
\end{document }
```

Section 5.1 describes how to compile, Section 5.2 describes how to cite references, and Section 5.3 describes how to customize the configuration. Among them, see section 5.4 for font options , section 5.7 for reference configuration , and section 5.17 for supported information entry options .

After learning the above usage, you can use the xduugtp document class.

2.3 xdupgthesis document class

The xdupgthesis document class is based on the ctexbook document class, providing multiple font configurations, some styles can be customized, and information entry is convenient. Please use the xdupgthesis document class after reading "Xiandian University Postgraduate Dissertation Template (2015 Revision) - 2019.03 Revision". For professional degree masters, please read additionally "Xiandian University Professional Degree Master's Dissertation Cover and Chinese and English Title Page Template (2015 Edition) - 2019.03 Revision", and for English dissertations, please additionally read "Xiandian University English Dissertation Requirements ". A minimal example using the xdupgthesis document class looks like this:

```
\documentclass{xdupgthesis}
\xdusetup{} \begin{document}
\chapter{Welcome} to \LaTeX{}!


\end{document}
```

Section 5.1 describes how to compile, Section 5.2 describes how to cite references, and Section 5.3 describes how to customize the configuration. Among them, see section 5.4 for font options , section 5.5 for partial English font switching , section 5.6 for language configuration , section 5.7 for reference configuration , section 5.8 for page configuration , section 5.9 for file configuration , cross-reference configuration See Section 5.10 , caption configuration, see Section 5.11 , chart configuration, see Section 5.12 , algorithm configuration, see Section 5.13 , comparison table configuration, see Section 5.15 , author profile configuration, see Section 5.16 . See Section 5.17 for supported information entry options . See Section 5.18 for page and information removal . After learning the above usage, you can use the xdupgthesis document class. In addition, some additional commands are provided in Section 5.19 to enhance typography.

2.4 xduugthesis document class

The xduugthesis document class is based on the ctexbook document class, providing multiple font configurations, some styles can be customized, and information entry is convenient. Please use the xduugthesis document class after reading the Undergraduate Graduation Design (Thesis) Workbook.

A minimal example using the xduugthesis document class looks like this:

Machine Translated by Google


```
\documentclass{xduugthesis}
\xdusetup{} \begin{document}
\chapter{Welcome} to \LaTeX{}!


\end{document}
```

Section 5.1 describes how to compile, Section 5.2 describes how to cite references, and Section 5.3 describes how to customize the configuration. Among them, see section 5.4 for font options , section 5.5 for partial English font switching , section 5.7 for reference configuration , section 5.8 for page configuration , section 5.9 for file configuration , section 5.10 for caption configuration See Section 5.11 , Chart Configuration, Section 5.12 , Algorithm Configuration, Section 5.13 , Chapter Configuration, Section 5.14 , and Supported Information Entry Options, Section 5.17 . After learning the above usage, you can use the xduugthesis document class. Also, provided in Sections 5.19 and 5.20

Some additional commands and functions to enhance typography.

Section 3 Compatibility Notes

The xduugthesis and xduugthesis document classes have made targeted adaptations to some common macro packages. It should be noted that these macro packages still need to be loaded by the user as required.

3.1 Algorithm

The main adaptation algorithm content font size and default floating position. The algorithm macro package provides an algorithm environment for floating objects, which can be used with macro packages such as algpseudocodex. The algorithm2e macro package provides an algorithm environment. The algorithm environment provided by this macro package actually combines the floating body and the algorithm content into one.

3.2 Pictures

Mainly adapted to subfigure caption font size and subfigure reference style, including subfig macro package and subcaption macro package.

3.3 Form

Mainly adapt to the font size of the table content, including all tables using table floats, tblr provided by the tabularray package, longtblr environment and longtable environment provided by the longtable package. And adapt subtable caption font size and subtable reference style, including subfig macro package and subcaption macro package.

Section 4 Recommendations for use

This section mainly proposes usage suggestions for xduugthesis and xduugthesis document class, users can still use it according to their own preferences without following the suggestions in this section. In terms of macro packages, it is mentioned in Section 3 that various macro packages have been adapted. However, some macro packages are not recommended for various reasons. It is recommended to use the algorithm and algpseudocodex macro package typesetting algorithm; it is recommended to use the subcaption macro package to typesetting subgraphs; it is recommended to use the tabularray macro package to typesetting all tables; it is recommended to use the siunitx macro package to typesetting units; Also, don't load any reference-related packages. When using the functions provided by a macro package, please read the corresponding macro package documentation.

In terms of fonts, Chinese, English and math fonts all provide multiple configurations. For Chinese and English fonts, users can choose the appropriate configuration according to their preferences, and fonts corresponding to some configurations may need to be purchased and installed by themselves. For math fonts, users are strongly recommended to choose a math font that matches Chinese and English fonts. Note that when using non-Computer Modern fonts, some commands (for example, bold, etc.) may be different from traditional methods, please read the unicode-math documentation by yourself.

Machine Translated by Google

Section 5 Function Description

Please read this section selectively according to the description of the corresponding document class/macro package in Section 2 .

5.1 compile

LATEX itself is a command-line program, and the required compilation engine is invoked through different commands. The shortcut buttons provided by the editor are actually just packaging. XDUTS only supports XÿLATEX, the reference uses biber by default, and can also be switched to BIBTEX.

5.2 Reference Citation

XDUTS provides two reference processing methods, one is the combination of natbib and gbt7714 macro package, with the bibt ex command; the other is the biblatex macro package, with the biber command. When citing a reference, \cite is superscripted and \parencite is not superscripted.

5.3 Parameter setting

\xdusetup

New: 2022-03-07

\xdusetup = {ÿkey-value listÿ}

XDUTS provides a range of options for self-configuration. After loading the document class/macro package, all the following options can be set by the unified command \xdusetup. The parameter of \xdusetup is a set of option lists separated by (English) commas. Several allowed options are listed in angle brackets below, and the bold ones are the default options. Options in a list are usually of the form ÿkeyÿ = ÿvalueÿ. \xdusetup adopts LATEX3-style key-value settings, and supports different types and multiple levels of option settings. In the key-value list, the space around "=" does not affect the setting; but it should be noted that blank lines cannot appear in the parameter list. Some options contain sub-options, such as style and info, etc., which can be set in two equivalent ways as follows:

```
\xdusetup{ style = { cjk -font = fandol, latin-font = gyre }, info = {

      title          = {On how to make users\\read
      author         documents carefully}, = {Zhang San},
      department = {Typesetting Academy}, abstract =
      {chapters/abstract-zh.tex}, keywords* =
      {Dummy,Keywords,Here,it is }
   }
}
```

or

```
\xdusetup{ style / cjk-font = fandol,
   style / latin-font = gyre, = {On how to
   carefully}, info / title = {Zhang San}, info / author info / department
   {chapters/abstract-zh.tex}, info / keywords =
   {Dummy,Keywords,Here,it is}


}
```

5.4 Font Options

style/cjk-font style/cjk-font = ÿadobe|fandol|founder|sinotype|win|noneÿ

New: 2022-03-06

Set the Chinese font, see Table 1 for the specific configuration.

Machine Translated by Google

adobe adobesongstd-light.otf, adobekaitistd-regular.otf, adobeheitistd-regular.otf
and Adobe-Fangsong-Std-R-Font.otf.
founders FZShuSong -Z01.ttf, FZKai-Z03.ttf, FZHei-B01.ttf, and FZFSK.TTF. sinotype STSONG.TTF,
STKAITI.TTF, STXIHEI.TTF, STHeiti.ttf, and STFANGSO.TTF. win simsun.ttc, simkai.ttf, simhei.ttf, and simfang.ttf.
none disables the built-in Chinese font configuration, you need to configure the Chinese font yourself.

Table **1** Chinese font configuration

option name	Romans		sans serif	Typewriter family
	Upright/slanted shape	Italian shape		
adobe	Adobe SongTi Std	Adobe KaiTi Std	Adobe HeiTi Std	Adobe imitation Song Std
fan-dol	Fandol Song	Fandol Kai	Fandol Hei	Fandol Fang
founder	Founder Song Dynasty_GBK	Founder Kai Ti_GBK	Founder Black Body_GBK	Founder Imitation Song Dynasty_GBK
sinotype	Chinese Song Style	Chinese regular script	Chinese fine black / Chinese black font	Chinese imitation Song Dynasty
win	Zhongyi Song Style	Chinese easy script	Medium easy black body	Zhongyi imitates Song Dynasty

cjk-fake-bold sets the thickness of the CJK fake bold font = ÿfake-bold | The default is 3 style/
New: 2022-04-01 some Chinese fonts that have corresponding bold fonts, such as Fan dolSong and FandolHei, this option does not take effect.

cjk-fake-slant sets the slant degree of the CJK fake italic font = ÿfake-slant | The default is 0.2 style/
New: 2022-04-01

style/latin-font style/latin-font = ÿtac|tacn|thcs|gyre|noneÿ
New: 2022-03-06 Set the English font, see Table 2 for the specific configuration.
Updated: 2022-05-06

tac times.ttf, timesbd.ttf, timesi.ttf, timesbi.ttf, arial.ttf, arialbd.ttf, arial
i.ttf, arialbi.ttf, consola.ttf, consolab.ttf, consolai.ttf, and consolaz.ttf.
tacn times.ttf, timesbd.ttf, timesi.ttf, timesbi.ttf, arial.ttf, arialbd.ttf, arial
i.ttf, arialbi.ttf, cour.ttf, courbd.ttf, couri.ttf, and courbi.ttf.
thcs times.ttf, timesbd.ttf, timesi.ttf, timesbi.ttf, Helvetica.ttf, Helvetica Bold
.ttf, Helvetica Oblique.ttf, Helvetica Bold Oblique.ttf, CourierStd.otf, CourierStd-Bold.otf, CourierStd-Oblique.otf, and
CourierStd-BoldOblique.otf. none disables the built-in English font configuration, and you need to configure the English font
yourself.

Table **2** English font configuration

option name	Romans	sans serif	Typewriter family
tac	Times New Roman	Arial	Consolas
tacn	Times New Roman	Arial	Courier New
thcs	Times New Roman	Helvetica	Courier Std
gyre	TeX Gyre Termes	TeX Gyre Heroes	TeX Gyre Cursor

style/math-font style/math-font = ÿasana|cambria|cm|fira|garamond|lm|...|termes|xits|noneÿ
New: 2022-03-06 Set the math font, see Table 3 for the specific configuration. Except for the Computer Modern font, the fonts are called by the unicode-math
Updated: 2022-03-09 macro package.

Machine Translated by Google

cambria cambria.ttc.

none disables the built-in math font configuration, you need to configure the math font yourself.

Table **3** math font configuration

option name	font name
asana	Asana Math
cambria	Cambria Math
cm	Computer Modern
concrete	Concrete Math
erewhon	Erewhon Math
euler	Euler Math
fira	Fira Math
garamond	Garamond Math
gfs neohellenic	GFS Neohellenic Math
kp	KpMath
libertinus	Libertinus Math
lm	Latin Modern Math
newcm	New Computer Modern Math
stix2	STIX Two Math
stix	STIX Math
xcharter	XCharter Math
xits	XITS Math
bonum	TeX Gyre Bonum Math
dejavu	TeX Gyre DejaVu Math
pagela	TeX Gyre Pagella Math
schola	TeX Gyre Schola Math
terms	TeX Gyre Termes Math

unicode-math modifies the default options of math-ÿmath.ÿ to match the unicode-math package options} style/

New: 2022-03-14 package documentation for specific configuration, only if the math font is not

Valid for Computer Modern.

style/font-type style/font-type = ÿfont |fileÿ

New: 2022-03-07 Set the font calling method.

font The corresponding font has been installed, use the font name to call

the font. file The corresponding font is not installed, use the font file name to call the font, suitable for online platforms such as Overleaf or TeXPage, or not

The case for conveniently installing fonts.

font-path style/font-path = {ÿpathÿ} style/

New: 2022-03-07 Set the font file path, that is, all required Chinese, English and math font files are stored in the ÿpathÿ directory, which is only valid

when the font type is equal to file, and the default value is fonts.

Machine Translated by Google

5.5 English font

style/en-cjk-font style/en-cjk-font = **ÿtrue|falseÿ**

New: 2022-04-01

Whether to use Chinese fonts for English when switching font families. Mainly used for cover, chapter title, caption, header and footer, reference list, etc.

True English uses the Chinese font of the corresponding font family. false

English uses the English font of the corresponding font family.

5.6 Language configuration

style/language style/language = ÿzh|enÿ

New: 2022-03-29

Set the paper language.

zh Chinese. en

English. Note, please refer to Section 5.19.2 for the commands of the titles of the first, second and third levels of the graduate dissertation .

5.7 Reference configuration

style/bib-backend style/bib-backend = **ÿbibtex|biblatexÿ**

New: 2022-04-02
Updated: 2022-04-03

Set the reference support method.

bibtex uses BIBTEX to process documents, and the natbib macro package is responsible for the

style. biblatex uses biber to process documents, and the style is taken care of by the biblatex macro package.

modifies the default options of biblatex. For style/bib-backend is equal to biblatex. For example:

New: 2022-06-21

```
\xdusetup{ style / biblatex-option = { gbnamefmt=quanpin }
}
```

5.8 Page configuration

style/symmetric-margin style/symmetric-margin = **ÿtrue|falseÿ** sets whether the left and

New: 2022-04-12

right page margins are symmetrical.

True symmetry.

false is not symmetrical.

align sets the vertical alignment of the page. style/page-vertical-align = ÿDistributed Alignment|Top Alignmentÿ style/page-vertical-

New: 2022-05-08

Spread-aligned page heights are filled evenly so that the bottom of each page is aligned directly. Content

in top-aligned pages maintains its natural height, and the bottom of each page is filled with whitespace.

Machine Translated by Google

5.9 File configuration

sets the file search path, which can be used for style/fix-input, style/fix-include = {path1,path2}, multiple paths need to be separated by commas. When set, \input, \include and \includegraphics only need to fill in the file name.

New: 2022-07-01

style/fix-input style/fix-input = ÿ true|**false**ÿ style/fix-include style/fix-include = ÿ true|**false**ÿ style/fix-includegraphics **false**ÿ TEXMF mode. The search priority is higher than the user-defined file search path, if the TEXMF tree, it will cause the wrong file to be loaded. This problem can be avoided by patching the \input, \include and \includegraphics commands. If the user's TEX or picture files do not have the same name as the files in the TEXMF tree, or are in the same directory as the main TEX file, there is no need to apply a patch.

New: 2022-07-01

5.10 Cross-reference configuration

style/ref-add-space style/ref-add-space = ÿ true|**false**ÿ Whether to automatically adjust the spaces between Chinese and English on both sides of \ref and \pageref.

New: 2022-04-16
Updated: 2022-05-08

true automatically adjusts the spaces between Chinese and English on both sides of \ref and \pageref. Do not enter spaces around \ref and \pageref without avoiding abnormal whitespace widths. Valid only when language equals zh. Please do not use the \subref and \subref* commands provided by the subcaption package.

false keeps the original \ref and \pageref commands in effect.

5.11 **Caption** configuration

sep sets the spacing between the figure, table, and the following text, the default value is 0.75em.

New: 2022-04-14

style/caption-labelsep = {space|period|colon|none}, style/caption-labelsep

5.12 Chart configuration

style/ft-caption-format style/ft-caption-format = ÿplain|hangÿ set chart caption format. plain has no indentation, that is, a natural paragraph. hang Hanging indentation.

New: 2022-12-03

style/ft-caption-align style/ft-caption-align = ÿleft|centering|centering-leftÿ set the alignment of the chart caption. leftAlign left. centering is in the middle. centering-left is centered when there is only one line, and left-aligned when there are multiple lines.

New: 2022-12-03

style/table-small-font style/table-small-font = ÿtrue|falseÿ

New: 2022-04-13
Updated: 2022-04-15

Set whether the font size of the table content is five.

true number five.

false Small number four.

Machine Translated by Google

5.13 Algorithm configuration

style/algorithm-small-caption style/algorithm-small-caption = ÿtrue|falseÿ

New: 2022-06-25 Set whether the font size of the algorithm caption is five.

true number five.

false Small number four.

style/algorithm-small-font style/algorithm-small-font = ÿtrue|falseÿ

New: 2022-04-15 Set whether the font size of the algorithm content is five.

true number five.

false Small number four.

style/alg-caption-format style/alg-caption-format = ÿplain|hangÿ

New: 2022-12-03 Set the algorithm caption format. plain

has no indentation, that is, a natural paragraph.

hang Hanging indentation.

style/alg-caption-align style/alg-caption-align = ÿleft|centering|centering-leftÿ

New: 2022-12-03 Set the algorithm caption alignment. leftAlign

left. centering is in the middle. centering-left is centered

when there is only one line, and left-aligned when there are

multiple lines.

style/add-alg-rule-vspace style/add-alg-rule-vspace = **ÿtrue|falseÿ**

New: 2022-12-03 Set whether to increase the vertical spacing for the three horizontal lines of the ruled-style algorithm

environment. true increases. false does not increment.

5.14 Chapter Configuration

sets the vertical spacing before the chapter title, the default value is {24pt, 16pt, 12pt,

New: 2022-04-05 12pt, 12pt, 12pt}, corresponding to \chapter, \section, \subsection, \subsubsection, \paragraph, and \subparagraph.

the vertical spacing after the chapter title, the default value is {16pt, 12pt, 6pt, 6pt,

New: 2022-04-05 6pt, 6pt}, corresponding to \chapter, \section, \subsection, \subsubsection, \paragraph, and \subparagraph.

style/chap-zihao style/chap-zihao = ÿ0|-0|1|-1|2|-2|3|-3|4|-4|5|-6|7|8 ÿ style/sec-zihao style/sec-zihao = ÿ0|-0|1|-1|2|-2|3|-3|4|-4|5|-5|6|-6|7| 8ÿ
style/subsec-zihao style/subsec-zihao = ÿ0|-0|1|-1|2|-2|3|-3|4|-4|5|-5|6|-6|7|8ÿ style/subpara-zihao style/subpara-zihao = ÿ0|-0|1|-1|2|-2|3|-3|4|-4|5|-5|6|-6|7|8ÿ Set the respective Title font size. When the paper language is English, the default values are 4, -4, -4, -4, -4 respectively.

New: 2022-04-11

0 initial number

- 0 small initial number

Machine Translated by Google

1 No. 1 - 1

No. 2 No. 2 - No.

2 No. 3 No. 3 -

No. 3 No. 4 No.

4 - No. 4 No. 5

No. 5 - No. 5 No.

6 No. 6 - No. 6

No. 7 No. 7 8

eighth

5.15 Comparison table configuration

style/customize-los style/customize-los = ÿtrue|falseÿ style/customize-loa
style/customize-loa = ÿtrue|falseÿ Whether to fully customize the symbol comparison table.

New: 2022-06-05

true Completely self-defined symbol comparison table and abbreviation comparison table, and the comparison table is typeset by the user. inf mentioned in Section 5.17

The corresponding files in o/los and info/loa can realize the comparison table through tables or lists, for example:

```
\begin{tabular}{ll} symbol
& symbol name \\$pi$ $\mathbb{R}
\                   $ & real number \

\end{tabular}
```

false Use the built-in symbol table and abbreviation table style based on the longtblr environment (tabularray package). The corresponding files in info/los and info/loa mentioned in Section 5.17 only need to fill in the content of the corresponding column number, for example:

```
\mathbb{R}$ & real number \\$pi$ & $\pi$ \\
```

los style/colspec-loa = {ÿAbbreviation comparison table format settingsÿ} style/colspec-los = {ÿSymbol comparison table format settingsÿ} style/colspec-
the default value of the column format is Q[l,h]X[l,h]. The default value of the abbreviation comparison table format is Q[l,h]X[l,h]X[l,h]. Column comparison

New: 2022-06-05
Updated: 2022-06-28

table format is Q[l,h]X[l,h]X[l,h]. Refer to tabularray package colspec option for syntax. Only valid if style/customize-los and style/customize-loa are equal to false.

style/title-row-los style/title-row-los = **ÿtrue|falseÿ** style/title-row-loa style/
title-row-loa = **ÿtrue|falseÿ** Whether to display symbol comparison table and abbreviation comparison table header row on each page. Only valid if style/customize-los and style/customize-loa are equal to false.

New: 2022-06-05

true Displays the symbol table and abbreviation table header row on each page.

false Only the first page displays the title row of the symbol comparison table and abbreviation comparison table.

Machine Translated by Google

5.16 Author profile configuration

style/customize-edubg style/customize-edubg = ÿtrue|falseÿ style/customize-resresult style/customize-resresult = ÿtrue|falseÿ Whether to fully customize the educational background in the author's profile and research results

New: 2022-06-07

true Completely customize the author's educational background and research results during the master's degree in the author's profile, and the user typeset it by himself. In the corresponding file in info/bio mentioned in Section 5.17 , the educational background and the research results during the master's degree can be typed in paragraphs, tables or lists, for example:

```
\section{Basic information}
Zhang San, male, born in Xi'an, Shaanxi Province in August 1982, is a 2008 graduate student of XX major in XX College of Xidian
University. \section{Education background} 2001.08ÿ2005.07 Xidian University, undergraduate, major: electronic information
engineering \par 2008.08ÿ Xidian University, master, major: electromagnetic field and microwave technology \section{research
achievements during master's degree} \subsection{Publication of academic papers}

[1] XXX, XXX, XXX. Rapid development technique for drip irrigation emitters[J]. RP Journal,
UK.,2003,9(2): 104-110.(SCI: 672CZ, EI: 03187452127) \par [2] XXX, XXX, XXX.
Research on Rapid Manufacturing Technology of Dropper Based on Rapid Prototyping
Manufacturing[J]. Xi'an Journal of Jiaotong University, 2001, 15(9):
935-939. (EI: 02226959521)
\subsection{Application (authorized) patent}
[1] XXX, XXX, XXX, etc. Patent name: country, patent number [P]. Publication date.
\subsection{Participation in scientific research projects and awards}
[1] XXX project, project name, start and end time, completion status, author's contribution. \par [2] XXX,
XXX, XXX, etc. The name of the scientific research project. The third prize of Shaanxi Science and Technology
Progress Award, the date of the award.
```

false Use the built-in educational background tabular environment edubg based on the tblr environment (tabularray macro package) and the enumerate environment (enumitem macro package) to realize the research results list environment resresult during the master's degree. Just use the edubg and resresult environment in the corresponding file in info/bio mentioned in Section 5.17 , for example:

```
\section{Basic information}
Zhang San, male, born in Xi'an, Shaanxi Province in August 1982, is a 2008 graduate student of XX major in XX College of Xidian
University. \section{Education background} \begin{edubg} 2001.08ÿ2005.07 & Xidian University, undergraduate, major: Electronic
Information Engineering\\ 2008.08ÿ & Xidian University, master student, major: electromagnetic field and microwave technology\\
\end RP Journal _ _ _ _

,UK.,2003,9(2): 104-110.(SCI: 672CZ, EI: 03187452127) \item XXX, XXX, XXX.
Research on Rapid Manufacturing Technology of Dropper Based on Rapid Prototyping Manufacturing[J]. Xi'an Jiaotong University Journal, 2001,
15(9): 935-939. (EI: 02226959521)
\end{resresult}
\subsection{Application (authorized) patent}
\begin{resresult} \item XXX, XXX, XXX, etc.
Patent name: country, patent number [P]. Publication date.
\end{resresult}
\subsection{Participation in scientific research projects and
awards} \begin{resresult} \item XXX project, project name,
start and end time, completion status, author's contribution. \item XXX, XXX, XXX, etc. The name of
the scientific research project. The third prize of Shaanxi Science and Technology Progress Award, the date of award.
```

Machine Translated by Google


```
\end{resresult}
```

5.17 Information entry

The user selects the corresponding option according to Table 4 and uses the method in Section 5.3 to enter information.

Table 4 Classification of information entry options

	graduation project			Thesis		
	undergraduate	undergraduate		master		PhD
	On-campus and off-campus academic majors			academic majors		
graduate-type				ÿ ÿ ÿ		ÿ
degree-type				ÿ ÿ ÿ		ÿ
degree				ÿ ÿ ÿ		ÿ
degree*					ÿ	ÿ
title		ÿ ÿ ÿ ÿ ÿ				ÿ
title*				ÿ ÿ ÿ		ÿ
department	ÿ	ÿ	ÿ	ÿ ÿ ÿ		ÿ
major	ÿ	ÿ ÿ ÿ			ÿ	
major*				ÿ	ÿ	
sub-major				ÿ	ÿ	
domain					ÿ	ÿ
author	ÿ	ÿ ÿ ÿ ÿ ÿ				ÿ
author*				ÿ ÿ ÿ		ÿ
supervisor	ÿ	ÿ		ÿ ÿ ÿ		ÿ
supervisor*				ÿ ÿ ÿ		ÿ
supervisor-department		ÿ				
supervisor-enterprise			ÿ		ÿ	ÿ
supervisor-enterprise*					ÿ	ÿ
supervisor-school			ÿ			
supervisor-title				ÿ ÿ ÿ		ÿ
supervisor-title*				ÿ ÿ ÿ		ÿ
supervisor-enterprise-title					ÿ	ÿ
supervisor-enterprise-title*					ÿ	ÿ
class	ÿ					
class-id		ÿ ÿ				
student-id	ÿ	ÿ ÿ ÿ ÿ ÿ				ÿ
clc				ÿ ÿ ÿ		ÿ
secret-level				ÿ ÿ ÿ		ÿ

continued on next page

Machine Translated by Google

Table 4 Classification of information entry options (continued)

	graduation project		Thesis	
	undergraduate	undergraduate	master	PhD
	On-campus and off-campus academic majors		academic majors	
secret-year			ÿ ÿ ÿ	ÿ
submit-date	ÿ		ÿ ÿ ÿ	ÿ
statement-scan			ÿ ÿ ÿ	ÿ
statement-sign			ÿ ÿ ÿ	ÿ
sign	ÿ			
date	ÿ			
abstract		ÿ ÿ ÿ ÿ ÿ		ÿ
abstract*		ÿ ÿ ÿ ÿ ÿ		ÿ
keywords		ÿ ÿ ÿ ÿ ÿ		ÿ
keywords*		ÿ ÿ ÿ ÿ ÿ		ÿ
los			ÿ ÿ ÿ	ÿ
loa			ÿ ÿ ÿ	ÿ
bib-resource	ÿ	ÿ ÿ	ÿ ÿ ÿ	ÿ
appendix		ÿ ÿ ÿ ÿ ÿ		ÿ
acknowledgments		ÿ ÿ ÿ ÿ ÿ		ÿ
bio			ÿ ÿ ÿ	ÿ

info/graduate-type sets the graduate type. info/graduate-type = ÿMaster|PhDÿ

New: 2022-05-02

Updated: 2022-05-03

Master 's degree.

PhD student.

professionalÿ info/degree-type=ÿacademicÿ| info/degree-type sets the graduate degree type.

New: 2022-05-03

Academic academic degree.

Professional Professional Degree.

categoryÿ} info/degree={ÿChinese name of graduate degree ÿ|ÿEnglish name of graduate degree categoryÿ} info/degree* Set the graduate degree category.

New: 2022-05-03

info/title

info/title* info/title = {ÿChinese title of the paperÿ} info/title* = {ÿEnglish title of the paperÿ} Set the title of the paper.

New: 2022-04-01

Updated: 2022-05-30

It is recommended to use the newline control character (\\) to manually specify the newline position, and the undergraduate graduation design thesis is a maximum of two lines, and the graduate dissertation is unlimited.

info/department sets the department name. info/department={ÿDepartment nameÿ}

New: 2022-04-01

Machine Translated by Google

info/major info/major*	info/major = {ÿprofessional name/first-level subject nameÿ} info/major* = {ÿfirst-level subject English nameÿ} set the major name/first-level subject name.
New: 2022-04-01 Updated: 2022-05-03	
sub-major sets the name of the second-level subject.	info/sub-major = {ÿSecond-level subject nameÿ} info/
New: 2022-05-03	
info/domain	info/domain = {ÿDomainÿ}
New: 2022-05-03	Set the realm name.
info/author info/author*	info/author = {ÿauthor's nameÿ} info/author* = {ÿauthor's name pinyinÿ} Set the author's name.
New: 2022-04-01 Updated: 2022-05-03	
supervisor info/supervisor* = {ÿPinyin of supervisor's nameÿ} info/	info/supervisor = {ÿSupervisor nameÿ} info/supervisor* Set the supervisor name.
New: 2022-04-01 Updated: 2022-05-03	
sets the supervisor name.	info/supervisor-department = {ÿSupervisor nameÿ} info/supervisor-department
New: 2022-04-01	
info/supervisor-enterprise* = {ÿExternal tutor name pinyinÿ} info/	info/supervisor-enterprise = {ÿExternal tutor nameÿ} info/supervisor-enterprise
New: 2022-04-01 Updated: 2022-05-03	
school sets the school supervisor name.	info/supervisor-school = {ÿSchool Supervisor Nameÿ} info/supervisor-
New: 2022-04-01	
info/supervisor-title* = {ÿSupervisor title English nameÿ} info/	info/supervisor-title = {ÿSupervisor titleÿ} info/supervisor-title* Set the supervisor title
New: 2022-05-03	
info/supervisor-enterprise-title	info/supervisor-enterprise-title = {ÿOff-campus tutor titleÿ} info/supervisor-enterprise-title*
New: 2022-05-03	Set the title of an off-campus tutor.
info/class	info/class = {ÿÿÿÿÿ} Set the class,
New: 2022-12-31	which is the year of graduation.
info/class-id	info/class-id = {ÿauthor class IDÿ}
New: 2022-04-01	Set the author class number.
info/student-id	info/student-id = {ÿauthor student IDÿ}
New: 2022-04-01	Set the author's student ID.
info/clc	info/clc = {ÿCLC numberÿ} Set the CLC
New: 2022-05-03	code.

Machine Translated by Google

info/secret-level New: 2022-05-03	info/secret-level = ÿSecret|Publicÿ Set the secret level.
sets the secret year, only valid when secret-level=Secret is set New: 2022-05-30	info/secret-year = {ÿyyyyÿ} info/secret-year
info/submit-date New: 2022-05-03 Updated: 2022-12-31	info/submit-date = {ÿyyyy-mmÿ} info/submit-date = {ÿyyyy-mm-ddÿ} Set the submit date, if left blank, the date of the compilation day will be used automatically.
info/statement-scan New: 2022-06-22	info/statement-scan = {ÿDissertation Ingenuity Statement and Explanation Page Scanning File Path about the Authorization of the Dissertationÿ} Set the scanning file path of the statement of originality of the dissertation and the description page about the authorization of the dissertation.
file path. The file support format is consistent with \includegraphics, it is recommended that the file has a transparent background and only black, and minimize the margins. New: 2022-06-23	info/statement with signature = {ÿfile path 1, file path 2, file path 3, file path 4, file path 5, file path 6ÿ} info/statement with signature = {ÿfile path 1, file path 2, file path 3, file path 4, file path 5, file path 6ÿ} If left blank, set to minimize the page margins

File path 1 The file path of originality statement of the dissertation signed by myself.

File Path 2 The file path of the dissertation originality statement date. File Path 3

Instructions on Authorization of Papers Signature file path. File path 4 The date file path of the

description about the authorization of the paper. File Path 5 Instructions on Authorization of

Papers Supervisor signature file path. File path 6 The date file path of the description about

the authorization of the paper.

info/sign New: 2022-12-31	info/sign = {ÿfile path 1, file path 2ÿ} set the signature file path of opening report. The file support format is consistent with \includegraphics, it is recommended that the file has a transparent background and only black, and minimize the margins.

File path 1 Instructor's opinion signature file path. File Path 2 Path

to the signature file of the college's review comments.

info/date New: 2022-12-31	info/date = {ÿdate1,date2ÿ} Set the signature date of the opening report, the format is {ÿyyyy-mm-ddÿ}, if it is left blank, the date of the compilation day will be used automatically.

Date 1 Instructor comment signature date. Date 2

Faculty Review Comment Signature Date.

info/abstract info/abstract* New: 2022-04-02	info/abstract = {ÿChinese abstract file pathÿ} info/abstract* = {ÿEnglish abstract file pathÿ} Set the abstract file path, and only the abstract content is written in the corresponding file without any environment.
keywords info/keywords* = {ÿEnglish keywords, separated by English half-width commasÿ} Set the New: 2022-04-02	info/keywords = {ÿChinese keywords, separated by English half-width commasÿ} Set the info/keywords* = {ÿEnglish keywords, separated by English half-width commasÿ} Set the info/ keywords, keywords need to be separated by
info/los New: 2022-06-05	info/los = {ÿsymbol lookup table file pathÿ} set the symbol lookup table file path.
info/loa New: 2022-06-05	info/loa = {ÿAbbreviation table file pathÿ} Set the abbreviation table file path.
info/bib-resource New: 2022-06-21	info/bib-resource = {ÿReference file pathÿ} Set the reference .bib file path, and multiple files need to be separated by English half-width commas.

Machine Translated by Google

appendix sets the appendix file path, and multiple file paths are separated by commas. New: 2022-12-11	info/appendix = {ÿApp path, ÿ} or multiple file paths} to be
acknowledgements sets the acknowledgements file path, and only the acknowledgements file path is written in the corresponding file without any environment. New: 2022-04-02	info/acknowledgements = {ÿAcknowledgements file pathÿ}
info/bio New: 2022-06-07	info/bio = {ÿAuthor profile pathÿ} Set the author profile file path, the file content can refer to the example in Section 5.16 .

5.17.1 Recommended values for postgraduate information

The recommended values for postgraduate information below are all from "Xiandian University Postgraduate Dissertation Template (Revised 2015) -2019.03 Revision", "Xiandian University Professional Degree Master's Degree Thesis Cover and Chinese and English Title Page Template (2015 Edition) -2019.03 Revision" and "Xiandian University Professional Degree Doctoral Dissertation Cover and Chinese and English Title Page Template-2019.03", without any modification, for reference only. • degree (Academic Master, Academic Doctor) Master of Engineering, Doctor of Engineering, Master of Philosophy, Master of Economics, Master of Laws, Master of Education, Master of Arts, Master of Science, Doctor of Science, Master of Military Science, Doctor of Military Science, Master of Management, Doctor of Management• degree (Professional Master) Master of Finance, Master of Applied Statistics, Master of Translation, Master of Engineering, Master of Business Administration, Master of Public Administration• degree (Professional Doctor) Doctor of Engineering• degree* (Professional Master)

Finance, Applied Statistics, Translation, Engineering, Business Administration, Public Ad ministration

• degree* (Professional Doctorate)

Engineering •

department

School of Communication Engineering, School of Electronic Engineering, School of Computer Science and Technology, School of Mechanical and Electrical Engineering, School of Physics and Optoelectronic Engineering, School of Economics and Management, School of Mathematics and Statistics, School of Microelectronics, School of Foreign Languages, School of Life Science and Technology, Space Science and Technology Faculty, School of Advanced Materials and Nanotechnology, School of Network and Information Security, School of Humanities, School of Marxism, School of Artificial Intelligence

• major

Philosophy, Applied Economics, Marxist Theory, Education, Physical Education, Foreign Languages and Literature, Mathematics, Physics, Statistics, Mechanics, Mechanical Engineering, Optical Engineering, Instrument Science and Technology, Materials Science and Engineering, Electrical Engineering , Electronic Science and Technology, Information and Communication Engineering, Control Science and Engineering, Computer Science and Technology, Chemical Engineering and Technology, Transportation Engineering, Environmental Science and Engineering, Biomedical Engineering, Software Engineering, Military Command Science, Management Science and Engineering , Business Administration, Public Administration, Library Information and Archives Management, Cyberspace Security• major*

Philosophy, Applied Economics, Marxist Theory, Education Science, Science of Physi cal Culture and Sports, Foreign Languages and Literature, Mathematics, Physics, Statis tics, Mechanics, Mechanical Engineering, Optical Engineering, Instrument Science and

Technology, Materials Science and Engineering, Electrical Engineering, Electronics Science and Technology, Information and Communications Engineering, Control Science and

Engineering, Computer Science and Technology, Chemical Engineering and Technology,

Communication and Transportation Engineering, Environmental Science and Engineering, Biomedical Engineering, Software Engineering, Science of Command, Management

Science and Engineering, Business Administration, Public Management, Science of Library, Information and Archival, Cyber Security

Machine Translated by Google

• sub-major Aesthetics,

Religion, National Economics, Finance, Industrial Economics, Basic Principles of Marxism, Ideological and Political Education, Higher Education, Educational Technology, Educational Philosophy, Physical Education and Training, English Language and Literature, Foreign Countries Linguistics and Applied Linguistics, Computational Mathematics, Probability Theory and Mathematical Statistics, Applied Mathematics, Operations Research and Cybernetics, Plasma Physics, Condensed Matter Physics, Optics, Radio Physics, Statistics, Engineering Mechanics, Mechanical Manufacturing and Automation, Mechatronic Engineering, Mechanical Design and Theory, Electromechanical Science and Technology, Industrial Design, Optical Engineering, Precision Instruments and Mechanics, Measuring Technology and Instruments, Material Physics and Chemistry, Materials Science, Electric Machines and Electrical Appliances, Power Electronics and Power Transmission, Physical Electronics, Circuits and Systems, Microelectronics and Solid State Electronics, Electromagnetic Field and Microwave Technology, Information Countermeasure Technology, Integrated Circuit System Design, Communication and Information System, Signal and Information Processing, Intelligent Information Processing, Space Information Science and Technology, Control theory and control engineering, detection technology and automation device, system engineering, pattern recognition and intelligent system, navigation, guidance and control, computer system structure, computer software and theory, computer application technology, applied chemistry, traffic information engineering and control, environment Science, Environmental Engineering, Biomedical Engineering, Biomaterials and Cell Engineering, Software Engineering, Software Engineering Technology, Military Communications, Cryptography, Management Science and Engineering, Management Philosophy, Accounting, Business Management, Technical Economics and Management, Administrative Management , Library Science, Information Science, Optical Communication, Information Security, Bioinformatics Science and Technology, Robotics, Remote Sensing Information Science and Technology, Space Science and Technology, Marxism in China, Foreign Literature, Translation Studies, Basic Mathematics, Fluid Mechanics, solid mechanics, intelligent electromechanical systems and measurement and control technology, space science instruments and electromagnetic experiment technology, aircraft measurement and control and navigation guidance, intelligent detection an

• domain (professional masters)

Finance, Applied Statistics, English Translation, Mechanical Engineering, Optical Engineering, Instrumentation Engineering, Materials Engineering, Electronics and Communication Engineering, Integrated Circuit Engineering, Control Engineering, Computer Technology, Software Engineering, Biomedical Engineering, Aerospace Engineering, Project Management, Logistics Engineering, Business Administration, Public Administration• domain (Professional Doctorate)

Electronics and Information, Advanced Manufacturing

• supervisor-title Professor, Associate

Professor • supervisor-title*

Professor, Associate Professor • supervisor-

enterprise-title researcher, associate researcher, senior

engineer

• supervisor-enterprise-title*

Research Fellow, Associate Research Fellow, Senior Engineer

5.18 Page and Information Removal

the Authorÿ} style/remove-page style/remove-page = ÿCover|Nomination Page|Statement Page|Abstract|Table of Contents|Appendix|References|Acknowledgments|About

New: 2022-06-26

Nomination page Chinese and English

nomination pages. Abstract in Chinese

and English. Index image index and table index.

Comparison table Symbol comparison table and abbreviation comparison table.

style/remove-header style/remove-header = ÿ true|**falseÿ** set whether

New: 2022-06-26 to remove the header.

style/remove-footer style/remove-footer = **ÿtrue|falseÿ**

New: 2022-06-26 Set whether to remove the footer.

style/anonymous anonymous = **ÿtrue|falseÿ**

New: 2022-06-26 Set whether to enable anonymity, used with \anon in Section 5.19 .

Machine Translated by Google

5.19 Additional commands

5.19.1 \noauxwrite

\noauxwrite
New: 2022-05-13

\noauxwrite{ÿreference citation commandÿ}

\noauxwrite Allow adding references without affecting the order of existing reference lists. A simple example looks like this:

```
\caption{Comparison of calculation overhead between this article and the document\noauxwrite{\parencite{a document}}}
```

5.19.2 English bilingual titles for graduate dissertations

\chapter
\section
\subsection
New: 2022-06-20

\chapter{ÿEnglish titleÿ}{ÿChinese titleÿ}
\section{ÿEnglish titleÿ}{ÿChinese titleÿ}
\subsection{ÿEnglish titleÿ}{ÿChinese titleÿ} In English graduate dissertation one or two The third-level titles are bilingual in Chinese and English, and the other levels are in English. A simple example looks like this:

```
\chapter{This Is Chapter}{This is a first-level heading}
\section{This Is Section}{This is a second-level heading}
\subsection{This Is Subsection}{This is a third-level heading}
\subsubsection{This Is Subsubsection}
\paragraph{This Is Paragraph}
\subparagraph{This Is Subparagraph}
```

5.19.3 Anonymous commands

\anon
New: 2022-06-26

\anon[ÿanonymous contentÿ]{ÿnon-anonymous contentÿ} Display the corresponding ÿanonymous contentÿ and ÿnon-anonymous contentÿ according to the state of style/anonymous. Among them, {ÿanonymous contentÿ} is an optional parameter, and the default is XXX. A simple example looks like this:

```
\anon[XX]{Zhang San}
```

When style/anonymous is true, output Zhang San; when style/anonymous is false, output XX.

5.20 Extra features

5.20.1 Instructors and Named Instructors

It has been confirmed with the Degree Office that for graduate students, if the named supervisor and the teaching supervisor are not the same person, only the teaching supervisor needs to be filled in, and the nominal supervisor does not need to be filled in. If there are special needs, two teachers need to be filled in, and the information of the two teachers can be separated by commas in info/supervisor, info/su supervisor*, info/supervisor-title and info/supervisor-title*.

5.20.2 Similarity testing, blind review and spot check evaluation

For similarity detection, blind review and spot check evaluation, there are mainly two operations, one is page removal, and the other is information hiding and replacement. For page removal, please refer to Section 5.18 . For information hiding, please delete or comment the corresponding information entry options. For information replacement, please modify the corresponding information entry options yourself. For information anonymity in the author profile, please refer to Section 5.19.3 . According to the specific requirements of schools and colleges, users combine the above two operations to generate papers that meet the requirements of similarity detection, blind review and spot check evaluation.

Machine Translated by Google

5.20.3 Hiding partial indexes and comparison tables

Since there are cases where the illustration index, table index, symbol comparison table or abbreviation comparison table are empty, it is supported to hide the illustration index, table index, symbol comparison table or abbreviation comparison table, for example:

```
\xdusetup{ style / remove-page = { illustration index, symbol comparison table }
}
```

Section **6** Contributors


During the development of **XDUTS ,** the only maintainer is @note286. Among them, in During the development of xduugthesis, @Ke-Huo, @RH, @syr-bloom and others participated in the internal testing. At the same time, I would also like to thank all the students and teachers who gave feedback and suggestions on GitHub and Ruisi. The sustainable development of XDUTS is inseparable from your help and support.

Section **7** Acknowledgments

In the process of learning literary programming, " Literary Programming in LATEX"5 and "Good things come in little packages: An introduction to writing .ins and .dtx files"6 have provided great help. During the writing of this document, reference was made to ctex.dtx, fduthesis.dtx, njuthesis.dtx, and thuthesis.dtx.

Section **8** Sponsorship

If **XDUTS** is helpful to you, you can scan the QR code in Figure 1 to sponsor **XDUTS.**



(a) Scan the QR code to receive red envelopes **(b)** Alipay **(c)** WeChat payment **(d) QQ** payment

Figure **1** sponsorship QR code

5 https://liam.page/2015/01/23/literate-programming-in-latex/ 6 https://www.tug.org/TUGboat/tb29-2/tb92pakin.pdf